

POSTER PRESENTATIONS

206

| MAIN AUTHOR | SURNAME | TITLE | PRESENTING AUTHOR | SYMP. NUMBER |
|--------------------|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------|
| Drach | Matheus | Theoretical modelling of surfactant adsorption at air-solution interface | Matheus Drach | P 1 A |
| Monroy | F. | Capillary waves at the air-water interface of an ionic surfactant solution | F.Monroy | P 2 A |
| Martin | Laura J. | Fluorinated non-ionic surfactants bearing either CF ₃ -orH-CF ₂ -terminal groups: adsorption at the surface of aqueous and non-aqueous solutions | L.J.Martin | P 3 A |
| Mocanu | A. | The adsorption of melatonin at air/water and hexane/water interfaces | A. Mocanu | P 4 A |
| Klich | Joanna | Surface properties of mixed adsorption films at the water / air interface of phenol and p-fluorophenol | Joanna Klich | P 5 A |
| Gracia Fadrique | J. | Novel surface equation of state: bet isotherm + gibs adsorption equation in fluid phases. Single surfactants and mixtures | E.Hernández Baltazar | P 6 A |
| Sundaran | S. | Structure-Property Studies of Acetylenic Diol Based Surfactants: The effect of gemini structure | S. Sundaran | P 7 A |
| Delgado | C. | Dynamic surface tensions of 1-N-1-Tryptophan-glycerol-ether surfactants | C. Delgado | P 8 A |
| Velázquez | M.M. | Adsorbed layer properties of binary mixtures containing zwitterionic and ionic surfactants | M.M.Velázquez | P 9 A |
| Ivanova | N.I. | Adsorption of Cationic-Nonionic Surfactant Mixtures at Air-Solution and Solid-Solution Interfaces | N.I. Ivanova | P 10 A |
| Bravo | Ramón | Surface Properties of binary liquid mixtures containing 1,4-dioxane and 1-alkanols | Alfredo Amigo Pombo | P 11 A |
| Cui | Z.G. | Mixed adsorption and surface tension prediction of nonideal ternary surfactant systems | Z.G. Cui | P 12 A |
| Bloor | D.M. | An investigation of the surface properties of binary and ternary mixed surfactant systems using axisymmetric drop shape analysis | Thomas Thurn | P 13 A |
| García | B.E. | Interfacial Tension of Multicomponent Systems, at 298.15 K | B.E. García Flores | P 14 A |
| Panizza | O.L. | | Panizza | P 15 A |
| Folmer | Britta M. | Cross correlation dynamic light scattering on slowly diffusing turbid systems | Former | P 16 A |
| Milioto | Stefania | Effect of the surfactant nature on the silica suspension. A volumetric and heat capacity study | Stefania Milioto | P 17 A |
| Blokhus | A.M. | Adsorption of anionic surfactant and polyelectrolyte of alumina | A.M.Blokhus | P 18 A |
| Yokoyama | Wakako | Atomic force microscopic observation of adsorbed film of cationic double-chained surfactants | Wakako Yokoyama | P 19 A |
| Grosmaire | L. | Origin of the endothermic effect during first adsorption step of cationic dimeric (gemini) surfactant onto silica surfaces | L.Grosmaire | P 20 A |
| Tchoukov | Plamen | New prospects for experimental evidences of self-assembly in foam films from amphiphile solutions | D. Exerowa | P 23 A |
| Diakova | Boriana | Thin liquid films from aqueous solutions of a polyoxyethylene-polyoxypropylene block copolymer on silicon carbide surface | B.Diakova | P 24 A |
| Meszaros | Robert | The interfacial behaviour of aqueous polyethyleneimine/SDS systems on silica | Robert Meszaros | P 25 A |
| Bonet i Avalos | Josep | Novel Single Chain Mean Field methodology. Application to the adsorption of long polymers onto planar surfaces and colloidal particles. | Silvia Díez Orrite | P 26 A |
| Roques Carmes | T. | Kinetics of simultaneous adsorption of poly (vinylimidazole) and sodium dodecyl sulfate at the silica/water interface | T. Roques Carmes | P 27 A |
| Pogorzelski | Stanislaw J. | Adsorption kinetics of marine surfactants : Baltic Sea studies | Stanislaw J. Pogorzelski | P 28 A |
| Miñones Jr. | J. | The utility of brewster angle microscopy for the analysis of amphotericin-dipalmitoyl phosphatidyl serine | J. Miñones Jr. | P 29 A |
| Lucero | A. | The effect of polar group on structural characteristics of phospholipid monolayers spread at the air-water interface | A.Lucero Caro | P 30 A |
| Vila Romeu | N. | Morphology of ethyl palmitate langmuir monolayers in presence of inorganic ions | N.Vila Romeu | P 31 A |
| Vila | Núria | Properties of sphingomyelin langmuir monolayers spread on aqueous subphases containing different metal ions | I.Prieto | P 32 A |
| Tomoala | A. | Equations of state of fatty acid monolayers at the air/water interface | A. Tomoala | P 33 A |
| Sánchez | Isabel | Mixed monolayers of manna 10-2 with dppc | I.Sánchez | P 34 A |
| Sánchez | I. | Superficial and fluorescent study of manna 10-2 | I.Sánchez | P 35 A |
| Nieto Suárez | M. | Behavior of w-[6(N-methyl-N-alkylamine)naphthoyl] Alcanoic acid langmuir monolayers: brewster angle microscopy study | Núria Vila Romeu | P 36 A |
| Rodríguez Niño | M ^a .R. | The displacement of proteins from the air-water interface by monoglycerides | M ^a .R. Rodríguez Niño | P 37 A |
| Rodríguez Patino | J.M. | Interfacial properties of emulsifiers related to the formation and stability of food dispersions | J.M.Rodríguez Patino | P 38 A |
| Mestres | Concepció | ph effect on the surface activity and interaction with lipid monolayers of a synthetic hepatitis G antigen peptide | M.Asunción Alsina | P 39 A |
| Danov | K.D. | A mechanistic of the dilatational interfacial viscosity | K.D.Danov | P 41 A |
| Kralchevsky | P.A. | Effect of surfactants and hydrodynamic factors on the drop-size distribution in membrane emulsification | P.A.Kralchevsky | P 42 A |
| Ivanov | Ivan B. | High pressure film balance | Ivan B.Ivanov | P 43 A |
| Dynarowicz Latka | Patrycja | Phase transitions in Lagumir monolayers from quaternary alkylammonium | Patrycja Dynarowicz Latka | P 44 A |
| Carrera Sánchez | C. | Long-term relaxation phenomena in protein-monoglyceride mixed films at the air-water interface | C.Carrera Sánchez | P 45 A |
| Carla | Marcelo | Electrodisolution and re-assembling of insoluble (phospho)lipid monolayer films at the polarized liquid-liquid interface | Marcelo Carla | P 46 A |
| In | Martin | Double hydrophilic block copolymers and oppositely charged surfactants: complexation and coacervation | M.In | P 47 A |
| Kralchevsky | Peter A. | Capillary interactions between rough-edged particles | P. Kralchevsky | P 48 A |
| Ohta | Yumiko | Interactions between phosphatidylcholine and ganglioside; GM1 in liposomal bilayer and monolayer" | Yumiko Ohta | P 49 A |
| Tomasic | Vlasta | Interaction of hydrophilic polyelectrolyte and oppositely charged surfactant in aqueous solution | Vlasta Tomasic | P 50 A |
| Svingen | Roine | Mechanism of electrophoretic migration of DNA in pluronic gels | R.Svingen | P 51 A |
| Buron | Cedric | Study of the interactions between a polymer (gelatin) and an anionic surfactant (SDS) in encapsulation process | Cedric Buron | P 52 A |
| Bastardo | L. | Interactions between mucin and alkyl sodium sulfates in solution. A light scattering study | Luis Bastardo | P 53 A |
| Causse | Jérémy | Solubilization of tributylphosphat by micellar solutions of amphiphilic triblock copolymers and gemini surfactants | Jérémy Causse | P 54 A |
| Bahadur | Pratap | Counter ion effect on the adsorption characteristics and micellar behavior of ionic surfactants | Pratap Bahadur | P 55 A |
| Coutinho | P.J.G. | DCM and Nile red fluorescence studies in C12E7-DPPC mixed systems | M.E.C.D.Real Oliveira | P 56 A |
| Corbyn | C. | Aggregates of DNA and cationic surfactant solubilised into non-ionic micelles | C.Corbyn | P 57 A |
| Abou-Zylberman | V. | The effect of polarisable additives on the thermodynamic parameters of micellisation of dimeric athnadiyl-alfa, omega bis (dodecylidimethyl ammonium bromides) in aqueous solution | V.Abou-Zylberman | P 58 A |
| Bloor | D.M. | An EMF equilibrium study of the Cetyltrimethylammonium bromide-hexanol-water system | Zahid Mahmood | P 59 A |
| Bajouk | Bassem | Association Studies in mixtures of polydisperse surfactants | Bassem Bajouk | P 60 A |
| Aicart | Emilio | Self-aggregation of the tricyclic antidepressants drugs, imipramine, desipramine and amitriptyline in aqueous solution | Elena Junquera | P 61 A |
| Abreu | Adelino | Sodium Palmitate and Sodium Oleate in the presence of biliar salts - from phase diagrams to CMC changes view by luminescence techniques | Adelino Abreu | P 62 A |
| Valiente Santos | M.Soledad e C.S. | Rheological Properties of mixed CTAB/n-octyl-B-D-glucoside micelles Interactions and partition of catechin and rutin with nads micelles | M.Soledad C.S. Santos | P 63 A P 64 A |
| Gracia Fadrique | J. | Static and dynamic surface tension of hydrophobically modified alkali-soluble associative polymer | E.Hernández Baltasar | P 65 A |
| Rodríguez González | J.R. | Thermodynamics of micellization of alkyltrimethylbenzylammonium bromide in aqueous solutions | J.R.Rodríguez González | P 66 A |
| Paul | A. | Solution properties of transition metal containing surfactants | A.Paul | P 67 A |
| Nilsson | Anna | Physicochemical characterization of lipopolysaccharide from E.coli 055:B5 | A. Nilsson | P 68 A |
| Mejuto | J.C. | Thermodynamic study of the aggregation behaviour of sodium a-Alkyl sulphite in aqueous solution | A.Rodríguez Álvarez | P 69 A |
| Makhloufi | R. | Surface-induced effect on the shear flow behaviour of worm-like micelles | R.Makhloufi | P 70 A |

| | | | | | | |
|------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---|-----|---|
| Ismailova | O.B. | Dielectric polarization of the ionic micelle in water solutions of sodium dodecyl sulphate | O.B. Ismailova | P | 71 | A |
| Galán | J.J. | Micellization of dodecylpyridinium chloride at various temperatures studied by density and ultrasound measurements | J.R.Rodríguez González | P | 73 | A |
| Najwa | Ei Kadı | Critical Micelle concentration of Aqueous sodium Oleate-hexadecyltrimethylammonium bromide mixtures | Pablo C. Schulz | P | 74 | A |
| Ericsson | C. | Effects of Salt, Temperature and deuterium oxide on the size of nonyl-beta-D-glucoside and tetradecyl-beta-D-maltoside micelles | C.Ericsson | P | 75 | A |
| Burmistrova | N.A. | The influence of surfactants on properties of the diphenylamine reagents series | N.A. Burmistrova | P | 77 | A |
| Bales | Barney | Clouding and Aggregation Behavior of the surfactant Tetrabutylammonium Dodecylsulfate | Barney Bales | P | 78 | A |
| Aicart | Emilio | Mixed micelles of cationic alkyl surfactants | Elena Junquera | P | 79 | A |
| Aguiar | J. | Effect of the formamide addition on micellization of Tetradecyltrimethylammonium bromide: thermodynamics and structures | J.Aguiar | P | 80 | A |
| Ponsinet | V. | Soft nano-objects of controlled shape from self-assembled amphiphilic diblock copolymers | V.Ponsinet | P | 81 | A |
| Fehér | A. | Drug containing lyotropic liquid crystals for the treatment of periodontitis | A. Fehér | P | 82 | A |
| Richards | Claire L. | Smart surfactant mesophases | Claire L.Richards | P | 83 | A |
| Bloor | D.M. | An equilibrium study of the formation of dendrimer-surfactant assemblies | Jagraj Sidhu | P | 84 | A |
| Csányi | Erzsébet | Lyotropic liquid crystals as drug delivery for poorly soluble drugs | Erzsébet Csányi | P | 85 | A |
| Sugita | Atsuhiko | Characterization of Cubosomes and Hexosomes by small-angle X-ray scattering, 13C, and Time-resolved fluorescence Anisotropy | Atsuhiko Sugita | P | 86 | A |
| Sen | Y. | Liquid crystalline behaviour of cholesterol ethoxylates in water and the changes induced by added cholesterol | Y.Sen | P | 87 | A |
| Nakanishi | Hisanori | Mechanism of micelle-vesicle transition in an aqueous mixture of CTAB and SOS | Hisanori Nakanishi | P | 89 | A |
| Murakami | R. | Calorimetric studies of aggregate formation of oleyl alcohol in oil solutions | R.Murakami | P | 90 | A |
| Kawasaki | H. | Effects of protonation on the aggregate structures of alkyldimethylamine oxide at the solid-solution interfaces | H.Kawasaki | P | 91 | A |
| Gutierrez | X. | Interfacial activity and phase behavior of natural surfactant activated with amines | X. Gutierrez | P | 92 | A |
| Vidal | M.F. | Dual effect of cholesterol on the fluidity in phospholipid bilayers. Time-resolved synchrotron sax-studies | M.F.Vidal | P | 93 | A |
| Szabó | R. | Interfacial Interactions between different poly(L-Lysine) constructs and model membranes | R.Szabó | P | 94 | A |
| Reményi | J. | Physicochemical study of daunomycin-branched polypeptide conjugates | J.Reményi | P | 95 | A |
| Alves | F.R. | Interaction of bile salts with dioctadecyldimethylammonium halide vesicles in aqueous solution | F.R Alves | P | 96 | A |
| Bergstrom | Magnus | A molecular interpretation of the mean bending constant for a thermodynamically open vesicle bilayer | Magnus Bergstrom | P | 97 | A |
| Fontana | Antonella | The effect of the insertion of organic molecules into the bilayer of synthetic and Natural vesicles | Antonella Fontana | P | 98 | A |
| Bianzat | M. | Ph sensitive vesicles for targeted delivery of AZT | M.Bianzat | P | 99 | A |
| Czichocki | G. | Behaviour of Nonionic Surfactants CnEm in the Water/Hexane System at different Temperatures | Czichocki | P | 100 | A |
| Ravera | Francesca | Adsorption and surface rheology of dodecanol at water/air interface | Ravera | P | 101 | A |
| Frese | C | Adsorption kinetics of surfactant mixtures from micellar solutions as studied by maximum bubble pressure technique | Frese | P | 102 | A |
| Krägel | J. | Dynamics of Interfacial Layers Formed by Non-ionic Surfactants of the CnEOm Type | Krägel | P | 103 | A |
| Makievski | A.V. | Drop and bubble methods to characterise the dynamic properties of surfactantadsorption layers | Makievski | P | 104 | A |
| Fainerman | V.B. | Dynamic surface tensions as measured by different types of bubble pressure tensiometers | Fainerman | P | 105 | A |
| Hirst | Natasha | Solvency effects in micellar systems | N.Hirst | P | 106 | A |
| Turco Liveri | Maria Liría | Interaction of [Co(NH3)5C12] complex to mixed micelles of non-ionic and anionic surfactants: a kinetic investigation | Maria Liría Turco Liveri | P | 1 | B |
| Sicilia | M. | Acid-induced anionic surfactant-mediated phase separation: phase behaviour and extraction properties | Soledad Rubio | P | 2 | B |
| Pérez Bendito | Dolores | Extraction of pathogens from environmental solid samples by using the coacervation of anionic surfactants | Francisco Merino Rodríguez | P | 3 | B |
| Fuguet | E. | Characterization of the solvation properties of SDS by solvatochromic indicators | E. Fuguet | P | 4 | B |
| Herrero Martínez | J.M. | Characterization of procyanidins by micellar electrokinetic capillary chromatography | J.M.Herrero Martínez | P | 5 | B |
| Herrero Martínez | J.M. | Separation of homologues and isomers of linear alkyl benzenesulfonates by MECC using bile salts and sodium dodecylsulphate. A comparative study | J.M. Herrero Martínez | P | 6 | B |
| Ortega Gadea | S. | Resolution of mixtures of anionic detergents by capillary zone electrophoresis with indirect photometric detection | S.Ortega Gadea | P | 7 | B |
| Ortega Gadea | S. | Separation and determination of tall fatty acids by capillary zone electrophoresis with indirect photometric detection | S. Ortega Gadea | P | 8 | B |
| Boualem | Hamdi | Use of inverse gas chromatography at infinite dilution to characterize the natural fillers for paints and coatings | Boualem | P | 9 | B |
| Szymula | Marta | An oxidation of vitamin C in anionic, non-ionic surfactant systems | Jolanta Norkiewicz Michalek | P | 10 | B |
| Hervés | P. | B-Cyclodextrin-alkyldiol mixed system as a reaction medium. Acid hydrolysis of N-Methyl-N-Nitroso-p-Toluenesulfonamide | C.Cabaleiro | P | 11 | B |
| Goryacheva | I. | Effect of SDS concentration of the sensitized room temperature phosphorescence of pyrene with triphallavine as energy donor | I. Goryacheva | P | 12 | B |
| Hámpel | F. | Metal ion transport through liquid membrane mediated by amphiphilic carriers | Eva Svobodova | P | 13 | B |
| Graciani | M.M. | Study of the reaction 2(P-nitrophenyl)ethyl bromide+OH in sulfobetaine aqueous micellar solutions in the presence and absence of added salts | M.L.Moyá | P | 14 | B |
| Rodríguez | A. | Influence of the nature of the cation on the reaction DDT + OH in sulfobetaine micellar solutions in the presence of added salts | A. Rodríguez | P | 15 | B |
| Rodríguez | A. | Study of the reaction 1-Methoxy-4-(methylthio) Benzene + IO4: Importance of micellar medium effects | A. Rodríguez | P | 16 | B |
| Rodríguez | José Luis | Sodium undecenoate polymerisation in liquid crystals by gamma radiation | Pablo C. Schulz | P | 17 | B |
| Tertykh | Larisa | Colloid Surfactants for Electrodeposition | L.I. Tertykh | P | 18 | B |
| Urbina Villalba | G. | Dependence of the flocculation rate on the drop size distribution of an emulsion | G.Urbina Villalba | P | 19 | B |
| Torres | E. | Multiphase systems: detabilization detection by conductimetric measurements | E.Torres | P | 20 | B |
| Suñer | J. | Optimization of a conductimetric technique for predicting the formation and stability of O/W emulsions | J.Suñer | P | 21 | B |
| Tcholaková | S.S. | Comparison of BLG and WPC stabilised emulsions | S.S.Tcholaková | P | 22 | B |
| Szeląg | Halina | Properties of emulsion systems stabilized with monoacylglycerols and fatty acid carboxylates | Adam Macierzanka | P | 23 | B |
| Shchukin | Eugene D. | Effects of surfactants on the particle contact strength: measurements by the cohesive force apparatus | E.D.Shchukin | P | 24 | B |
| Romero | M.S. | Electrosteric Stabilization of Polymer Colloids with Different Functionality | M.S.Romero Cano | P | 25 | B |
| Jimenez | Felipe | Overcharging universality in the restricted primitive model electrolyte | Felipe Jimenez | P | 26 | B |
| Mas | F. | Ion binding to natural organic matter. A comparative study of the polyelectrolytic and heterogeneity effects | F. Mas | P | 27 | B |
| Jódar Reyes | A.B. | Colloid stability of positively and negatively charged polystyrene latexes by adsorption of cationic and anionic surfactants. | A. Martín Rodríguez | P | 28 | B |
| Trofimova | D.N. | Regulation of the catalytic properties and stability of formate dehydrogenase in reverse micelles by chemical modification | Trofimova | P | 29 | B |
| Rodríguez | M. | Synergistic effects in foaming solutions containing fluorinated surfactant mixtures | J.M.Andrés | P | 30 | B |
| Salager | Jean-Louis | Morphology changes during phase inversion of micro and macroemulsions. Experimental results and modeling | Márquez | P | 31 | B |
| Iglesias | E. | Synergistic effects in foaming solutions containing anionic-cationic surfactant mixtures | E. Iglesias | P | 32 | B |
| Rodríguez | C. | Quasi-periodic-collapse in bikerman's type foaming experiment | A. Forgiarini | P | 33 | B |
| Antón | R. E. | Estimation of the Interfacial Hydrophobicity in pH sensitive Surfactant-Oil-Water Systems from the Attainment of Optimum Formulation by the dual Scan Technique | R. Antón | P | 34 | B |

| | | | | | | |
|-------------------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|---|-----|---|
| Celis de Arce | M.Teresa | Effects of emulsifier on transmission spectrum | M ^a Teresa Celis de Arce | P | 35 | B |
| Shevachman | M. | Solubilization of active compounds in microemulsion system based on jojoba oil and polymers - Part II | Shevachman | P | 36 | B |
| González Tovar | Enrique | A study of some anomalous phenomena in colloidal suspensions: the role of overcharging | Enrique Gonzalez Tovar | P | 37 | B |
| Allouche | Joachim | Formulation tactics for making multiple emulsions with surfactant-polymer mixtures | L.Chopin | P | 38 | B |
| Savelli | M.-P. | Comparison of the physicochemical properties of W/O/W multiple emulsions prepared with different oily phase, sish oil and medium-chain triglycerides | M.-P. Savelli | P | 39 | B |
| Aranberri | Ibon | Evaporation studies of water-in-oil and pickering emulsions | Ibon Aranberri | P | 40 | B |
| Park | Sung Hee | Preparation and properties of phospholipid based W/O emulsion by means of electrocapillary emulsification method | Sung Hee Park | P | 41 | B |
| Cho | Sung Ho | Zeta potentials and size distributions of nano-bubbles created by ultrasonication in aqueous pulmonary surfactants solution | Sung Ho Cho | P | 42 | B |
| Xenakis | Aristotelis | Lipid bodies from virgin olive oil: Stability studies | Aristotelis Xenakis | P | 43 | B |
| Bardavid | S.M. | Hlb and solubility parameter of cationic surfactants | Pablo C. Schulz | P | 44 | B |
| Frielinghaus | H. | Small angle neutron scattering results on the polymer boosting effect in the droplet phase | J.Allgaier | P | 45 | B |
| Ginzberg | Berta | Influence of the consurfactante in microemulsions formed by alkyl polyglucosides | B. Ginzberg | P | 46 | B |
| Hait | S.K. | Interfacial composition and thermodynamics of formation of water/isopropyl myristate W/O microemulsions stabilized by butan-1-ol and surfactants like cetyl pyridium chloride, cetyl trimethyl ammonium bromide and sodium dodecyl sulfate | S.K. Hait | P | 47 | B |
| Glatter | Otto | The effect of biocontinuity in microemulsions systems on small angle scattering data | Otto Glatter | P | 48 | B |
| Kunz | Werner | Electrical Conductivity in inverse aqueous micelles in supercritical CO ₂ | Werner Kunz | P | 49 | B |
| Kunz | Werner | The use of enzymes to study the nanostructuring in solutions | M. Abdelghani | P | 50 | B |
| Kamyshny | A. | Native and Modified Glucose Oxidase in Reversed Micelles | A.Kamyshny | P | 51 | B |
| Pavlenko | Ivanna M. | The joint effect of pressure and inhibitor of catalytic activity of B-glucosidase from almond in AOT reversed micelles system | Ivanna M.Pavlenko | P | 52 | B |
| Mejuto | J.C. | Basic Hydrolysis of Nitrophenyl Acetate in the presence of AOT/isooctane/water microemulsions | P.Rodríguez Dafonte | P | 53 | B |
| Schedrina | Valentina A. | Lipoamide dehydrogenase from pig heart reveals superactivity in reverse micelles of AOT in octane | Valentina A. Schedrina | P | 54 | B |
| Turco Liveri | Vincenzo | FT-IR investigation of the urea state in reversed micelles | Vincenzo Turco Liveri | P | 55 | B |
| Smimov | Sergey A. | Comparative study of pressure effects on fluorescent proteins in water and reverse micellar systems | Sergey A. Smimov | P | 56 | B |
| Biasutti | M.Alicia | Behaviour of casein in homogeneous medium and in reverse micelle of AOT | M.Alicia Biasutti | P | 58 | B |
| Shtykov | S.N. | Physicochemical and spectroscopic study of n-octane / water / sodium dodecylsulfate / n-pentanol microemulsions | S.N.Stykova | P | 59 | B |
| Puig Arevalo | Jorge Emilio | Thermocollapse microstructures hydrogels prepared via inverse microemulsion | Jorge Emilio Puig Arevalo | P | 60 | B |
| Silber | J.J. | Binding of o-nitroaniline to nonaqueous aot microemulsion | N.M. Correa | P | 61 | B |
| Sineva | Alicsa V. | N-Octane/water/sodium dodecylsulfate/N-pentanol microemulsions:colloid-chemical properties and structure | Alicsa Sineva | P | 62 | B |
| García Celma | M.José | Studies of O/W microemulsions as vehicles for the solubilization of drugs for topical administration | N.Sadumi | P | 63 | B |
| Anoune | Naoual | New cationic surfactants derived from lactic acid | Naoual Anoune | P | 64 | B |
| Causse | Jérémy | New surfactants for optimised solubilisation of TriButylPhosphate:application for nuclear decontamination | Jérémy Causse | P | 65 | B |
| Houlmont | Jean-Philippe | One-step synthesis of alkyl rhamnositides and alkyl glucosides. Evaluation of their cosmetic properties | Jean -Philippe Houlmont | P | 66 | B |
| In | Martin | Synthesis and micellization of new oligomeric cationic surfactant | M.In | P | 67 | B |
| Sjtermdahl | Maria | Hydrolyzable ester surfactant | Maria Sjtermdahl | P | 68 | B |
| Jeong | J.H. | Synthesis and micellization behavior of amphiphilic biodegradable poly (asparagines) grafted with poly (caprolactone) | J.H.Jeong | P | 69 | B |
| Rogge | Tina | Synthesis and interfacial properties of polymeric surfactants based on insulin | Tina Rogge | P | 70 | B |
| Zayas Ruiz | E. | Emulcor: Synthesis and Evaluation | L.Pérez, A. Pinazo, F. Comelles, M.R. Infante | P | 71 | B |
| Sanchez Dominguez | M. | A novel gemini photosurfactant | M.Sanchez Dominguez | P | 72 | B |
| Sikiřic | Maja | Solid State Transitions of Dissymmetric Gemini Surfactant | Ines Primozic | P | 73 | B |
| Sikiřic | Maja | Effect of the spacer carbon number on the adsorption and association of dissymmetric gemini surfactant | Maja Sikiřic | P | 74 | B |
| Veisz | B. | Size-tailoring od Pd, Pt and Pd/Pt nanoparticles in ormal micellar solutions | B.Veisz | P | 75 | B |
| Sierra Martín | Benjamin | Stabilization mechanisms of microgels | B.Sierra Martín | P | 76 | B |
| Shin | S.I. | Preparation of spherical silica particles doped with silver nanoparticles using W/O emulsions by sol-gel method | S.I. Shin | P | 77 | B |
| Shibata | Hirobumi | Preparation of TiO ₂ particulate film with mesoporus silica binder and its photocatalytic activity | Hirobumi Shibata | P | 78 | B |
| Saito | Yasuyuki | Preparation of PAN film with an admicellar polymerization technique and its carbonization | Yasuyuki Saito | P | 79 | B |
| Rodríguez Sánchez | M.L. | Electrosynthesis of Ag and Co nanoparticles | M.C.Blanco | P | 80 | B |
| Nakano | Minoru | Preparation and Structural investigation of cubosomes and hexosomes - lipid nanoparticles including liquid crystalline phases | Minoru Nakano | P | 82 | B |
| Mingotaud | Christophe | Dissymetrization of silica particles: a first step | C. Mingotaud | P | 83 | B |
| Mingotaud | Christophe | Synthesis of raspberry-like silica-polystyrene colloids | C.Mingotaud | P | 84 | B |
| Porras | M. | W/O Nano-emulsions as reaction media to obtain ceramic nanoparticles of controlled size | M.Porras | P | 85 | B |
| Downing | Stuart | Synthesis of surface-functionalised nanoscopic polymer beads by microemulsion polymensation | Stuart Downing | P | 86 | B |
| Brandhorst | M. | The use of commercially available non-ionic surfactants to control the pore structure of surfactant-templated monolithic silica | Jerzy Zajac | P | 87 | B |
| Lee | Young-jin | A isotherms, phase behaviours, and lamellar structures of synthetic vitamin E ceramide (Tocomid) mixed with cholesterol and linoleic acid | Young-jin Lee | P | 88 | B |
| Ibarz | Gemma | Permeability behaviour of polyelectrolyte shells: influence of temperature and ionic strength | Gemma Ibarz | P | 89 | B |
| Berrill | S. | Alternative methods of solubilisation for pressurised metered dose inhalers (pMDI) | S.Berrill | P | 90 | B |
| Li | Deng | Application of Surfactants in Preparing nano-grade Calcium Carbonate | F.Yin | P | 91 | B |
| Van Roomsma | Maaik | Development of surfactants for dry-cleaning with high-pressure carbon dioxide | Maaik Van Roomsma | P | 92 | B |
| Thompson | David H. | Tumor imaging & Phototherapy of Folate-Positive Tumor Cells Using Folate-DPPsC Liposomes Loaded with AIPcS44- As Molecular Beacon | David Thompson | P | 93 | B |
| Spanghoe | Pieter | The effect of adjuvants on atomisation and retention of pesticides | Hilde Van Eeckhout | P | 94 | B |
| Petzold | G. | Flocculation of wastewater and sludges by using polymer surfactant complexes | G. Petzold | P | 95 | B |
| Messina | Paula | Interaction between gelatine and sodium dehydrocholate in water | Pablo C. Schulz | P | 96 | B |
| Amar | i. | Structural Considerations on Locus of Lutein Solubilized in Nonionic Food Grade Microemulsion Studied by SD-NMR | Amar | P | 97 | B |
| Maestro | Alicia | Influence of SDS on the rheology of associative and non-associative cellulose derivatives in aqueous solution | Alicia Maestro | P | 98 | B |
| Maestro | Alicia | Relaxation Processes of Hydrophobically modified hydroxyethyl cellulose water solutions | Alicia Maestro | P | 99 | B |
| Li | S.Z. | Foam Prevention by Ultrafiltration Pretreatment in Biological Treatment of Ferment Industry Effluents | Wang Dianzuo | P | 100 | B |
| Dominguez | Carmen | Characterization of wool wax extracts obtained by liquid carbon dioxide by TLC-FID | Carmen Dominguez | P | 101 | B |
| Carrión | F.J. | Behaviour of dye transfer inhibition agents in the washing of dyed cotton fabric | F.J.Carrión | P | 102 | B |
| Haddou | B. | Removal of pollutants by two aqueous phase extraction | J.P.Canselier | P | 103 | B |
| García | M.Teresa | Adsorption of linear alkylbenzene sulfonates on activated sludge | M.T. García | P | 104 | B |
| Carretero | I. | The use of microemulsions as liquid detergents for textil washing at low temperature | I. Carretero | P | 105 | B |
| Goodall | M.J. | Formulation of Rinse-off consumer products with improved perfume deposition | M.J.Goodall | P | 106 | B |

| | | | | | | |
|---------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|---|-----|---|
| Forland | Geir Martin | Asorption of organic components onto a modified alumina powder. A method of separating organic compounds from wastewater by a surfactant-coated mineral | Geir Martin Forland | P | 107 | B |
| Chateau | Marie-Elise | Development and Validation of a Cleaning Efficiency Test Method for Hard S | Marie-Elise Chateau | P | 108 | B |
| | | | | | | |