



Departament Medicina
Memòria 2009
Docència (Pregrau i Doctorat)
Recerca
Economia

Memòria Docent 2009

Llicenciatura

(Alumnes del curs 2009-2010)

Assignatures troncales

	Crèdits Teoria	Crèdits Pràctiques	Total	Núm. Alumnes
3er. Curs				
Semiologia general i propedèutica	6	16	22	173
4rt. Curs				
Malalties de l'aparell càrdio-circulatori	2,5	10,5	13	166
Malalties de l'aparell respiratori	2,5	10,5	13	164
Malalties de la sang	2,5	2	4,5	183
Oncologia clínica	2,5	2	4,5	175
Malalties de l'aparell digestiu	2,5	10,5	13	161
Malalties del sistema nerviós	2,5	10,5	13	175
Malalties del sistema endocrí i de la nutrició	4	3	7	162
5è. Curs				
Dermatologia	3	4	7	173
Medicina d'atenció primària	1	7	8	173
Malalties del sistema excretor renal i genital masculí	2,5	10,5	13	172
Malalties infeccioses	3,5	5	8,5	173
Malalties reumatològiques i del sistema immune	2	3	5	172
Total troncales	37	94,5	131,5	2.222

Assignatures optatives

	Crèdits Teoria	Crèdits Pràctiques	Total	Núm. Alumnes
Atenció multidisciplinària en el pacient vell	4,5		4,5	51
Elements diagnòstics en medicina interna	4,5		4,5	50
Hematologia biològica. Diagnòstic de laboratori	4,5		4,5	35
Introducció al diagnòstic i tractament del malalt crític	6		6	40
Noves metodologies diagnòstiques i terap. en pneumologia	4,5		4,5	
Punts claus en l'atenció urgent d'un malalt	6		6	30
Fisiopatologia circulatoria	4,5		4,5	29

Assignatures optatives com a treball pràctic

	Crèdits Teoria	Crèdits Pràctiques	Total	Núm. Alumnes
Assistència clínica en zones urbanes socialment deprimides	15	15	30	
Total optatives	49,5	15	64,5	235

Hospitals i Centres de Salut i Atenció Primària associats al Departament de Medicina

1. Hospital Clínic de Barcelona
2. Hospital Dos de Maig
3. Hospital Esperit Sant
4. Hospital General de l'Hospitalet
5. Hospital Mútua de Terrassa
6. Hospital Sagrat Cor

1. CAP Dr. Lluís Sayé - EAP Raval Nord
2. EAP Casanovas CAPSE
3. EAP Casc Antic
4. EAP Dr Carles Ribas
5. EAP El Clot
6. EAP Gòtic
7. EAP La Marina
8. EAP La Mina
9. EAP La Pau
10. EAP Les Corts
11. EAP Manso 2A
12. EAP Manso 2B
13. EAP Poble Nou
14. EAP Raval Sud
15. EAP Rosselló CAPSE

Doctorat 2009

Tesis aprovades:	Per publicacions	11
	Format clàssic	1

Total tesis aprovades 12

Projectes de tesis inscrits al 2009:	Pla RD 185/85	0
	Pla RD 778/98	7
Projectes de tesis inscrits pendents de llegir:	Pla RD 185/85	81 (amb suficiència investigadora)
	Pla RD 778/98	32
Trasllats al nou programa de doctorat "Doctorat en Medicina":		19

Resultats de les enquestes als estudiants

1r semestre

2n semestre



INFORME AGREGAT DE DEPARTAMENT

Medicina

El professorat adscrit al Departament de Medicina ha impartit docència, el 1r semestre del curs 2008-2009, en l'ensenyament de Medicina. Aquest professorat va estar seleccionat prèviament en la planificació tramesa a la IAP.

L'enquesta s'ha realitzat a 5 grups classe i s'han recollit 135 respostes sobre un potencial de 418 respostes possibles (equivalents a la suma total dels estudiants matriculats en el conjunt dels grups participants), cosa que representa un 32,30 % de resposta vàlida.

S'han elaborat informes corresponents a l'actuació docent de 5 professors i professores, que han impartit 3 assignatures diferents. Quan el nombre de respostes rebudes ha estat inferior a 10, s'ha procedit a elaborar l'informe corresponent si es donaven simultàniament les condicions següents: que el nombre de matriculats sigui igual o superior a 5 i el nombre de respostes sigui igual o superior a 4; que la participació sigui igual o més gran al 30% dels estudiants matriculats i que l'error mostrat se situï al voltant del valor 0,30.

Descripció de l'informe

L'informe s'estructura en els apartats següents:

1. **Síntesi dels principals resultats.**
2. **Informe agregat del departament.** Similar al que presenta cadascun dels professors; inclou l'anàlisi descriptiva de les dades identificadores de l'alumnat participant, la taula d'estadístics descriptius, la taula de freqüències de les respostes, el gràfic de mitjanes i la distribució per intervals de les puntuacions mitjanes del professorat participant.
3. **Agrupació dels ítems per categories.** En aquest cas, els 16 ítems de l'enquesta s'han agrupat en 7 categories segons la definició especificada en el manual d'avaluació. L'agrupació ha estat la següent:
 - ▶ Saber - domini de la matèria (ítems 3 i 4)
 - ▶ Organització i planificació de l'actuació docent (ítems 1, 2 i 6)
 - ▶ L'exposició docent (ítems 5 i 9)
 - ▶ Metodologia i ús dels recursos en el procés d'ensenyament - aprenentatge (ítems 7, 8 i 10)
 - ▶ Actituds del professorat en la interacció amb els estudiants, tant en el context de grup classe com en l'atenció individualitzada (ítems 11, 14 i 15)
 - ▶ Avaluació dels aprenentatges (ítems 12 i 13)
 - ▶ Satisfacció global (ítem 16)

Es presenta, sobre cada categoria, la distribució de mitjanes en els intervals següents: (0-2,5), (2,5 - 5), (5 - 7,5) i (7,5 - 10), així com la mitjana màxima, la mitjana mínima i la mitjana global de la categoria.

1. Síntesi dels principals resultats

Caracterització de la mostra

Del total d'alumnat que ha participat en l'enquesta, un 77 % han estat dones. La mitjana d'edat se situa en els 21 anys; l'edat mínima és 19 anys i la màxima 50. Pel que fa a la situació laboral, un 14,07 % manifesta que treballa i un 15,79 % d'aquests ho fa en una jornada de més de 25 hores.

Respecte al tipus d'assignatura, un 92,59 % dels estudiants les ha cursat com a obligatòries i un 0,00 % les ha triat com a optatives. Tanmateix, s'han matriculat per primera vegada el 91,11 % dels estudiants i un 0,74 % ho ha fet dues o més vegades en la mateixa assignatura.

El 68,89 % dels estudiants afirma que ha assistit a classe molt sovint. Pel que fa a l'interès per l'assignatura, un 47,41 % manifesta que té un interès molt alt. Finalment, un 25,93 % considera que ha aprofundit molt en el contingut d'aquesta.

Valoració dels ítems


En una escala de valoració d'entre 0 i 10 (totalment en desacord - totalment d'acord), l'ítem que s'ha valorat millor ha estat l'ítem 4: "Mostra un coneixement adequat de la matèria" amb una mitjana de 9,18. Per contra, l'ítem amb la valoració més baixa ha estat l'ítem 1: "A l'inici del curs ha explicat amb claredat els objectius, el programa de l'assignatura i els criteris d'avaluació" amb una mitjana de 7,36.

L'ítem de satisfacció global ("En general, estic satisfet/a amb la qualitat del treball desenvolupat per/per la professor/a") presenta una mitjana de 8,40 amb una desviació de $\pm 1,48$ en el total de la mostra del departament.

Taula resum de l'agrupació de les preguntes per categories i gràfic de mitjanes


Cat_1. Saber-domini de la matèria (Ítems 3 i 4)	8,89
Cat_2. Organització i planificació de l'acte docent (Ítems 1, 2 i 6)	7,92
Cat_3. L'exposició docent (Ítems 5 i 9)	8,41
Cat_4. Metodologia i ús de recursos ... (Ítems 7, 8 i 10)	7,83
Cat_5. Actituds en la interacció amb els estudiants ... (Ítems 11, 14 i 15)	8,38
Cat_6. Avaluació (Ítems 12 i 13)	7,58
Cat_7. Satisfacció global (Ítems 16)	8,40

Gràfic de les mitjanes globals de cada categoria




	Escala de valoració										Mitjana	Desviació		
	← Totalment en desacord → Totalment d'acord →													
	0	1	2	3	4	5	6	7	8	9			10	
1 A l'inici del curs ha explicat amb claredat els objectius, el programa de l'assignatura i els criteris d'avaluació	n	1	2	3	1	5	5	19	27	27	24	19	7,38	2,08
	%	0,7	1,5	2,2	0,7	3,7	3,7	14,1	20,0	20,0	17,0	13,3		
2 Planifica adequadament el desenvolupament de l'assignatura (sessions, activitats, ntme)	n	0	0	1	0	0	2	14	23	38	35	21	8,10	1,37
	%	---	---	0,7	---	---	1,5	10,4	17,0	28,1	25,9	15,6		
3 Presenta una visió ampla de l'assignatura	n	0	0	0	0	1	2	7	14	34	35	42	8,60	1,31
	%	---	---	---	---	0,7	1,5	5,2	10,4	25,2	25,9	31,1		
4 Mostra un coneixement adequat de la matèria	n	0	0	0	0	0	1	3	5	19	41	66	9,18	1,04
	%	---	---	---	---	---	0,7	2,2	3,7	14,1	30,4	48,9		
5 Transmet amb claredat els continguts de l'assignatura	n	0	1	0	2	1	1	6	13	28	43	40	8,55	1,55
	%	---	0,7	---	1,5	0,7	0,7	4,4	9,6	20,7	31,8	29,6		
6 Mostra una actitud flexible introduint canvis raonables en el pla del curs, quan és necessari	n	0	0	0	2	1	3	5	23	30	41	28	8,31	1,45
	%	---	---	---	1,5	0,7	2,2	3,7	17,0	22,2	30,4	20,7		
7 La metodologia desenvolupada en l'assignatura ha estat adequada	n	1	1	0	1	1	7	10	15	32	46	20	8,04	1,73
	%	0,7	0,7	---	0,7	0,7	5,2	7,4	11,1	23,7	34,1	14,8		
8 El material d'estudi i de consulta proposat (bibliografia/document/s/recursos didàctics, etc.) ha estat útil per a l'aprenentatge de l'assignatura	n	1	3	1	0	1	7	17	19	35	28	19	7,54	1,98
	%	0,7	2,2	0,7	---	0,7	5,2	12,6	14,1	25,9	20,7	14,1		
9 La seva manera d'explicar aconsegueix motivar l'alumnat	n	2	0	1	1	0	5	8	15	35	27	41	8,27	1,86
	%	1,5	---	0,7	0,7	---	3,7	5,9	11,1	25,9	20,0	30,4		
10 El tipus de treball realitzat (lectures, exercicis, estudis, pràctiques...) ha contribuït a un bon aprenentatge de l'assignatura	n	2	1	0	0	1	7	6	26	47	28	16	7,81	1,72
	%	1,5	0,7	---	---	0,7	5,2	4,4	19,3	34,8	20,7	11,9		
11 Fomenta, facilita i crea un bon clima de treball i participació a classe	n	1	0	2	1	1	2	7	15	32	40	31	8,29	1,73
	%	0,7	---	1,5	0,7	0,7	1,5	5,2	11,1	23,7	29,6	23,0		
12 El volum de feina exigida és proporcional als crèdits de l'assignatura	n	8	0	2	1	2	8	7	23	33	36	18	7,50	2,00
	%	4,4	---	1,5	0,7	1,5	5,9	5,2	17,0	24,4	25,9	11,9		
13 El tipus d'avaluació previst (criteris i procediments) s'adequa a l'assignatura	n	2	0	1	1	2	6	12	26	34	37	11	7,87	1,78
	%	1,5	---	0,7	0,7	1,5	4,4	8,9	19,3	25,2	27,4	8,1		
14 Manté un bon clima de comunicació i relació amb els estudiants	n	0	0	0	2	0	4	5	13	38	37	34	8,45	1,42
	%	---	---	---	1,5	---	3,0	3,7	9,6	28,1	27,4	25,2		
15 Mostra interès perquè els alumnes aprenguin	n	0	1	0	1	1	3	11	13	24	45	35	8,41	1,59
	%	---	0,7	---	0,7	0,7	2,2	8,1	9,6	17,8	33,3	25,9		
16 En general, estic satisfet/a amb la qualitat del treball desenvolupat pel/la professor/a	n	0	0	1	1	1	4	7	12	28	53	27	8,40	1,48
	%	---	---	0,7	0,7	0,7	3,0	5,2	8,9	20,7	39,3	20,0		

Gràfic de mitjanes: mitjana del departament i mitjana mínima i màxima del professorat participant en l'enquesta



Distribució per intervals de les puntuacions mitjanes del professorat del departament participant en l'enquesta



Agrupació dels ítems per categories

DEPT:

Medicina**Cat_1. Saber-domini de la matèria (ítems 3 i 4)**

Inclou el grau de confiança que té l'alumnat respecte del domini de la matèria que té el professor i dels coneixements que transmet a l'hora de donar una visió àmplia de la matèria.

Interval de les mitjanes	3. Presenta una visió àmplia de l'assignatura		4. Mostra un coneixement adequat de la matèria	
	freqüència	percentatge	freqüència	percentatge
(0 - 2,5)	0	0,00%	0	0,00%
(2,5 - 5)	0	0,00%	0	0,00%
(5 - 7,5)	1	20,00%	0	0,00%
(7,5 - 10)	4	80,00%	5	100,00%
Mitjana	MÍNIMA 7,50 MÀXIMA 9,00	GLOBAL 8,60	MÍNIMA 8,27 MÀXIMA 9,56	GLOBAL 9,18
Mitjana GLOBAL de la CATEGORIA			8,89	

Cat_2. Organització i planificació de l'actuació docent (ítems 1, 2 i 6)

Aquesta dimensió no avalua el Pla docent en si mateix (instrument a disposició de la comunitat universitària) sinó el que se'n deriva de l'aplicació a través de:

- La comunicació a l'alumnat, a l'inici del curs, del marc de referència del professor en relació amb els objectius, els criteris de l'organització i la seqüència de la matèria i el que s'espera de l'alumne i com serà avaluat.
- La capacitat de planificar adequadament el desenvolupament de l'assignatura i incloure-hi com a actitud important la flexibilitat o capacitat d'introduir canvis en el pla de curs inicial, de manera que es respecti el que és substancial a la matèria, segons la conjuntura del grup o altres situacions no previstes.

Interval de les mitjanes	1. A l'inici del curs ha explicat amb claredat els objectius, el programa de l'assignatura i els criteris d'avaluació		2. Planifica adequadament el desenvolupament de l'assignatura (sessions, activitats, ritme)		6. Mostra una actitud flexible introduint canvis raonables en el pla del curs, quan és necessari	
	freqüència	percentatge	freqüència	percentatge	freqüència	percentatge
(0 - 2,5)	0	0,00%	0	0,00%	0	0,00%
(2,5 - 5)	0	0,00%	0	0,00%	0	0,00%
(5 - 7,5)	4	80,00%	1	20,00%	0	0,00%
(7,5 - 10)	1	20,00%	4	80,00%	5	100,00%
Mitjana	MÍNIMA 6,19 MÀXIMA 8,19	GLOBAL 7,36	MÍNIMA 6,86 MÀXIMA 8,59	GLOBAL 8,10	MÍNIMA 8,11 MÀXIMA 8,67	GLOBAL 8,31
Mitjana GLOBAL de la CATEGORIA			7,92			

Cat_3. L'exposició docent (ítems 5 i 9)

Inclou dos aspectes implícits en l'acte docent:

- La claredat de l'exposició, amb independència de la metodologia o del format de classe considerat (magistral, pràctiques, etc.)
- La motivació de l'alumnat o la capacitat de transmetre, a través de l'exposició docent, l'interès per l'assignatura.

Interval de les mitjanes	5. Transmet amb claredat els continguts de l'assignatura		9. La seva manera d'explicar aconsegueix motivar l'alumnat	
	freqüència	percentatge	freqüència	percentatge
(0 - 2,5)	0	0,00%	0	0,00%
(2,5 - 5)	0	0,00%	0	0,00%
(5 - 7,5)	1	20,00%	1	20,00%
(7,5 - 10)	4	80,00%	4	80,00%
Mitjana	MÍNIMA 7,05 MÀXIMA 9,00	GLOBAL 8,55	MÍNIMA 6,64 MÀXIMA 9,15	GLOBAL 8,27
Mitjana GLOBAL de la CATEGORIA			8,41	

Cat_4. Metodologia i ús de recursos en el procés d'ensenyament-aprenentatge (ítems 7, 8 i 10)

Suposa avaluar l'actuació del professor en relació amb:

- L'adequació de la metodologia o de les estratègies d'aprenentatge en el context de la classe o de la situació docent
- La capacitat d'orientar adequadament l'estudiant per desenvolupar les feines mitjançant diferents activitats i treballs
- La qualitat del material d'estudi i dels recursos aportats

7. La metodologia desenvolupada en l'assignatura ha estat adequada			8. El material d'estudi i de consulta proposat (bibliografia, documents, recursos didàctics, etc.) ha estat útil per a l'aprenentatge de l'assignatura			10. El tipus de treball realitzat (lectures, exercicis, estudis, pràctiques, etc.) ha contribuït a un bon aprenentatge de l'assignatura		
Interval de les mitjanes	freqüència	percentatge	freqüència	percentatge	freqüència	percentatge		
(0 - 2,5)	0	0,00%	0	0,00%	0	0,00%		
(2,5 - 5)	0	0,00%	0	0,00%	0	0,00%		
(5 - 7,5)	1	20,00%	2	40,00%	1	20,00%		
(7,5 - 10)	4	80,00%	3	60,00%	4	80,00%		
Mitjana	MÍNIMA 6,36 MÀXIMA 8,92	GLOBAL 8,04	MÍNIMA 6,33 MÀXIMA 8,92	GLOBAL 7,64	MÍNIMA 6,29 MÀXIMA 8,38	GLOBAL 7,81		
Mitjana GLOBAL de la CATEGORIA				7,83				

Cat_5. Actituds del professorat en la interacció amb els estudiants, tant en el context de grup classe com en l'atenció individualitzada (ítems 11, 14 i 15)

Inclou els següents aspectes:

- Actitud de respecte i de receptivitat vers l'alumnat
- Implicació personal amb el progrés dels estudiants en el procés d'aprenentatge
- Capacitat de promoure un clima de classe participatiu

11. Fomenta, facilita i crea un bon clima de treball i participació a classe			14. Manté un bon clima de comunicació i relació amb els estudiants			15. Mostra interès perquè els alumnes aprenguin		
Interval de les mitjanes	freqüència	percentatge	freqüència	percentatge	freqüència	percentatge		
(0 - 2,5)	0	0,00%	0	0,00%	0	0,00%		
(2,5 - 5)	0	0,00%	0	0,00%	0	0,00%		
(5 - 7,5)	1	20,00%	1	20,00%	1	20,00%		
(7,5 - 10)	4	80,00%	4	80,00%	4	80,00%		
Mitjana	MÍNIMA 6,67 MÀXIMA 9,31	GLOBAL 8,29	MÍNIMA 7,48 MÀXIMA 9,00	GLOBAL 8,45	MÍNIMA 7,29 MÀXIMA 9,23	GLOBAL 8,41		
Mitjana GLOBAL de la CATEGORIA				8,38				

Cat_6. Avaluació dels aprenentatges (ítems 12 i 13)

Inclou els següents aspectes:

- Coherència de les demandes de treball en relació amb els crèdits de l'assignatura i del treball desenvolupat.
- Adequació dels criteris i dels procediments d'avaluació previstos a la naturalesa i al desenvolupament de la matèria

Cat_7. Satisfacció global (ítem 16)

Valoració global amb la qualitat de l'actuació docent del professorat

12. El volum de feina exigida és proporcional als crèdits de l'assignatura			13. El tipus d'avaluació previst (criteris i procediments) s'adequa a l'assignatura			16. En general, estic satisfet/a amb la qualitat del treball desenvolupat pel/per la professor/professora		
Interval de les mitjanes	freqüència	percentatge	freqüència	percentatge	freqüència	percentatge		
(0 - 2,5)	0	0,00%	0	0,00%	0	0,00%		
(2,5 - 5)	0	0,00%	0	0,00%	0	0,00%		
(5 - 7,5)	2	40,00%	2	40,00%	1	20,00%		
(7,5 - 10)	3	60,00%	3	60,00%	4	80,00%		
Mitjana	MÍNIMA 5,64 MÀXIMA 8,46	GLOBAL 7,50	MÍNIMA 6,10 MÀXIMA 8,42	GLOBAL 7,67	MÍNIMA 7,05 MÀXIMA 8,92	GLOBAL 8,40		
Mitjana GLOBAL de la CATEGORIA				7,58		8,40		



INFORME AGREGAT DE DEPARTAMENT

Medicina

El professorat adscrit al Departament de Medicina ha impartit docència, el 2n semestre del curs 2008-2009, en l'ensenyament de Medicina. Aquest professorat va estar seleccionat prèviament en la planificació tramesa a la IAP.

L'enquesta s'ha realitzat a 26 grups classe i s'han recollit 503 respostes sobre un potencial de 2.112 respostes possibles (equivalents a la suma total dels estudiants matriculats en el conjunt dels grups participants), cosa que representa un 23,82 % de resposta vàlida.

S'han elaborat informes corresponents a l'actuació docent de 26 professors i professores, que han impartit 11 assignatures diferents. Quan el nombre de respostes rebudes ha estat inferior a 10, s'ha procedit a elaborar l'informe corresponent si es donaven simultàniament les condicions següents: que el nombre de matriculats sigui igual o superior a 5 i el nombre de respostes sigui igual o superior a 4; que la participació sigui igual o més gran al 30% dels estudiants matriculats i que l'error mostrat se situï al voltant del valor 0,30.

Descripció de l'informe

L'informe s'estructura en els apartats següents:

1. **Síntesi dels principals resultats.**
2. **Informe agregat del departament.** Similar al que presenta cadascun dels professors; inclou l'anàlisi descriptiva de les dades identificadores de l'alumnat participant, la taula d'estadístics descriptius, la taula de freqüències de les respostes, el gràfic de mitjanes i la distribució per intervals de les puntuacions mitjanes del professorat participant.
3. **Agrupació dels ítems per categories.** En aquest cas, els 16 ítems de l'enquesta s'han agrupat en 7 categories segons la definició especificada en el manual d'avaluació. L'agrupació ha estat la següent:
 - ▶ Saber - domini de la matèria (ítems 3 i 4)
 - ▶ Organització i planificació de l'actuació docent (ítems 1, 2 i 6)
 - ▶ L'exposició docent (ítems 5 i 9)
 - ▶ Metodologia i ús dels recursos en el procés d'ensenyament - aprenentatge (ítems 7, 8 i 10)
 - ▶ Actituds del professorat en la interacció amb els estudiants, tant en el context de grup classe com en l'atenció individualitzada (ítems 11, 14 i 15)
 - ▶ Avaluació dels aprenentatges (ítems 12 i 13)
 - ▶ Satisfacció global (ítem 16)

Es presenta, sobre cada categoria, la distribució de mitjanes en els intervals següents: (0 - 2,5), (2,5 - 5), (5 - 7,5) i (7,5 - 10), així com la mitjana màxima, la mitjana mínima i la mitjana global de la categoria.

1. Síntesi dels principals resultats

Caracterització de la mostra

Del total d'alumnat que ha participat en l'enquesta, un 80 % han estat dones. La mitjana d'edat se situa en els 21 anys; l'edat mínima és 19 anys i la màxima 52. Pel que fa a la situació laboral, un 17,69 % manifesta que treballa i un 5,62 % d'aquests ho fa en una jornada de més de 25 hores.

Respecte al tipus d'assignatura, un 92,64 % dels estudiants les ha cursat com a obligatòries i un 2,19 % les ha triat com a optatives. Tanmateix, s'han matriculat per primera vegada el 94,63 % dels estudiants i un 0,80 % ho ha fet dues o més vegades en la mateixa assignatura.

El 76,94 % dels estudiants afirma que ha assistit a classe molt sovint. Pel que fa a l'interès per l'assignatura, un 24,85 % manifesta que té un interès molt alt. Finalment, un 21,07 % considera que ha aprofundit molt en el contingut d'aquesta.

Valoració dels ítems


En una escala de valoració d'entre 0 i 10 (totalment en desacord - totalment d'acord), l'ítem que s'ha valorat millor ha estat l'ítem 4: "Mostra un coneixement adequat de la matèria" amb una mitjana de 8,89. Per contra, l'ítem amb la valoració més baixa ha estat l'ítem 12: "El volum de feina exigida és proporcional als crèdits de l'assignatura" amb una mitjana de 7,58.

L'ítem de satisfacció global ("En general, estic satisfet/a amb la qualitat del treball desenvolupat per/per la professor/a") presenta una mitjana de 8,50 amb una desviació de $\pm 1,54$ en el total de la mostra del departament.

Taula resum de l'agrupació de les preguntes per categories i gràfic de mitjanes

Cat_1. Saber-domini de la matèria (ítems 3 i 4)	8,73
Cat_2. Organització i planificació de l'acte docent (ítems 1, 2 i 6)	8,27
Cat_3. L'exposició docent (ítems 5 i 9)	8,41
Cat_4. Metodologia i ús de recursos ... (ítems 7, 8 i 10)	8,23
Cat_5. Actituds en la interacció amb els estudiants ... (ítems 11, 14 i 15)	8,53
Cat_6. Avaluació (ítems 12 i 13)	7,75
Cat_7. Satisfacció global (ítems 16)	8,50


Gràfic de les mitjanes globals de cada categoria




Taula de freqüències de les respostes (%)

		Escala de valoració										Mitjana	Desviació	
		← Totalment en desacord / Totalment d'acord →												
		0	1	2	3	4	5	6	7	8	9			10
1	A l'inici del curs ha explicat amb claredat els objectius, el programa de l'assignatura i els criteris d'avaluació	n 8	1	2	3	6	20	27	74	131	149	74	7,97	1,81
		% 1,6	0,2	0,4	0,6	1,2	4,0	5,4	14,7	26,0	29,6	14,7		
2	Planifica adequadament el desenvolupament de l'assignatura (sessions, activitats, ritme)	n 3	1	0	2	9	11	20	57	123	158	115	8,36	1,57
		% 0,6	0,2	---	0,4	1,8	2,2	4,0	11,3	24,5	31,4	22,9		
3	Presenta una visió ampla de l'assignatura	n 2	2	3	1	1	10	14	49	113	164	140	8,56	1,51
		% 0,4	0,4	0,6	0,2	0,2	2,0	2,8	9,7	22,5	32,6	27,8		
4	Mostra un coneixement adequat de la matèria	n 2	1	1	0	1	5	16	27	83	174	190	8,89	1,34
		% 0,4	0,2	0,2	---	0,2	1,0	3,2	5,4	16,5	34,6	37,8		
5	Transmet amb claredat els continguts de l'assignatura	n 1	2	6	1	1	6	21	42	121	141	168	8,69	1,53
		% 0,2	0,4	1,0	0,2	0,2	1,2	4,2	8,3	24,1	28,0	31,4		
6	Mostra una actitud flexible introduint canvis raonables en el pla del curs, quan és necessari	n 4	4	2	2	1	6	14	56	119	167	131	8,47	1,64
		% 0,8	0,8	0,4	0,4	0,2	1,2	2,8	10,9	23,7	31,2	26,0		
7	La metodologia desenvolupada en l'assignatura ha estat adequada	n 3	1	4	1	4	6	20	67	138	153	102	8,31	1,54
		% 0,6	0,2	0,8	0,2	0,8	1,2	4,0	13,3	27,4	30,4	20,3		
8	El material d'estudi i de consulta proposat (bibliografia/documents/recursos didàctics, etc.) ha estat útil per a l'aprenentatge de l'assignatura	n 1	3	1	2	3	15	28	71	138	162	82	8,18	1,51
		% 0,2	0,6	0,2	0,4	0,6	3,0	5,6	14,1	27,4	30,2	16,3		
9	La seva manera d'explicar aconsegueix motivar l'alumnat	n 4	5	6	3	3	6	24	64	122	147	116	8,24	1,81
		% 0,8	1,0	1,2	0,6	0,6	1,2	4,8	12,7	24,3	29,2	23,7		
10	El tipus de treball realitzat (lectures, exercicis, estudis, pràctiques ...) ha contribuït a un bon aprenentatge de l'assignatura	n 4	2	3	3	4	5	24	73	128	165	85	8,21	1,82
		% 0,8	0,4	0,6	0,6	0,8	1,0	4,8	14,5	25,4	32,8	16,9		
11	Fomenta, facilita i crea un bon clima de treball i participació a classe	n 3	2	4	1	6	8	24	68	107	160	139	8,42	1,67
		% 0,6	0,4	0,8	0,2	1,2	1,6	4,8	11,1	21,3	29,8	27,6		
12	El volum de feina exigida és proporcional als crèdits de l'assignatura	n 14	7	9	4	7	16	42	71	133	128	86	7,58	2,23
		% 2,8	1,4	1,8	0,8	1,4	3,0	8,3	14,1	26,4	25,0	12,9		
13	El tipus d'avaluació previst (criteris i procediments) s'adequa a l'assignatura	n 5	2	5	6	5	9	34	81	147	129	70	7,92	1,76
		% 1,0	0,4	1,0	1,2	1,0	1,8	6,8	16,1	29,2	25,6	13,9		
14	Manté un bon clima de comunicació i relació amb els estudiants	n 2	4	3	2	4	7	17	44	112	159	146	8,53	1,83
		% 0,4	0,8	0,6	0,4	0,8	1,4	3,4	8,7	22,3	31,6	29,0		
15	Mostra interès perquè els alumnes aprenguin	n 3	0	2	1	4	6	11	47	101	177	148	8,66	1,45
		% 0,6	---	0,4	0,2	0,8	1,2	2,2	9,3	20,1	35,2	29,4		
16	En general, estic satisfet/a amb la qualitat del treball desenvolupat pel/la professor/a	n 2	3	3	1	1	8	18	51	116	168	128	8,50	1,54
		% 0,4	0,6	0,6	0,2	0,2	1,6	3,6	10,1	23,1	33,4	25,4		

Gràfic de mitjanes: mitjana del departament i mitjana mínima i màxima del professorat participant en l'enquesta



Distribució per intervals de les puntuacions mitjanes del professorat del departament participant en l'enquesta



Agrupació dels ítems per categories

DEPT:

Medicina**Cat_1. Saber-domini de la matèria (ítems 3 i 4)**

Inclou el grau de confiança que té l'alumnat respecte del domini de la matèria que té el professor i dels coneixements que transmet a l'hora de donar una visió àmplia de la matèria.

Intervals de les mitjanes	3. Presenta una visió àmplia de l'assignatura		4. Mostra un coneixement adequat de la matèria	
	freqüència	percentatge	freqüència	percentatge
(0 - 2,5)	0	0,00%	0	0,00%
(2,5 - 5)	0	0,00%	0	0,00%
(5 - 7,5)	2	7,69%	1	3,85%
(7,5 - 10)	24	92,31%	25	96,15%
Mitjana	MÍNIMA	5,69	GLOBAL	8,56
	MÀXIMA	9,58		MÍNIMA
			MÀXIMA	9,65
Mitjana GLOBAL de la CATEGORIA				8,73

Cat_2. Organització i planificació de l'actuació docent (ítems 1, 2 i 6)

Aquesta dimensió no avalua el Pla docent en si mateix (instrument a disposició de la comunitat universitària) sinó el que se'n deriva de l'aplicació a través de:

- La comunicació a l'alumnat, a l'inici del curs, del marc de referència del professor en relació amb els objectius, els criteris de l'organització i la seqüència de la matèria i el que s'espera de l'alumne i com serà avaluat.
- La capacitat de planificar adequadament el desenvolupament de l'assignatura i incloure-hi com a actitud important la flexibilitat o capacitat d'introduir canvis en el pla de curs inicial, de manera que es respecti el que és substancial a la matèria, segons la conjuntura del grup o altres situacions no previstes.

Intervals de les mitjanes	1. A l'inici del curs ha explicat amb claredat els objectius, el programa de l'assignatura i els criteris d'avaluació		2. Planifica adequadament el desenvolupament de l'assignatura (sessions, activitats, ritme)		6. Mostra una actitud flexible introduint canvis raonables en el pla del curs, quan és necessari	
	freqüència	percentatge	freqüència	percentatge	freqüència	percentatge
(0 - 2,5)	0	0,00%	0	0,00%	0	0,00%
(2,5 - 5)	0	0,00%	0	0,00%	1	3,85%
(5 - 7,5)	5	19,23%	2	7,69%	2	7,69%
(7,5 - 10)	21	80,77%	24	92,31%	23	88,46%
Mitjana	MÍNIMA	5,89	GLOBAL	7,97	MÍNIMA	4,54
	MÀXIMA	9,42		MÀXIMA		9,46
Mitjana GLOBAL de la CATEGORIA				8,27		

Cat_3. L'exposició docent (ítems 5 i 9)

Inclou dos aspectes implícits en l'acte docent:

- La claredat de l'exposició, amb independència de la metodologia o del format de classe considerat (magistral, pràctiques, etc.)
- La motivació de l'alumnat o la capacitat de transmetre, a través de l'exposició docent, l'interès per l'assignatura.

Intervals de les mitjanes	5. Transmet amb claredat els continguts de l'assignatura		9. La seva manera d'explicar aconsegueix motivar l'alumnat	
	freqüència	percentatge	freqüència	percentatge
(0 - 2,5)	0	0,00%	0	0,00%
(2,5 - 5)	1	3,85%	1	3,85%
(5 - 7,5)	2	7,69%	3	11,54%
(7,5 - 10)	23	88,46%	22	84,62%
Mitjana	MÍNIMA	4,31	GLOBAL	8,59
	MÀXIMA	9,62		MÍNIMA
			MÀXIMA	9,70
Mitjana GLOBAL de la CATEGORIA				8,41

Cat_4. Metodologia i ús de recursos en el procés d'ensenyament-aprenentatge (ítems 7, 8 i 10)

Suposa avaluar l'actuació del professor en relació amb:

- L'adequació de la metodologia o de les estratègies d'aprenentatge en el context de la classe o de la situació docent
- La capacitat d'orientar adequadament l'estudiant per desenvolupar les feines mitjançant diferents activitats i treballs
- La qualitat del material d'estudi i dels recursos aportats

Interval de les mitjanes	7. La metodologia desenvolupada en l'assignatura ha estat adequada		8. El material d'estudi i de consulta proposat (bibliografia, documents, recursos didàctics, etc.) ha estat útil per a l'aprenentatge de l'assignatura		10. El tipus de treball realitzat (lectures, exercicis, estudis, pràctiques, etc.) ha contribuït a un bon aprenentatge de l'assignatura	
	freqüència	percentatge	freqüència	percentatge	freqüència	percentatge
(0 - 2,5)	0	0,00%	0	0,00%	0	0,00%
(2,5 - 5)	1	3,85%	0	0,00%	1	3,85%
(5 - 7,5)	1	3,85%	5	19,23%	3	11,54%
(7,5 - 10)	24	92,31%	21	80,77%	22	84,62%
Mitjana	MÍNIMA 4,08 MÀXIMA 9,31	GLOBAL 8,31	MÍNIMA 5,62 MÀXIMA 9,23	GLOBAL 8,18	MÍNIMA 4,23 MÀXIMA 9,46	GLOBAL 8,21
Mitjana GLOBAL de la CATEGORIA			8,23			

Cat_5. Actituds del professorat en la interacció amb els estudiants, tant en el context de grup classe com en l'atenció individualitzada (ítems 11, 14 i 15)

Inclou els següents aspectes:

- Actitud de respecte i de receptivitat vers l'alumnat
- Implicació personal amb el progrés dels estudiants en el procés d'aprenentatge
- Capacitat de promoure un clima de classe participatiu

Interval de les mitjanes	11. Fomenta, facilita i crea un bon clima de treball i participació a classe		14. Manté un bon clima de comunicació i relació amb els estudiants		15. Mostra interès perquè els alumnes aprenguin	
	freqüència	percentatge	freqüència	percentatge	freqüència	percentatge
(0 - 2,5)	0	0,00%	0	0,00%	0	0,00%
(2,5 - 5)	0	0,00%	1	3,85%	0	0,00%
(5 - 7,5)	3	11,54%	1	3,85%	2	7,69%
(7,5 - 10)	23	88,46%	24	92,31%	24	92,31%
Mitjana	MÍNIMA 5,08 MÀXIMA 9,73	GLOBAL 8,42	MÍNIMA 4,67 MÀXIMA 9,69	GLOBAL 8,53	MÍNIMA 6,08 MÀXIMA 9,73	GLOBAL 8,66
Mitjana GLOBAL de la CATEGORIA			8,53			

Cat_6. Avaluació dels aprenentatges (ítems 12 i 13)

Inclou els següents aspectes:

- Coherència de les demandes de treball en relació amb els crèdits de l'assignatura i del treball desenvolupat.
- Adecuació dels criteris i dels procediments d'avaluació previstos a la naturalesa i al desenvolupament de la matèria

Cat_7. Satisfacció global (ítem 16)

Valoració global amb la qualitat del treball desenvolupat pel/la professor/professora

Interval de les mitjanes	12. El volum de feina exigida és proporcional als crèdits de l'assignatura		13. El tipus d'avaluació previst (criteris i procediments) s'adequa a l'assignatura		16. En general, estic satisfet/a amb la qualitat del treball desenvolupat pel/la professor/professora	
	freqüència	percentatge	freqüència	percentatge	freqüència	percentatge
(0 - 2,5)	0	0,00%	0	0,00%	0	0,00%
(2,5 - 5)	2	7,69%	0	0,00%	1	3,85%
(5 - 7,5)	8	30,77%	6	23,08%	1	3,85%
(7,5 - 10)	16	61,54%	20	76,92%	24	92,31%
Mitjana	MÍNIMA 4,08 MÀXIMA 8,71	GLOBAL 7,58	MÍNIMA 5,23 MÀXIMA 8,88	GLOBAL 7,92	MÍNIMA 4,92 MÀXIMA 9,73	GLOBAL 8,50
Mitjana GLOBAL de la CATEGORIA			7,75		8,50	

Memòria de recerca 2009

Grups de recerca consolidats

Nombre de Grups: 21

GRC-ARÍTMIES I ESTIMULACIÓ CARDIACA

GRC-DIABETIS EXPERIMENTAL INVESTIGACIÓ CEL·LULAR I MOLECULAR EN MODELS DE DIABETIS EXPERIMENTAL

FISIOPATOLOGIA, HEMOSTÀSIA I TROMBOSI

GRC-FISIOPATOLOGIA I TRACTAMENT DE LES MALALTIES RESPIRATÒRIES

GRC-GRUP DE RECERCA DE MALALTIES NEUROLÒGIQUES

GRC-GRUP DE RECERCA EN HEPATOLOGIA CLINICA

GRC-GRUP DE RECERCA EN MALALTIES AUTOIMMUNES SISTÈMIQUES

GRUP DE RECERCA EN ONCOLOGIA GASTROINTESTINAL I PANCREÀTICA

GRC-GRUP DE RECERCA MUSCULAR

GRC-GRUP DE RECERCA SOBRE INFLAMACIÓ VASCULAR (VASCULITIS)

GRC-GRUP DE RECERCA VIH/SIDA

GRC-HEMODINAMICA HEPATICA I HIPERTENSIO PORTAL

HEPATOLOGIA CLÍNICA, BÀSICA I EXPERIMENTAL

GRC-INFECCIONES EN EL TRANSPLANTE DE ÓRGANO SÓLIDO (INFTOS)

GRC-INFLAMACIÓ I TRACTAMENT DE LES MALALTIES RESPIRATÒRIES

GRC-INVESTIGACIÓ HEPÀTICA: RECERCA BÀSICA I EXPERIMENTAL

GRC-LENIT (LABORATORI EXPERIMENTAL DE NEFROLOGIA I TRANSPLANTAMENT)

GRC-MALALTIA INFLAMATÒRIA INTESTINAL

GRC-NEUROFISIOLOGIA DEL DOLOR, EPILEPSIA, SON I CONTROL MOTOR
(NEDESC)

GRC-ONCOLOGIA HEPÀTICA-BARCELONA CLINIC LIVER CANCER (BCLC)

GRC-UNITAT CLÍNICO-BIOLÒGICA PER L'ESTUDI DE LIMFOMES I SINDROMES
LIMFOPROLIFERATIVES

Projectes de recerca finançats vigents en 2009

Entitats públiques: 96 projectes - 17.304.626,19 euros

MALALTIES DE L'APARELL CARDIOCIRCULATORI

Nom: Bosch Genover, Xavier

Referència: EC07/90211

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Prevención de la disfunción ventricular con enalapril y carvedilol en pacientes sometidos a quimioterapia intensiva para el tratamiento de hemopatías malignas.

Anys de vigència: 2008-2011.

Import total concedit: 289.825,25 €

Nom: Brugada Terradellas, Josep

Referència: 2009_SGR_1104

Entitat: GENERALITAT DE CATALUNYA

Títol: Aritmies i estimulació cardíaca.

Anys de vigència: 8/5/2009-31/12/2013

Import total concedit: 43.680,00 €

Nom: Brugada Terradellas, Josep

Referència: 09/370

Entitat: SORIN GROUP ESPAÑA, S.L.

Títol: cvREMOD: Convergencia de tecnologías médicas para la gestión integral del remodelado vascular.

Anys de vigència: 9/9/2009-31/12/2011

Import total concedit: 890.000 €

Nom: Brugada Terradellas, Josep

Referència: CM08/00201

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Contratos de formación en investigación "Rio Hortega" (Post Formación Sanitaria Especializada).

Anys de vigència: 2/1/2009-31/12/2012

Import total concedit: 64.800 €

Nom: HERAS FORTUNY, MARIA MAGDALENA

Referència: PI080272

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Células endoteliales circulantes y células progenitoras endoteliales en la enfermedad cardiovascular aguda. Correlación con la función endotelial y la evolución clínica.

Anys de vigència: 1/1/2009-12/30/2011

Import total concedit: 68.002 €

Nom: Mont Girbau, Josep Lluís

Referència: 154/4/2008

Entitat: AGENCIA D'AVAUACIÓ DE TECNOLOGIA

Títol: Estudi de la teràpia de resincronització a Catalunya.

Anys de vigència: 1/12/2009-30/11/2012

Import total concedit: 76.800 €

MALALTIES DE L' APARELL DIGESTIU**Nom:** ARROYO PEREZ, VICENTE**Referència:** CM08/00129**Entitat:** INSTITUTO DE SALUD CARLOS III**Títol:** Contratos de formación en investigación "Rio Hortega" (Post Formación Sanitaria Especializada).**Anys de vigència:** 15/01/2009-14/01/2012**Import total concedit:** 43.632 €**Nom:** ARROYO PEREZ, VICENTE**Referència:** 2009_SGR_1484**Entitat:** GENERALITAT DE CATALUNYA**Títol:** Investigació hepàtica: recerca bàsica i experimental.**Anys de vigència:** 15/09/2009-31/31/2013**Import total concedit:** 43.680 €**Nom:** Bosch Genover, Jaime**Referència:** EC08/00091**Entitat:** INSTITUTO DE SALUD CARLOS III**Títol:** Estudio multicéntrico, aleatorizado, doble-ciego, controlado con placebo, sobre la eficacia del tratamiento con beta-bloqueantes para la prevención de la descompensación de la cirrosis con hipertensión portal.**Anys de vigència:** 1/1/2009-30/12/2011**Import total concedit:** 134.310 €**Nom:** BOSCH GENOVER, JAIME**Referència:** ACI2009-0938**Entitat:** MINISTERIO DE EDUCACIÓN Y CIENCIA**Títol:** Mecanismos celulares y moleculares en la hipertensión portal no-cirrótica**Anys de vigència:** 1/7/2009-1/7/2012**Import total concedit:** 95.000 €**Nom:** BOSCH GENOVER, JAIME**Referència:** 2009_SGR_1108**Entitat:** GENERALITAT DE CATALUNYA**Títol:** Hemodinamica hepatica i hipertensió portal.**Anys de vigència:** 15/12/2009-31/12/2013**Import total concedit:** 47.840 €**Nom:** BOSCH GENOVER, JAIME**Referència:** CM08/00161**Entitat:** INSTITUTO DE SALUD CARLOS III**Títol:** Contratos de formación en investigación "Rio Hortega" (Post Formación Sanitaria Especializada).**Anys de vigència:** 15/1/2009-14/1/2012**Import total concedit:** 43.632 €**Nom:** BOSCH GENOVER, JAIME**Referència:** FI09/00540**Entitat:** INSTITUTO DE SALUD CARLOS III**Títol:** Ayudas predoctorales de formación en investigación en salud (PFIS) .

Anys de vigència: 7/9/2009- 6/9/2013

Import total concedit: 82.500 €

Nom: BOSCH GENOVER, JAIME

Referència: CB06/04/0018

Entitat: IDIBAPS

Títol: Centro de Investigación Biomédica del área de enfermedades hepáticas y digestivas.

Entidad financiadora: Ministerio de Sanidad y Consumo

Anys de vigència: 2006-2010

Import total concedit: 71.2000 €

Nom: BRUIX TUDO, JORDI

Referència: PI050150

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Perfil de expresión génica en lesiones preneoplásicas y en el carcinoma hepatocelular inicial, en la cirrosis por el virus de la hepatitis C. Aplicación en la detección precoz y el diagnóstico.

Anys de vigència: 2006- 2009

Import total concedit: 85.200 €

Nom: BRUIX TUDO, JORDI

Referència: PI080146

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Identificación y caracterización de la población de células madre adultas tumorales en líneas celulares derivadas de carcinoma hepatocelular humano.

Anys de vigència: 31/12/2008-30/12/2011

Import total concedit: 105.754 €

Nom: BRUIX TUDO, JORDI

Referència: 2009_SGR_1100

Entitat: GENERALITAT DE CATALUNYA

Títol: Oncologia Hepàtica- Barcelona Clinic Liver Cancer (BCLC).

Anys de vigència: 15/09/2009-31/12/2013

Import total concedit: 47.840 €

Nom: GINES GIBERT, PERE

Referència: PI080126

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Disfunción renal en la cirrosis hepática. Investigación de nuevos métodos diagnósticos y terapéuticos.

Anys de vigència: 1/1/2009-30/12/2012

Import total concedit: 427.952,79 €

Nom: GINES GIBERT, PERE

Referència: 2009_SGR_1401

Entitat: GENERALITAT DE CATALUNYA

Títol: Grup de recerca en hepatologia clínica.

Anys de vigència: 23/09/2009-31/12/2013

Import total concedit: 45.760 €

Nom: GINES GIBERT, PERE

Referència: EC07/90077

Entidad: Ministerio de Sanidad y Consumo Fondo de Investigación Sanitaria 'Instituto de Salud Carlos III
Título: Estudio aleatorizado y controlado sobre la eficacia de la administración combinada de albumina y midodrina en la prevención de las complicaciones de pacientes con cirrosis.

Anys de vigència: 2007-2010

Import total concedit: 666.710 €

Nom: GINÈS GIBERT, PERE

Referència: FIS 05/0246

Título: Complicaciones de la cirrosis en pacientes en candidatos da trasplante hepatico. Diseño de nuevas estrategias para la reducción de la mortalidad en lista de espera de trasplante hepatico.

Entidad: Ministerio de Sanidad y Consumo. Instituto de salud Carlos III.

Anys de vigència: 2005-2008 i 2009

Import total concedit: 155.890, 00 €

Nom: PANES DIAZ, JULIAN

Referència: ?

Entitat: Ministerio de Educación y Ciencia. Subdirección general de Investigación

Título: Análisis de expresión génica en la enfermedad inflamatoria intestinal: relación con el fenotipo, progresión de la enfermedad y respuesta al tratamiento.

Anys de vigència: 2006-2009

Import total concedit: 175.000 €

Nom: PANES DIAZ, JULIAN

Referència: SAF2009-07272

Entitat: Ministerio de Ciencia e Innovación

Título: Terapia con células Dendríticas Tolerogénicas en la Enfermedad de Crohn Refractaria.

Anys de vigència: 2009-2011

Import total concedit: 210.000 €

Nom: PANES DIAZ, JULIAN

Referència: TRA-097

Entitat: Ministerio de Sanidad y Política Social

Título: Tratamiento de la enfermedad de Crohn refractaria con células dendríticas reguladoras: estudio piloto (ensayo clínico fase I).

Anys de vigència: 2009-2010

Import total concedit: 155.856 €

Nom: PANES DIAZ, JULIAN

Referència: PSE-010000-2008-9

Entitat: FUNDACIO VALL D'HEBRON-F

Título: Desarrollo de un kit diagnóstico para las enfermedades inflamatorias mediadas por mecanismos inmunes (IMID-Kit). Subproyecto 1: Estudio de asociación de genoma completo en las enfermedades inflamatorias mediadas por mecanismos inmunes (IMID Immune).

Anys de vigència: 1/1/2009-31/1/2999

Import total concedit: 119.093 €

Nom: PANES DIAZ, JULIAN

Referència: 2009_SGR_1206

Entitat: GENERALITAT DE CATALUNYA

Título: Malaltia Inflammatory Intestinal.

Anys de vigència: 15/09/2009-31/12/2013

Import total concedit: 48.880 €

Nom: PANES DIAZ, JULIAN

Referència: CM08/00077

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Contratos de formación en investigación "Rio Hortega" (Post Formación Sanitaria Especializada).

Anys de vigència: 18/2/2009-17/2/2012

Import total concedit: 64.800 €

MALALTIES DE L'APARELL RESPIRATORI

Nom: BARBERA MIR, JOAN ALBERT

Referència: CD08/00182

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Contratos post-doctorales de investigación.

Anys de vigència: 26/1/2009- 25/1/2013

Import total concedit: 144.720 €

Nom: MONTSERRAT CANAL, JOSE MARIA

Referència: PI080277

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Efectos sistémicos del síndrome de las apneas durante el sueño. Análisis mediante modelos animales y estudios cognitivos en humanos.

Anys de vigència: 31/12/2008-30/12/2011

Import total concedit: 98.252 €

Nom: PARRA ORDAZ, OLGA

Referència: PI081514

Entitat: FIS

Títol: Efectos sistémicos del Síndrome de las Apneas durante el Sueño. Influencia en la Isquemia Cerebral Silente y en los trastornos cognitivos y morfológicos cerebrales en el primer episodio de AIT o infarto lacunar.

Anys de vigència: 2009-2011

Import total concedit: 67.000 €

Nom: PICADO VALLES, CESAR

Referència: PI080249

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Estudio de la regulación epigenética del gen de l Cox-2 en el asma con intolerancia a los antiinflamatorios no esteroideos.

Anys de vigència: 1/1/2009- 30/12/2011

Import total concedit: 139.150 €

Nom: PICADO VALLES, CESAR

Referència: 2009_SGR_954

Entitat: GENERALITAT DE CATALUNYA

Títol: Inflamació i tractament de les malalties respiratòries

Anys de vigència: 15/09/2009-31/12/2013

Import total concedit: 0 €

Nom: RODRIGUEZ ROISIN, ROBERTO
Referència: PI080311
Entitat: INSTITUTO DE SALUD CARLOS III
Títol: Obesidad mórbida e inflamación sistématica y pulmonar.
Anys de vigència: 31/12/2008-30/12/2011
Import total concedit: 92.202 €

Nom: TORRES MARTI, ANTONIO
Referència: PI050136
Entitat: Fondo de Investigación Sanitaria (FIS)
Títol: Estudio de la respuesta inflamatoria asociada y su modulación por glucocorticoide.
Anys de vigència: 2006-2009
Import total concedit: 121.618 €

Nom: TORRES MARTI, ANTONIO
Referència: PI080240
Entitat: Fondo de Investigación Sanitaria (FIS)
Títol: “Health Care Associated Pneumonia (HCAP)””: Etiología microbiana, factores de riesgo y pronóstico.
Anys de vigència: 2009-2012
Import total concedit: 97.042 €

Nom: TORRES MARTI, ANTONIO
Referència:
Entitat: European Comisión. 6th Framework programme for research, technological development and demonstration.
Títol: Genomics to combat resistance against antibiotics in Community-acquired LRTI in Europe (GRACE).
Anys de vigència: 2007-2011
Import total concedit: 157.932 €

Nom: TORRES MARTI, ANTONIO
Referència:
Entitat: European Comisión. 7th Framework programme for research, technological development and demonstration.
Títol: TheraEDGE: An Integrated Platform Enabling Theranostics Applications at the Point of Primary Care.
Anys de vigència: 2008-11
Import total concedit: 100.000 €

Nom: TORRES MARTI, ANTONIO
Referència: 2009_SGR_911
Entitat: GENERALITAT DE CATALUNYA
Títol: Fisiopatologia i tractament de les malalties respiratòries.
Anys de vigència: 15/09/2009-31/12/2013
Import total concedit: 58.240 €

MALALTIES DE LA SANG

Nom: BLADE CREIXENTI, JUAN
Referència: PI080147
Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Impacto de la variabilidad genética individual mediante análisis de single nucleotide polymorphisms (SNPs) en la respuesta al tratamiento en el mieloma múltiple.

Anys de vigència: 1/1/2009- 30/12/2011

Import total concedit: 134.794 €

Nom: ESCOLAR ALBALADEJO, GINES

Referència: PET2008_0231

Entitat: MINISTERIO DE EDUCACIÓN Y CIENCIA

Títol: Desarrollo de modelos de coagulopatía dilucional y evaluación comparativa de eficacia correctora con distintos concentrados de factores de coagulación.

Anys de vigència: 1/3/2009-28/2/2011

Import total concedit: 77.440 €

Nom: MONTSERRAT COSTA, EMILIO

Referència: PI080304

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Diseño de un sistema clínico-biológico para el pronóstico de los pacientes con leucemia linfática crónica(LLC).

Anys de vigència: 1/1/2009-30/12/2011

Import total concedit: 225.786 €

Nom: MONTSERRAT COSTA, EMILIO

Referència: 2009_SGR_1008

Entitat: GENERALITAT DE CATALUNYA

Títol: Unitat Clínico-biològica per l'Estudi de Limfomes i Síndromes Limfoproliferatives.

Anys de vigència: 23/09/2009-31/12/2013

Import total concedit: 43.680 €

Nom: MONTSERRAT COSTA, EMILIO

Referència: CM08/00027

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Contratos de formación en investigación "Rio Hortega" (Post Formación Sanitaria Especializada).

Anys de vigència: 16/02/2009-15/02/2012

Import total concedit: 43.632 €

Nom: VIVES CORRONS, JUAN-LUIS

Referència: 20081210

Entitat: European Comision

Títol: European reference network of expert centres in rare anaemias.

Anys de vigència: 1/6/2009- 31/05/2012

Import total concedit: 452.269,59 €

MALALTIES DEL SISTEMA ENDOCRÍ

Nom: CONGET DONLO, IGNASI

Referència: PI060250

Entitat: Ministerio Sanidad y Consumo

Títol: Sistemas de infusión subcutánea continua de insulina y de monitorización continua de la glucosa en la diabetes de tipo 1. Efecto sobre el perfil de riesgo cardiovascular de los pacientes con control lábil por hipoglucemias recurrentes y severas.

Anys de vigència: 18/10/2006-30/12/2009.

Import total concedit: 57.475 €

Nom: ESMATJES MOMPO, ENRIC

Referència: PI070124

Entitat: Ministerio Sanidad y Consumo

Títol: Efectos del by-pass gástrico sobre la presión arterial y la disfunción endotelial en personas con obesidad grave.

Anys de vigència: 26/11/2007-30/12/2010

Import total concedit: 44.770 €

Nom: GOMIS DE BARBARÀ, RAMON

Referència: PCOFUND-2008-229673

Entitat: EUROPEAN COMMISSION

Títol: Professional training and career development in biomedicine.

Anys de vigència: 15/06/2009-14/06/2013

Import total concedit: 2.945.335,54 €

Nom: GOMIS DE BARBARÀ, RAMON

Referència: 230848

Entitat: UNIVERSITÀ DI PISA

Títol: Supporting healthy lifestyles in the mediterranean area.

Anys de vigència: 1/3/2009-28/2/2013

Import total concedit: 51.300 €

Nom: GOMIS DE BARBARÀ, RAMON

Referència: 2009_SGR_1426

Entitat: GENERALITAT DE CATALUNYA

Títol: Diabetes experimental. Investigació cel lular i molecular en models de diabetes experimental.

Anys de vigència: 7/8/2009-31/12/2013

Import total concedit: 53.040 €

Nom: GOMIS DE BARBARÀ, RAMON

Referència: 06/409

Entitat: Genoma-España

Títol: Banco Nacional de ADN - Nodo de Metabólicas.

Anys de vigència: 01/10/2006-30/09/2009

Import total concedit: 212.677 €

Nom: GOMIS DE BARBARÀ, RAMON

Referència: SAF2006-07382

Entitat: Ministerio Educación y Ciencia

Títol: Dianas moleculares inducidas por tungstato en la obesidad.

Anys de vigència: 01/10/2006-30/09/2011

Import total concedit: 677.600 €

Nom: GOMIS DE BARBARÀ, RAMON

Referència: CB07/08/0009

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Diabetes y enfermedades metabólicas.

Anys de vigència: 01/01/2008-31/12/2011

Import total concedit: 200.000 €

Nom: GOMIS DE BARBARÀ, RAMON

Referència: No: 218131

Entitat: FP7 PEOPLE-2007-3-1-IAPP

Títol: The role of adipose tissue in obesity: beta cell crosstalk (ADIBET).

Anys de vigència: 2008-2011

Import total concedit: 465.597 €

Nom: GOMIS DE BARBARÀ, RAMON

Referència: I Beca Boston Scientific de Investigación Cardiovascular en Diabetes

Entitat: Sociedad Española de Diabetes

Títol: Papel de la fracción no-adipocitaria del tejido adiposo visceral en el inicio y la propagación de la enfermedad aterotrombótica.

Anys de vigència: 2009-2011

Import total concedit: 4.500 €

Nom: VIDAL CORTADA, JOSEP

Referència: AP62572009

Entitat: FUNDACION DE INVESTIGACION MEDICA MUTUA

Títol: GLP-1 y resolución tras el bypass gástrico de la diabetes tipo 2 asociada a obesidad.

Anys de vigència: 3/8/2009-31/07/2011

Import total concedit: 65.000 €

Nom: VIDAL CORTADA, JOSEP

Referència: 401/17/2008

Entitat: AGENCIA D'AVALUACIÓ DE TECNOLOGIA

Títol: Estudi aleatoritzat prospectiu sobre els efectes del tractament mèdic intensiu amb o sense bypass gàstric en Y de Roux, sobre el gruix de la íntima mitja carotídea en malalts amb obesitat grau I.

Anys de vigència: 1/12/2009-30/11/2012

Import total concedit: 70.541 €

MALALTIES DEL SISTEMA NERVIÓS

Nom: ARBOIX DAMUNT, ADRIA

Referència: PI081514

Entitat: FIS

Títol: Efectos sistémicos del síndrome de las apneas durante el sueño. Influencia de la isquemia cerebral silente y en los trastornos cognitivos y morfológicos cerebrales en el primer episodio de AIT o infarto lacunar.

Anys de vigència: 2009-2011

Import total concedit: 51.304 €

Nom: CHAMORRO SANCHEZ, ANGEL

Referència: CM08/00171

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Contratos de formación en investigación "Rio Hortega" (Post Formación Sanitaria Especializada).

Anys de vigència: 15/1/2009-14/1/2012

Import total concedit: 64.800 €

Nom: GRAUS RIBAS, FRANCESC

Referència: CM08/00165

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Contratos de formación en investigación "Rio Hortega" (Post Formación Sanitaria Especializada).

Anys de vigència: 15/1/2009-14/1/2012

Import total concedit: 43.632 €

Nom: GRAUS RIBAS, FRANCESC

Referència: 09-389-10-01

Entitat: MINISTERIO DE EDUCACIÓN Y CIENCIA

Títol: Factores de mantenimiento y diferenciación de células madre neurales como actores principales en la patogénesis de los gliomas.

Anys de vigència: 2/11/2009-1/11/2014

Import total concedit: 192.480 €

Nom: MARTI DOMENECH, MARIA JOSEFA

Referència: PI080236

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Valor predictivo y diagnóstico de demencia en la enfermedad de Parkinson de los marcadores de patología tau y beta-amiloide en líquido cefalorraquídeo y tomografía de emisión de positrones.

Anys de vigència: 31/12/2008-30/12/2011

Import total concedit: 189.728 €

Nom: TOLOSA SARRO, EDUARDO

Referència: 2009_SGR_1019

Entitat: GENERALITAT DE CATALUNYA

Títol: Grup de recerca de malalties neurològiques.

Anys de vigència: 15/09/2009-31/12/2013

Import total concedit: 72.800 €

Nom: TOLOSA SARRO, EDUARDO

Referència: PI080155

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Síntomas no-motores e integridad de la vía nigroestriatal en portadores "asintomáticos" de mutaciones en el gen LRRK2.

Anys de vigència: 1/1/2009-30/12/2011

Import total concedit: 77.319 €

Nom: TOLOSA SARRO, EDUARDO

Referència: CM08/013 CIBERNED

Entitat: Generalitat de Catalunya

Títol: Programa PostMIR.

Anys de vigència: 1/4/2009-31/3/2011

Import total concedit: 72.000 €

Nom: VALLS SOLE, JOSE

Referència: PI080266

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Mecanismos fisiopatológicos en la cronificación del dolor neuropático y en el origen del síndrome regional complejo.

Anys de vigència: 31/12/2008-30/12/2011

Import total concedit: 55.418 €

Nom: VALLS SOLE, JOSE

Referència: 2009_SGR_1253

Entitat: GENERALITAT DE CATALUNYA

Títol: Neurofisiologia del dolor, epilèpsia, son i control motor (NEDESC).

Anys de vigència: 15/09/2009-31/12/2013

Import total concedit: 0 €

Nom: VALLS SOLE, JOSE

Referència: CM08/00197

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Contratos de formación en investigación "Rio Hortega" (Post Formación Sanitaria Especializada).

Anys de vigència: 1/2/2009-31/01/2012

Import total concedit: 43.632 €

MALALTIES SISTEMA EXCRETOR RENAL I GENITAL MASCULÍ

Nom: CAMPISTOL PLANA, JOSE MARIA

Referència: 2009_SGR_1125

Entitat: GENERALITAT DE CATALUNYA

Títol: LENIT (Laboratori Experimental de Nefrologia i Transplantament).

Anys de vigència: 20/7/2009-31/12/2013

Import total concedit: 0 €

MALALTIES INFECCIOSES

Nom: GATELL ARTIGAS, JOSE MARIA

Referència: CM08/00070

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Contratos de formación en investigación "Rio Hortega" (Post Formación Sanitaria Especializada).

Anys de vigència: 1/15/2009-1/14/2012

Import total concedit: 64.800 €

Nom: GATELL ARTIGAS, JOSE MARIA

Referència: 2009_SGR_1159

Entitat: GENERALITAT DE CATALUNYA

Títol: Grup de recerca VIH/sida. Hospital Clinic. Barcelona.

Anys de vigència: 23/09/2009-31/12/2013

Import total concedit: 0 €

Nom: GATELL ARTIGAS, JOSE MARIA

Referència: SAF2008-04395

Entitat: MINISTERIO DE EDUCACIÓN Y CIENCIA

Títol: Nanopartículas de ácido poli-láctico (PLA) recubiertas de antígenos VIH y vectores poxvirus que expresan proteína Gag o proteínas reguladoras del ciclo del VIH como inmunógenos para una vacuna contra el SIDA: Interacción con células dendríticas.

Anys de vigència: 1/1/2009-31/12/2011

Import total concedit: 96.800 €

Nom: MIRO MEDA, JOSE MARIA

Referència: PI080268

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Optimización farmacocinética/farmacodinámica del tratamiento con vancomicina de la endocarditis experimental por Staphylococcus aureus resistente a no a la meticilina causada por cepas con una CMI a la cancomicina de 0.5, 1 o 2 msg/ml.

Anys de vigència: 1/1/2009-30/12/2011

Import total concedit: 81.675 €

Nom: MIRO MEDA, JOSE MARIA

Referència: EC07/90642

Entitat: FIS

Títol: Tratamiento antirretroviral una vez al día en pacientes con infección por el VIH-1 no tratados previamente y con cifras de linfocitos CD4+ inferiores a 100 céls/mm³. Estudio prospectivo aleatorizado, multicéntrico y abierto. Estudio Advanz-3.

Anys de vigència: 2008-10

Import total concedit: 219.615 €

Nom: MIRO MEDA, JOSE MARIA

Referència: BB-TOH/VIH-07

Entitat: FIPSE

Títol: Proyecto de constitución y organización del banco de muestras biológicas de pacientes coinfectados vih-VHC y/o VHB de la cohorte de trasplante hepático (TOH) ya existente desde el año 2006 (Biobanco VIH-TOH).

Anys de vigència: 2008-10

Import total concedit: 49.821 €

Nom: MIRO MEDA, JOSE MARIA

Referència: TOH/VIH-08

Entitat: FIPSE

Títol: Estudio de trasplante hepático en pacientes infectados por el VIH en España. Estudio GESIDA 45-05 (2009-2011).

Anys de vigència: 2009-11

Import total concedit: 600.000 €

Nom: MIRO MEDA, JOSE MARIA

Referència: CM08/00070

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Contratos de formación en investigación "Rio Hortega" (Post Formación Sanitaria Especializada).

Anys de vigència: 15/1/2009-14/1/2012

Import total concedit: 64.800 €

Nom: MIRO MEDA, JOSE MARIA

Referència: TOH/VIH-09

Entitat: FIPSE-FUNDACION PARA INVESTIGACIÓN

Títol: Estudio FIPSE de trasplante hepático en pacientes infectados por el VIH en España (2002-2011) estudio GESIDA 45-05.

Anys de vigència: 16/1/2009-15/1/2012

Import total concedit: 133.925 €

Nom: MORENO CAMACHO, ASUNCION

Referència: EC08/00190

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Evaluar la eficacia y la seguridad de la combinación de fosfomicina (F) e imipenem (I) para el tratamiento de la endocarditis (EI) sobre la válvula nativa o protésica por S.aureus resistente a meticilina (MRSA).

Anys de vigència: 1/1/2009-30/12/2011

Import total concedit: 339.634,90 €

Nom: MORENO CAMACHO, ASUNCION

Referència: 2009_SGR_1341

Entitat: GENERALITAT DE CATALUNYA

Títol: Infecciones en el Trasplante de órgano sólido (INFTOS).

Anys de vigència: 9/15/2009-12/31/2013

Import total concedit: 0 €

MALALTIES REUMATOLOGIQUES I DEL SISTEMA IMMUNE

Nom: CERVERA SEGURA, RICARD

Referència: 2009_SGR_1421

Entitat: GENERALITAT DE CATALUNYA

Títol: Grup de recerca de malalties autoimmunes sistèmiques

Anys de vigència: 15/09/2009-31/12/2013

Import total concedit: 44.720 €

Nom: GUAÑABENS GAY, MARIA NURIA

Referència: PI080105

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Influencia de la bilirrubina y los ácidos biliares sobre la formación ósea. Estudio 'in vitro' en osteoblastos humanos.

Anys de vigència: 1/1/2009-12/30/2011

Import total concedit: 91.113 €

Nom: SANMARTI SALA, RAIMON

Referència: PI080207

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Artritis reumatoide con y sin anticuerpos sericos frente a peptidos sinteticos citrulinados: estudio comparativo fenotipico, genotipico e inmunohistologico.

Anys de vigència: 1/1/2009-30/12/2011

Import total concedit: 83.974 €

ONCOLOGIA CLINICA

Nom: GASCON VILAPLANA, PEDRO

Referència: RD07/0020/2014

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Red tematica de investigación cooperativa de cáncer.

Anys de vigència: 23/2/2009-31/12/2010

Import total concedit: 70.104,47 €

Nom: GASCON VILAPLANA, PEDRO

Referència: PI080022

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Mecanismos de transactivación de los miembros de la familia Erb-B en cáncer de mama: importancia de las neuroquininas y la neoneurogénesis.

Anys de vigència: 1/1/2009- 30/12/2011

Import total concedit: 71.632 €

SEMIOLOGIA GENERAL I PROPEDEÛTICA CLÍNICA

Nom: CARDELLACH LOPEZ, FRANCESC

Referència: PI080229

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Toxicidad mitocondrial inducida por consumo de tabaco en gestantes y sus recién nacidos.

Anys de vigència: 1/1/2009-12/30/2011

Import total concedit: 46. 343 €

Nom: CID XUTGLA, MARIA CINTA

Referència: SAF2008-04328

Entitat: MINISTERIO DE EDUCACIÓN Y CIENCIA

Títol: Mecanismos implicados y consecuencias clínicas de la persistencia de la inflamación vascular en la arteritis de células gigantes. Identificación de posibles dianas terapéuticas.

Anys de vigència: 1/1/2009-31/12/2011

Import total concedit: 232.320 €

Nom: CID XUTGLA, MARIA CINTA

Referència: BES-2009-014039

Entitat: MINISTERIO DE EDUCACIÓN Y CIENCIA

Títol: Ayuda predoctoral de formación de investigadores (Programa FPI) Proyecto: Mecanismos implicados y consecuencias clínicas de la persistencia de la inflamación vascular en la arteritis de células gigantes. Identificación de posibles dianas terapéuticas.

Anys de vigència: 1/9/2009-31/08/2013

Import total concedit: 60.252 €

Nom: CID XUTGLA, MARIA CINTA

Referència: 2009_SGR_1301

Entitat: GENERALITAT DE CATALUNYA

Títol: Grup de Recerca sobre Inflamació Vascular (vasculitis).

Anys de vigència: 9/15/2009-12/31/2013

Import total concedit: 0 €

Nom: CID XUTGLÀ, MARIA CINTA

Referència: CM07/00079

Entitat: INSTITUTO DE SALUD CARLOS III

Títol: Contratos de formación en investigación "Río Hortega" (Post Formación Sanitaria Especializada).

Anys de vigència: 01/02/2008-31/1/2011

Import total concedit: 50.000 €

Nom: ESTRUCH RIBA, RAMON

Referència: AP2008-01922

Entitat: MINISTERIO DE EDUCACIÓN Y CIENCIA

Títol: Balance beneficio/riesgo del contenido en polifenoles y alcohol del vino: bases científicas de los efectos del consumo moderado de vino sobre el sistema cardiovascular.

Anys de vigència: 20/7/2009-19/7/2013

Import total concedit: 60.252 €

Nom: ESTRUCH RIBA, RAMON

Referència: CB06/03/0019

Entitat: Instituto de Salud Carlos III

Títol: Efectos De La Dieta Mediterranea En La Prevencion Primaria De La Enfermedad Cardiovascular.

Anys de vigència: 2006-2009

Import total concedit: 560.000 €

Nom: ESTRUCH RIBA, RAMON

Referència: PI070473

Entitat: Fondo De Investigación Sanitaria – Instituto De Salud Carlos III

Títol: Bases biológicas de los efectos protectores de la dieta mediterránea en la enfermedad cardiovascular: Efectos sobre la adiposidad, hormonas relacionadas y marcadores de inflamación.

Anys de vigència: 2007-2009

Import total concedit: 276.000,00 €

Nom: ESTRUCH RIBA, RAMON

Referència: AGL2007_66638-c02-02

Entitat: Ministerio de Educación y Ciencia

Títol: Efectos de Tomate Procesado Casero sobre los Biomarcadores Inflamatorios relacionados con la arteriosclerosis.

Anys de vigència: 2007-2010

Import total concedit: 100.430,00 €

Nom: ESTRUCH RIBA, RAMON

Referència:

Entitat: CNIC – Translational 2007

Títol: Effects of a Mediterranean diet Intervention on the Atherosclerotic burden measured by imaging techniques and systemic biomarkers. Modulation by genetic variation. The PREDIMED study.

Anys de vigència: 2007-2011

Import total concedit: 767.215,65 €

Nom: ESTRUCH RIBA, RAMON

Referència:

Entitat: Ministerio de Ciencia e Innovación

Títol: Desarrollo de Biomarcadores de consumo y de efecto de un patrón de alimentación Mediterránea en la prevención de la enfermedad cardiovascular. Una aproximación metabólica.

Anys de vigència: 2009-2012

Import total concedit: 120.056 €

Nom: GRAU JUNYENT, JOSE MARIA

Referència: 2009_SGR_1158

Entitat: GENERALITAT DE CATALUNYA

Títol: Grup de recerca muscular

Anys de vigència: 23/9/2009-31/12/2013

Import total concedit: 0 €

Publicacions del Departament de Medicina al 2009 segons el Pubmed

706 publicacions.

Dermatologia

[Annular plaques in the skin folds: 4 cases of lichen planus pigmentosus-inversus]	Bennàssar A, Mas A, Julià M, Iranzo P, Ferrando J.	Actas Dermosifiliogr. 2009 Sep;100(7):602-5.
[Birt-Hogg-Dubé syndrome in a patient with cutaneous symptoms and a c.1429 C > T;p.R477X mutation in exon 12 of the folliculin gene]	Fuertes I, Mascaró-Galy JM, Ferrando J.	Actas Dermosifiliogr. 2009 Apr;100(3):227-30
[Reactions to infliximab infusions in dermatologic patients: consensus statement and treatment protocol. Working Group of the Grupo Español de Psoriasis de la Academia Española de Dermatología y Venereología]	Puig Sanz L, Sáez E, Lozano MJ, Bordas X, Carrascosa JM, Gallardo F, Luelmo J, Sánchez-Regaña M, Alsina M, García-Patos V; Grupo Español de Psoriasis de la Academia Española de Dermatología y Venereología.	Actas Dermosifiliogr. 2009 Mar;100(2):103-12.
A distinct profile of serum levels of soluble intercellular adhesion molecule-1 and intercellular adhesion molecule-3 in mycosis fungoides and Sézary syndrome.	López-Lerma I, Estrach MT.	J Am Acad Dermatol. 2009 Aug;61(2):263-70.
Allergic contact dermatitis from tricresyl phosphate.	Grimalt R, Romaquera C, Vilaplana J.	Dermatitis. 2009 Oct;20(5):297-8.
Alveolar soft part sarcoma presenting with cutaneous metastases: report of a case with immunohistochemical and molecular characterization.	Moyano S, Aguilera P, Petit A, de Alava E, Mascaró JM, Palou J, Ferrando J, Alos L.	J Am Acad Dermatol. 2009 Jul;61(1):117-20.
Comparative analysis of subacute cutaneous lupus erythematosus and chronic cutaneous lupus erythematosus: clinical and immunological study of 270 patients.	Vera-Recabarren MA, García-Carrasco M, Ramos-Casals M, Herrero C.	Br J Dermatol. 2009 Sep 28
Cutaneous lymphomas showing prominent granulomatous component: clinicopathological features in a series of 16 cases.	Gallardo F, García-Muret MP, Servitje O, Estrach T, Bielsa I, Salar A, Abella E, Barranco C, Pujol RM.	J Eur Acad Dermatol Venereol. 2009 Jun;23(6):639-47.
Development of alopecia areata after biological therapy with TNF-alpha Blockers: description of a case and review of the literature.	Hernández MV, Nogués S, Ruiz-Esquide V, Alsina M, Cañete JD, Sanmartí R.	Clin Exp Rheumatol. 2009 Sep-Oct;27(5):892-3.
Erythropoietic protoporphyria.	Lecha M, Puy H, Deybach JC.	Orphanet J Rare Dis. 2009 Sep 10;4:19.
European Consensus on the evaluation of women presenting with excessive hair growth.	Blume-Peytavi U, Atkin S, Shapiro J, Lavery S, Grimalt R, Hoffmann R, Gieler U, Messenger A.	Eur J Dermatol. 2009 Nov 1;19(6):597-602.
Identification and characterization of novel uroporphyrinogen decarboxylase gene mutations in a large series of porphyria cutanea tarda patients and relatives.	Badenas C, To-Figueras J, Phillips JD, Warby CA, Muñoz C, Herrero C.	Clin Genet. 2009 Apr;75(4):346-53.
New-onset psoriasis in a patient treated with interferon beta-1a.	López-Lerma I, Iranzo P, Herrero C.	Br J Dermatol. 2009 Mar;160(3):716-7
Oligonucleotide Array-CGH Identifies Genomic Subgroups and Prognostic Markers for Tumor Stage Mycosis Fungoides.	Salgado R, Servitje O, Gallardo F, Vermeer MH, Ortiz-Romero PL, Karpova MB, Zipser MC, Muniesa C, García-Muret MP, Estrach T, Salido M, Sánchez-Schmidt J, Herrera M, Romagosa V, Suela J, Ferreira BI, Cigudosa JC, Barranco C, Serrano S, Dummer R, Tensen CP, Solé F, Pujol RM, Espinet B.	J Invest Dermatol. 2009 Sep 17.
Role of two nutritional hepatic markers (insulin-like growth factor 1 and transthyretin) in the clinical assessment and follow-up of acute intermittent porphyria patients.	Delaby C, To-Figueras J, Deybach JC, Casamitjana R, Puy H, Herrero C.	J Intern Med. 2009 Sep;266(3):277-85.
Three cases of allergic contact dermatitis to 4,4'-diaminodiphenylmethane.	Grimalt R, Vilaplana J, Romaguera C.	Contact Dermatitis. 2009 Jun;60(6):346-7.
Treatment of delusional parasitosis with aripiprazole.	Bennàssar A, Guilabert A, Alsina M, Pintor L, Mascaró JM Jr.	Arch Dermatol. 2009 Apr;145(4):500-1.

Malalties de la sang

Valoración y seguimiento de la calidad de vida. Presente y futuro de los síndromes mielodisplásicos	Nomdedèu, B.	Haematologica (ed española) 2009; 94 (supl 5): 23-26.
B cell activator factor and a proliferation-inducing ligand at the cross-road of chronic lymphocytic leukemia and autoimmunity.	Ferrer G, Hodgson K, Montserrat E, Moreno C.	Leuk Lymphoma. 2009 Jul;50(7):1075-82.
Blood cell activation in myeloproliferative neoplasms.	Cervantes F, Arellano-Rodrigo E, Alvarez-Larrán A.	Haematologica. 2009 Nov;94(11):1484-8.
Cardiotoxicity of Tyrosine-Kinase-Targeting Drugs.	Garcia-Alvarez A, Garcia-Albeniz X, Esteve J, Rovira M, Bosch X.	Cardiovasc Hematol Agents Med Chem. 2009 Oct 22.
Central nervous system involvement at first relapse in patients with acute promyelocytic leukemia treated with all-trans retinoic acid and anthracycline monochemotherapy without intrathecal prophylaxis.	Montesinos P, Díaz-Mediavilla J, Debén G, Prates V, Tormo M, Rubio V, Pérez I, Fernández I, Viguria M, Rayón C, González J, de la Serna J, Esteve J, Bergua JM, Rivas C, González M, González JD, Negri S, Brunet S, Lowenberg B, Sanz MA.	Haematologica. 2009 Sep;94(9):1242-9.
Chronic Myeloid Leukemia: An Update of Concepts and Management Recommendations of European LeukemiaNet.	Baccarani M, Cortes J, Pane F, Niederwieser D, Saglio G, Apperley J, Cervantes F, Deininger M, Gratwohl A, Guilhot F, Hochhaus A, Horowitz M, Hughes T, Kantarjian H, Larson R, Radich J, Simonsson B, Silver RT, Goldman J, Hehlmann R.	J Clin Oncol. 2009 Nov 2.
Concurrent intensive chemotherapy and imatinib before and after stem cell transplantation in newly diagnosed Philadelphia chromosome-positive acute lymphoblastic leukemia. Final results of the CSTIBES02 trial.	Ribera JM, Oriol A, González M, Vidriales B, Brunet S, Esteve J, Del Potro E, Rivas C, Moreno MJ, Tormo M, Martín-Reina V, Sarrá J, Parody R, Pérez de Oteyza J, Bureo E, Bernal MT; on behalf of the Programa Español de Tratamiento en Hematología (PETHEMA) and Grupo Español de Trasplante Hemopoyético (GETH) Groups.	Haematologica. 2009 Oct 1
CTLA-4 genotype and relapse incidence in patients with acute myeloid leukemia in first complete remission after induction chemotherapy.	Pérez-García A, Brunet S, Berlanga JJ, Tormo M, Nomdedeu J, Guardia R, Ribera JM, Heras I, Llorente A, Hoyos M, Esteve J, Besalduch J, Bueno J, Sierra J, Gallardo D; Grupo cooperativo para el estudio y tratamiento de las leucemias agudas.	Leukemia. 2009 Mar;23(3):486-91.
Differentiation syndrome in patients with acute promyelocytic leukemia treated with all-trans retinoic acid and anthracycline chemotherapy: characteristics, outcome, and prognostic factors.	Montesinos P, Bergua JM, Vellenga E, Rayón C, Parody R, de la Serna J, León A, Esteve J, Milone G, Debén G, Rivas C, González M, Tormo M, Díaz-Mediavilla J, González JD, Negri S, Amutio E, Brunet S, Lowenberg B, Sanz MA.	Blood. 2009 Jan 22;113(4):775-83
Epigenetic down-regulation of BIM expression is associated with reduced optimal responses to imatinib treatment in chronic myeloid leukaemia.	San José-Eneriz E, Agirre X, Jiménez-Velasco A, Cordeu L, Martín V, Arqueros V, Gárate L, Fresquet V, Cervantes F, Martínez-Climent JA, Heiniger A, Torres A, Prósper F, Roman-Gomez J.	Eur J Cancer. 2009 Jul;45(10):1877-89.
Forodesine has high antitumor activity in chronic lymphocytic leukemia and activates p53-independent mitochondrial apoptosis by induction of p73 and BIM.	Alonso R, López-Guerra M, Upshaw R, Bantia S, Smal C, Bontemps F, Manz C, Mehrling T, Villamor N, Campo E, Montserrat E, Colomer D.	Blood. 2009 Aug 20;114(8):1563-75.
Gene expression profiling in chronic lymphocytic leukaemia.	Codony C, Crespo M, Abrisqueta P, Montserrat E, Bosch F.	Best Pract Res Clin Haematol. 2009 Jun;22(2):211-22.
Genetic lesions in chronic lymphocytic leukemia: clinical implications.	Montserrat E, Moreno C.	Curr Opin Oncol. 2009 Nov;21(6):609-14
Haemodialysis through a cellulose membrane induces dephosphorylation of CD11b and promotes leukocyte adhesion to endothelial cells.	Hernandez MR, Fuste B, Cases A, Tonda R, Escolar G, Ordinas A, Diaz-Ricart M.	Clin Invest Med. 2009 Feb 1;32(1):E48-56.
Hematopoiesis-related microRNA expression in myelodysplastic syndromes.	Pons A, Nomdedeu B, Navarro A, Gaya A, Gel B, Diaz T, Valera S, Rozman M, Belkaid M, Montserrat E, Monzo M.	Leuk Lymphoma. 2009 Aug 14:1-6.

Hematopoiesis-related microRNA expression in myelodysplastic syndromes.	Pons A, Nomdedeu B, Navarro A, Gaya A, Gel B, Diaz T, Valera S, Rozman M, Belkaid M, Montserrat E, Monzo M.	Leuk Lymphoma. 2009 Nov;50(11):1854-9.
High numbers of tumor-infiltrating programmed cell death 1-positive regulatory lymphocytes are associated with improved overall survival in follicular lymphoma.	Carreras J, Lopez-Guillermo A, Roncador G, Villamor N, Colomo L, Martinez A, Hamoudi R, Howat WJ, Montserrat E, Campo E.	J Clin Oncol. 2009 Mar 20;27(9):1470-6.
Hormonal responses to the 5-HT1A agonist buspirone in remitted endogenous depressive patients after long-term imipramine treatment.	Gómez-Gil E, Navinés R, Martínez De Osaba MJ, Díaz-Ricart M, Escolar G, Salamero M, Martín-Santos R, Galán A, Gastó C.	Psychoneuroendocrinology. 2009 Sep 15
Improving survival in patients with chronic lymphocytic leukemia (1980-2008): the Hospital Clinic of Barcelona experience.	Abrisqueta P, Pereira A, Rozman C, Aymerich M, Giné E, Moreno C, Muntañola A, Rozman M, Villamor N, Hodgson K, Campo E, Bosch F, Montserrat E.	Blood. 2009 Sep 3;114(10):2044-50.
Molecular Heterogeneity of β -Thalassemia Alleles in Spain and its Importance in the Diagnosis and Prevention of β -Thalassemia Major and Sickle Cell Disorders.	MM Mañú Pereira , A Cabot Dalmau , JLI Vives Corrons	Hemoglobin 2009;33(3):226-34.
Neonatal haemoglobinopathy screening in Spain	Mañú Pereira MM, Vives Corrons JLL.	J Clin Pathol 2009;62:22-25
New prognostic scoring system for primary myelofibrosis based on a study of the International Working Group for Myelofibrosis Research and Treatment.	Cervantes F, Dupriez B, Pereira A, Passamonti F, Reilly JT, Morra E, Vannucchi AM, Mesa RA, Demory JL, Barosi G, Rumi E, Tefferi A.	Blood. 2009 Mar 26;113(13):2895-901.
Outcome of transplantation for myelofibrosis.	Ballen KK, Shrestha S, Sobocinski KA, Zhang MJ, Bashey A, Bolwell BJ, Cervantes F, Devine SM, Gale RP, Gupta V, Hahn TE, Hogan WJ, Kröger N, Litzow MR, Marks DI, Maziarz RT, McCarthy PL, Schiller G, Harry CS, Roy V, Wiernik PH, Horowitz MM, Giralt SA, Arora M.	Biol Blood Marrow Transplant. 2009 Oct 29.
p65 activity and ZAP-70 status predict the sensitivity of chronic lymphocytic leukemia cells to the selective I κ B kinase inhibitor BMS-345541.	López-Guerra M, Roué G, Pérez-Galán P, Alonso R, Villamor N, Montserrat E, Campo E, Colomer D.	Clin Cancer Res. 2009 Apr 15;15(8):2767-76.
Platelet turnover, coagulation factors, and soluble markers of platelet and endothelial activation in essential thrombocythemia: relationship with thrombosis occurrence and JAK2 V617F allele burden.	Arellano-Rodrigo E, Alvarez-Larrán A, Reverter JC, Colomer D, Villamor N, Bellosillo B, Cervantes F.	Am J Hematol. 2009 Feb;84(2):102-8.
Pomalidomide is active in the treatment of anemia associated with myelofibrosis.	Tefferi A, Verstovsek S, Barosi G, Passamonti F, Roboz GJ, Gisslinger H, Paquette RL, Cervantes F, Rivera CE, Deeg HJ, Thiele J, Kvasnicka HM, Vardiman JW, Zhang Y, Bekele BN, Mesa RA, Gale RP, Kantarjian HM.	J Clin Oncol. 2009 Sep 20;27(27):4563-9.
Prognostic factors in chronic myeloid leukaemia.	Hernández-Boluda JC, Cervantes F.	Best Pract Res Clin Haematol. 2009 Sep;22(3):343-53.
Regulation of JAK2 by miR-135a: prognostic impact in classic Hodgkin lymphoma.	Navarro A, Diaz T, Martinez A, Gaya A, Pons A, Gel B, Codony C, Ferrer G, Martinez C, Montserrat E, Monzo M.	Blood. 2009 Oct 1;114(14):2945-51
Relative contributions of collagen and tissue factor to thrombus formation on damaged vascular vessels: in-vitro studies with circulating blood.	Lopez-Vilchez I, Tonda R, Hernandez RM, Navalon F, Diaz-Ricart M, Galan AM, Escolar G.	Coron Artery Dis. 2009 Sep;20(6):392-9.
Rituximab, fludarabine, cyclophosphamide, and mitoxantrone: a new, highly active chemoimmunotherapy regimen for chronic lymphocytic leukemia.	Bosch F, Abrisqueta P, Villamor N, Terol MJ, González-Barca E, Ferrá C, González Díaz M, Abella E, Delgado J, Carbonell F, García Marco JA, Escoda L, Ferrer S, Monzó E, González Y, Estany C, Jarque I, Salamero O, Muntañola A, Montserrat E.	J Clin Oncol. 2009 Sep 20;27(27):4578-84.
Salvage chemotherapy with alternating MINE-ESHAP regimen in relapsed or refractory Hodgkin's lymphoma followed by autologous stem-cell transplantation.	Fernández de Larrea C, Martínez C, Gaya A, López-Guillermo A, Rovira M, Fernández-Avilés F, Lozano M, Bosch F, Esteve J, Nomdedeu B, Montserrat E, Carreras E.	Ann Oncol. 2009 Nov 4.

Serotonergic mechanisms enhance platelet-mediated thrombogenicity.	Galan AM, Lopez-Vilchez I, Diaz-Ricart M, Navalon F, Gomez E, Gasto C, Escolar G.	Thromb Haemost. 2009 Sep;102(3):511-9.
Serotonin enhances platelet procoagulant properties and their activation induced during platelet tissue factor uptake.	Lopez-Vilchez I, Diaz-Ricart M, White JG, Escolar G, Galan AM.	Cardiovasc Res. 2009 Nov 1;84(2):309-16.
Survival in young patients with intermediate- / high-risk myelofibrosis: estimates derived from databases for non transplant patients.	Siragusa S, Passamonti F, Cervantes F, Tefferi A.	Am J Hematol. 2009 Mar;84(3):140-3.
The release of soluble factors contributing to endothelial activation and damage after hematopoietic stem cell transplantation is not limited to the allogeneic setting and involves several pathogenic mechanisms.	Palomo M, Diaz-Ricart M, Carbo C, Rovira M, Fernandez-Aviles F, Escolar G, Eissner G, Holler E, Carreras E.	Biol Blood Marrow Transplant. 2009 May;15(5):537-46.
Thrombosis in primary myelofibrosis: incidence and risk factors.	Barbui T, Carobbio A, Cervantes F, Vannucchi AM, Guglielmelli P, Antonioli E, Alvarez-Larran A, Rambaldi A, Finazzi G, Barosi G.	Blood. 2009 Nov 20
Unfolding a CLL mystery.	Montserrat E.	Blood. 2009 Jul 16;114(3):498.
Unintended pregnancy after gonadal failure chemoprevention with gonadotropin-releasing hormone agonist in women with hematologic malignancies.	Castelo-Branco C, Rabanal A, Nomdedeu B, Durán M, Arigita M, Balasch J.	Fertil Steril. 2009 Oct;92(4):1260-3.

Malalties de l'aparell cardiocirculatori

[Cardiologists opinion on the situation of the secondary prevention of ischemic heart disease in Spain.]	De Velasco JA, Del Campo A, Heras M, Macaya C.	Med Clin (Barc). 2009 Apr 25;132(15):599-602.
[Current role of angiotensin II receptor antagonists and their combination in the treatment of hypertension]	Armario P, Hernández Del Rey R, Oliveras A.	Med Clin (Barc). 2009 May 30;132(20):792-6.
[III Catalan registry of ST elevation acute myocardial infarction. Comparison with former Catalan registries I and II from Catalonia, Spain.]	Figueras J, Heras M, Baigorri F, Elosua R, Ferreira I, Santaló M.	Med Clin (Barc). 2009 Nov 14;133(18):694-701.
[Management of acute myocardial infarction in patients presenting with persistent ST-segment elevation]	Van de Werf F, Bax J, Betriu A, Blomstrom-Lundqvist C, Crea F, Falk V, Filippatos G, Fox K, Huber K, Kastrati A, Rosengren A, Steg PG, Tubaro M, Verheugt F, Weidinger F, Weis M; Task Force per il Trattamento dell'Infarto Miocardico Acuto con; Sopraslivellamento del Tratto ST della Società Europea di Cardiologia, Vahanian A, Camm J, De Caterina R, Dean V, Dickstein K, Filippatos G, Funck-Brentano C, Hellemans I, Kristensen SD, McGregor K, Sechtem U, Silber S, Tendera M, Widimsky P, Zamorano JL, Silber S, Aguirre FV, Al-Attar N, Alegria E, Andreotti F, Benzer W, Breithardt O, Danchin N, Di Mario C, Dudek D, Gulba D, Halvorsen S, Kaufmann P, Kornowski R, Lip GY, Rutten F, Società Europea di Cardiologia.	G Ital Cardiol (Rome). 2009 Jul;10(7):450-89. Italian.
[Prevalence of target organ damage and factors associated with cardiovascular events in subjects with refractory hypertension]	Armario P, Oliveras A, Hernández Del Rey R, Poch E, Larrouse M, Roca-Cusachs A, de la Sierra A.	Med Clin (Barc). 2009 Jun 27;133(4):127-31
[Translational cardiovascular medicine. Now or never]	Bermejo J, Heras M, Segovia J, Alfonso F.	Rev Esp Cardiol. 2009 Jan;62(1):66-8.
An implantable defibrillator and what else?	Mont L, Guasch E, Berruezo A.	Eur Heart J. 2009 Jul;30(13):1551-3.
Assessment of mitral valve anatomy and geometry with multislice computed tomography.	Delgado V, Tops LF, Schuijff JD, de Roos A, Brugada J, Schalij MJ, Thomas JD, Bax JJ.	JACC Cardiovasc Imaging. 2009 May;2(5):556-65
Benefit of facilitated percutaneous coronary intervention in high-risk ST-segment elevation myocardial infarction patients presenting to nonpercutaneous coronary intervention hospitals.	Herrmann HC, Lu J, Brodie BR, Armstrong PW, Montalescot G, Betriu A, Neuman FJ, Effron MB, Barnathan ES, Topol EJ, Ellis SG; FINESSE Investigators.	JACC Cardiovasc Interv. 2009 Oct;2(10):917-24.
Brugada syndrome.	Benito B, Brugada J, Brugada R, Brugada P.	Rev Esp Cardiol. 2009 Nov;62(11):1297-315

Brugada syndrome: update 2009.	Brugada P, Benito B, Brugada R, Brugada J.	Hellenic J Cardiol. 2009 Sep-Oct;50(5):352-72
Cardiotoxicity of Tyrosine-Kinase-Targeting Drugs.	Garcia-Alvarez A, Garcia-Albeniz X, Esteve J, Rovira M, Bosch X.	Cardiovasc Hematol Agents Med Chem. 2009 Oct 22.
Cardiovascular translational medicine (IV): The genetic basis of malignant arrhythmias and cardiomyopathies.	Campuzano O, Sarquella-Brugada G, Brugada R, Brugada P, Brugada J.	Rev Esp Cardiol. 2009 Apr;62(4):422-36
Comparison of 8-mm-tip and irrigated-tip catheters in the ablation of isthmus-dependent atrial flutter: a prospective randomized trial.	Cuesta A, Mont L, Alvarenga N, Rogel U, Brugada J.	Rev Esp Cardiol. 2009 Jul;62(7):750-6.
Comparison of six-month outcomes for primary percutaneous revascularization for acute myocardial infarction with drug-eluting versus bare metal stents (from the APEX-AMI study).	Patel MR, Pfisterer ME, Betriu A, Widmisky P, Holmes DR Jr, O'Neill WW, Stebbins A, Van de Werf F, Armstrong PW, Granger CB; APEX-AMI Investigators.	Am J Cardiol. 2009 Jan 15;103(2):181-6.
Dabigatran versus warfarin in patients with atrial fibrillation.	Connolly SJ, Ezekowitz MD, Yusuf S, Eikelboom J, Oldgren J, Parekh A, Pogue J, Reilly PA, Themeles E, Varrone J, Wang S, Alings M, Xavier D, Zhu J, Diaz R, Lewis BS, Darius H, Diener HC, Joyner CD, Wallentin L; RE-LY Steering Committee and Investigators.	N Engl J Med. 2009 Sep 17;361(12):1139-51.
Drugs and Brugada syndrome patients: review of the literature, recommendations, and an up-to-date website (www.brugadadrugs.org).	Postema PG, Wolpert C, Amin AS, Probst V, Borggrefe M, Roden DM, Priori SG, Tan HL, Hiraoka M, Brugada J, Wilde AA.	Heart Rhythm. 2009 Sep;6(9):1335-41
Dual-chamber implantable cardioverter defibrillators reduce clinical adverse events related to atrial fibrillation when compared with single-chamber defibrillators: a subanalysis of the DATAS trial.	Ricci RP, Quesada A, Almendral J, Arribas F, Wolpert C, Adragao P, Zoni-Berisso M, Navarro X, DeSanto T, Grammatico A, Santini M; DATAS study Investigators.	Europace. 2009 May;11(5):587-93.
Early risk stratification of patients with cardiogenic shock complicating acute myocardial infarction who undergo percutaneous coronary intervention.	Garcia-Alvarez A, Arzamendi D, Loma-Orsorio P, Kiamco R, Masotti M, Sionis A, Betriu A, Brugada J, Bosch X.	Am J Cardiol. 2009 Apr 15;103(8):1073-7.
Early versus delayed, provisional eptifibatide in acute coronary syndromes.	Giugliano RP, White JA, Bode C, Armstrong PW, Montalescot G, Lewis BS, van 't Hof A, Berdan LG, Lee KL, Strony JT, Hildemann S, Veltri E, Van de Werf F, Braunwald E, Harrington RA, Califf RM, Newby LK; EARLY ACS Investigators.	N Engl J Med. 2009 May 21;360(21):2176-90.
Effect of dronedarone on cardiovascular events in atrial fibrillation.	Hohnloser SH, Crijns HJ, van Eickels M, Gaudin C, Page RL, Torp-Pedersen C, Connolly SJ; ATHENA Investigators.	N Engl J Med. 2009 Feb 12;360(7):668-78.
Efficacy of circumferential pulmonary vein ablation of atrial fibrillation in endurance athletes.	Calvo N, Mont L, Tamborero D, Berruezo A, Viola G, Guasch E, Nadal M, Andreu D, Vidal B, Sitges M, Brugada J.	Europace. 2009 Nov 18.
Efficacy of coronary revascularization in patients with acute chest pain managed in a chest pain unit.	Sanchis J, Bodí V, Núñez J, Mainar L, Núñez E, Merlos P, Rómiz E, Miñana G, Bosch X, Llácer A.	Mayo Clin Proc. 2009 Apr;84(4):323-9
Electrocardiographic optimization of cardiac resynchronization devices: simple, but not so simple!	Mont L, Sitges M, Delgado V, Vidal B, Tamborero D, Brugada J.	Am J Cardiol. 2009 Mar 15;103(6):894.
Electrophysiology: it is time to simplify!	Mont L, Brugada J.	Europace. 2009 Aug;11(8):985-6.
Endurance sport practice as a risk factor for atrial fibrillation and atrial flutter.	Mont L, Elosua R, Brugada J.	Europace. 2009 Jan;11(1):11-7.
ESC guidelines on management of acute myocardial infarction in patients presenting with persistent ST-segment elevation.	Van de Werf F, Bax J, Betriu A, Blomstrom-Lundqvist C, Crea F, Falk V, Filippatos G, Fox K, Huber K, Kastrati A, Rosengren A, Steg PG, Tubaro M, Verheugt F, Weidinger F, Weis M	Rev Esp Cardiol. 2009 Mar;62(3):293.
European cardiac resynchronization therapy survey: rationale and design.	CRT Survey Scientific Committee.	Eur J Heart Fail. 2009 Mar;11(3):326-30. Review.

Evaluation of a novel antiplatelet agent for secondary prevention in patients with a history of atherosclerotic disease: design and rationale for the Thrombin-Receptor Antagonist in Secondary Prevention of Atherothrombotic Ischemic Events (TRA 2 degrees P)-TIMI 50 trial.	Morrow DA, Scirica BM, Fox KA, Berman G, Strony J, Veltri E, Bonaca MP, Fish P, McCabe CH, Braunwald E; TRA 2(o)P-TIMI 50 Investigators.	Am Heart J. 2009 Sep;158(3):335-341.e3.
Genetic modulation of brugada syndrome by a common polymorphism.	Lizotte E, Junttila MJ, Dube MP, Hong K, Benito B, DE Zutter M, Henkens S, Sarkozy A, Huikuri HV, Towbin J, Vatta M, Brugada P, Brugada J, Brugada R.	J Cardiovasc Electrophysiol. 2009 Oct;20(10):1137-41
Health care-associated native valve endocarditis: importance of non-nosocomial acquisition	Benito N, Miró JM, de Lazzari E, Cabell CH, del Río A, Altclas J, Commerford P, Delahaye F, Dragulescu S, Giamarellou H, Habib G, Kamarulzaman A, Kumar AS, Nacinovich FM, Suter F, Tribouilloy C, Venugopal K, Moreno A, Fowler VG Jr; ICE-PCS (International Collaboration on Endocarditis Prospective Cohort Study) Investigators.	Ann Intern Med. 2009 May 5;150(9):586-94.
Inappropriate shocks or inappropriate programming? A review of Guidant's reconfirmation algorithm.	Mansour F, Guash E, Berruezo A, Brugada J, Tolosana JM, Mont L.	Europace. 2009 Aug;11(8):1120-2.
Indicaciones actuales para la terapéutica combinada antiagregante/anticoagulante.	Heras M.	Haematologica/edición española 2009(94):117-122 (Extra 1).
Inferior and lateral electrocardiographic repolarization abnormalities in Brugada syndrome.	Sarkozy A, Chierchia GB, Paparella G, Boussy T, De Asmundis C, Roos M, Henkens S, Kaufman L, Buyl R, Brugada R, Brugada J, Brugada P.	Circ Arrhythm Electrophysiol. 2009 Apr;2(2):154-61
KCNE2 modulation of Kv4.3 current and its potential role in fatal rhythm disorders.	Wu J, Shimizu W, Ding WG, Ohno S, Toyoda F, Itoh H, Zang WJ, Miyamoto Y, Kamakura S, Matsuura H, Nademane K, Brugada J, Brugada P, Brugada R, Vatta M, Towbin JA, Antzelevitch C, Horie M	Heart Rhythm. 2009 Oct 12.
Left atrial posterior wall isolation does not improve the outcome of circumferential pulmonary vein ablation for atrial fibrillation: a prospective randomized study.	Tamborero D, Mont L, Berruezo A, Matiello M, Benito B, Sitges M, Vidal B, de Caralt TM, Perea RJ, Vatasescu R, Brugada J.	Circ Arrhythm Electrophysiol. 2009 Feb;2(1):35-40
Left ventricular systolic dysfunction by itself does not influence outcome of atrial fibrillation ablation.	De Potter T, Berruezo A, Mont L, Matiello M, Tamborero D, Santibañez C, Benito B, Zamorano N, Brugada J.	Europace. 2009 Oct 31.
Letter by Mont et al regarding article, "Physical activity and incidence of atrial fibrillation in older adults: the Cardiovascular Health Study".	Mont L, Brugada J, Elosua R.	Circulation. 2009 Feb 10;119(5):e195
Long-term effect of cardiac resynchronization therapy on functional mitral valve regurgitation.	Sitges M, Vidal B, Delgado V, Mont L, Garcia-Alvarez A, Tolosana JM, Castel A, Berruezo A, Azqueta M, Pare C, Brugada J.	Am J Cardiol. 2009 Aug 1;104(3):383-8.
Mechanism of decrease in mitral regurgitation after cardiac resynchronization therapy: optimization of the force-balance relationship.	Solis J, McCarty D, Levine RA, Handschumacher MD, Fernandez-Friera L, Chen-Tournoux A, Mont L, Vidal B, Singh JP, Brugada J, Picard MH, Sitges M, Hung J	Circ Cardiovasc Imaging. 2009 Nov;2(6):444-50.
Midterm 'super-response' to cardiac resynchronization therapy by biventricular pacing with fusion: insights from electro-anatomical mapping.	Vatasescu R, Berruezo A, Mont L, Tamborero D, Sitges M, Silva E, Tolosana JM, Vidal B, Andreu D, Brugada J.	Europace. 2009 Dec;11(12):1675-82.
Morphology discrimination criterion wavelet improves rhythm discrimination in single-chamber implantable cardioverter-defibrillators: Spanish Register of morphology discrimination criterion wavelet (REMEDIO).	Toquero J, Alzueta J, Mont L, Lozano IF, Barrera A, Berruezo A, Castro V, Peña JL, Fidalgo ML, Brugada J.	Europace. 2009 Jun;11(6):727-33.
Noninvasive evaluation of radiofrequency lesions in the human ventricular myocardium by contrast-enhanced cardiac magnetic resonance.	Berruezo A, Ortiz-Pérez JT, Guasch E, Tamborero D, Silva E, de Caralt TM, Perea RJ, Boussy T, Mont L, Brugada J.	Circ Arrhythm Electrophysiol. 2009 Apr;2(2):208-11.
Optimization of the interventricular delay in cardiac resynchronization therapy using the QRS width.	Tamborero D, Mont L, Sitges M, Silva E, Berruezo A, Vidal B, Delgado V, Tolosana JM, Godoy M, Castel A, Brugada J.	Am J Cardiol. 2009 Nov 15;104(10):1407-12.

Patient registries of acute coronary syndrome: assessing or biasing the clinical real world data.	Ignacio Ferreira-González, Josep R. Marsal, Francesca Mitjavila, Antoni Parada, Aida Ribera, Purificación Cascant, Núria Soriano, Pedro L. Sánchez, Fernando Arós, Magda Heras, Héctor Bueno, Jaume Marrugat, José Cuñat, Emilia Civeira, Gaietà Permanyer-Miralda.	Circ Cardiovasc Qual Outcomes. 2009;2:540-547
Percutaneous coronary intervention versus coronary-artery bypass grafting for severe coronary artery disease.	Serruys PW, Morice MC, Kappetein AP, Colombo A, Holmes DR, Mack MJ, Stähle E, Feldman TE, van den Brand M, Bass EJ, Van Dyck N, Leadley K, Dawkins KD, Mohr FW; SYNTAX Investigators.	N Engl J Med. 2009 Mar 5;360(10):961-72.
Preparation for pacemaker or implantable cardiac defibrillator implants in patients with high risk of thrombo-embolic events: oral anticoagulation or bridging with intravenous heparin? A prospective randomized trial.	Tolosana JM, Berne P, Mont L, Heras M, Berruezo A, Monteagudo J, Tamborero D, Benito B, Brugada J.	Eur Heart J. 2009 Aug;30(15):1880-4
Prognosis and management of patients with acute coronary syndrome and polyvascular disease.	Ferreira-González I, Permanyer Miralda G, Heras M, Ribera A, Marsal JR, Cascant P, Arós F, Bueno H, Sánchez PL, Cuñat J, Civeira E, Marrugat J; Investigadores del Estudio MASCARA.	Rev Esp Cardiol. 2009 Sep;62(9):1012-21
Quantification of left ventricular asynchrony throughout the whole cardiac cycle with a computed algorithm: application for optimizing resynchronization therapy.	Silva E, Sitges M, Mont L, Delgado V, Tamborero D, Vidal B, Godoy M, Poyatos S, Pare C, Azqueta M, Brugada J.	J Cardiovasc Electrophysiol. 2009 Oct;20(10):1130-6.
Reexcitation mechanisms in epicardial tissue: role of I(to) density heterogeneities and I(Na) inactivation kinetics.	Cantalapiedra IR, Peñaranda A, Mont L, Brugada J, Echebarria B.	J Theor Biol. 2009 Aug 21;259(4):850-9.
Relation of plasma brain natriuretic peptide levels on admission for ST-elevation myocardial infarction to left ventricular end-diastolic volume six months later measured by both echocardiography and cardiac magnetic resonance.	Garcia-Alvarez A, Sitges M, Delgado V, Ortiz J, Vidal B, Poyatos S, de Caralt TM, Heras M, Bosch X, Azqueta M, Pare C, Brugada J.	Am J Cardiol. 2009 Oct 1;104(7):878-82.
Reperfusion therapy for ST elevation acute myocardial infarction in Europe: description of the current situation in 30 countries.	Widimsky P, Wijns W, Fajadet J, de Belder M, Knot J, Aaberge L, Andrikopoulos G, Baz JA, Betriu A, Claeys M, Danchin N, Djambazov S, Erne P, Hartikainen J, Huber K, Kala P, Klinceva M, Kristensen SD, Ludman P, Ferre JM, Merkely B, Milicic D, Morais J, Noc M, Opolski G, Ostojic M, Radovanovic D, De Servi S, Stenestrand U, Studencan M, Tubaro M, Vasiljevic Z, Weidinger F, Witkowski A, Zeymer U; on behalf of the European Association for Percutaneous Cardiovascular Interventions.	Eur Heart J. 2009 Nov 19.
Rivaroxaban versus placebo in patients with acute coronary syndromes (ATLAS ACS-TIMI 46): a randomised, double-blind, phase II trial.	Mega JL, Braunwald E, Mohanavelu S, Burton P, Poulter R, Misselwitz F, Hricak V, Barnathan ES, Bordes P, Witkowski A, Markov V, Oppenheimer L, Gibson CM; ATLAS ACS-TIMI 46 study group.	Lancet. 2009 Jul 4;374(9683):29-38.
Safety issues of adjunctive clopidogrel in patients discharged after percutaneous coronary intervention with stent placement and requiring oral anticoagulation.	Guasch E, Sionis A, Reverter JC, Andrea R, Loma-Orsorio P, Freixa X, Heras M.	Int J Cardiol. 2009 Jan 26.
Six-minute walking test predicts long-term cardiac death in patients who received cardiac resynchronization therapy.	Castel MA, Méndez F, Tamborero D, Mont L, Magnani S, Tolosana JM, Berruezo A, Godoy M, Sitges M, Vidal B, Roig E, Brugada J.	Europace. 2009 Mar;11(3):338-42.
Summary of the clinical studies reported in the European Society of Cardiology Congress 2009 (29 August 2009-2 September 2009, Barcelona, Spain).	Heras M, Bermejo J, Segovia J, Alfonso F.	Rev Esp Cardiol. 2009 Oct;62(10):1149-60.

The European cardiac resynchronization therapy survey.	Dickstein K, Bogale N, Priori S, Auricchio A, Cleland JG, Gitt A, Limbourg T, Linde C, van Veldhuisen DJ, Brugada J; Scientific Committee; National Coordinators.	Eur Heart J. 2009 Oct;30(20):2450-60.
The European Heart Journal goes global: the road ahead of the editorial team 2009-2011.	Lüscher TF, Gersh B, Brugada J, Landmesser U, Ruschitzka FT, Serruys PW.	Eur Heart J. 2009 Jan;30(1):1-5.
The impact of early standard therapy on dyspnoea in patients with acute heart failure: the URGENT-dyspnoea study.	Mebazaa A, Pang PS, Tavares M, Collins SP, Storrow AB, Laribi S, Andre S, Courtney DM, Hasa J, Spinar J, Masip J, Peacock WF, Sliwa K, Gayat E, Filippatos G, Cleland JG, Gheorghide M.	Eur Heart J. 2009 Nov 11. [Epub ahead of print]
The Thrombin Receptor Antagonist for Clinical Event Reduction in Acute Coronary Syndrome (TRA-CER) trial: study design and rationale.	TRA-CER Executive and Steering Committees.	Am Heart J. 2009 Sep;158(3):327-334.e4.
Thrombin-activatable fibrinolysis inhibitor genetic polymorphisms as markers of the type of acute coronary syndrome.	Tàssies D, Roqué M, Monteagudo J, Martorell T, Sionis A, Arzamendi D, Heras M, Reverter JC.	Thromb Res. 2009 Nov;124(5):614-8.
Urinary albumin excretion is associated with true resistant hypertension.	Oliveras A, Armario P, Hernández-Del Rey R, Arroyo JA, Poch E, Larrousse M, Roca-Cusachs A, de la Sierra A.	J Hum Hypertens. 2009 May 7.
Variability of the diagnostic ECG pattern in an ICD patient population with Brugada syndrome.	Richter S, Sarkozy A, Veltmann C, Chierchia GB, Boussy T, Wolpert C, Schimpf R, Brugada J, Brugada R, Borggreffe M, Brugada P.	J Cardiovasc Electrophysiol. 2009 Jan;20(1):69-75
When our best is not enough: the death of a teenager with Brugada syndrome.	Brugada P, Brugada J, Brugada R.	J Cardiovasc Electrophysiol. 2009 Jan;20(1):108-9
Year survival in a randomized trial of facilitated reperfusion: results from the FINESSE (Facilitated Intervention with Enhanced Reperfusion Speed to Stop Events) trial.	Ellis SG, Tendera M, de Belder MA, van Boven AJ, Widimsky P, Andersen HR, Betriu A, Savonitto S, Adamus J, Peruga JZ, Hamankiewicz M, Pluta W, Oldroyd K, Ecollan P, Janssens L, Armstrong P, Brodie BR, Herrmann HC, Montalescot G, Neumann FJ, Efron MB, Barnathan ES, Topol EJ; FINESSE Investigators.	JACC Cardiovasc Interv. 2009 Oct;2(10):909-16

Malalties de l'aparell digestiu

[Changes in "Gastroenterology and Hepatology"]	Arroyo V, Piqué JM.	Gastroenterol Hepatol. 2009 Jan;32(1):1
[Diagnosis and treatment of hepatocellular carcinoma]	Forner A, Ayuso C, Isabel Real M, Sastre J, Robles R, Sangro B, Varela M, de la Mata M, Buti M, Martí-Bonmatí L, Bru C, Tabernero J, Llovet JM, Bruix J.	Med Clin (Barc). 2009 Feb 28;132(7):272-87.
[Evaluation of preferences in patients with gastroesophageal reflux disease and dysphagia concerning treatment with lansoprazole orally disintegrating tablets.]	Blanco MA, Prieto M, Mearin F, Plazas JA, Armengol S, Heras J, Mas M, Piqué JM; el Grupo del Estudio LAN/41/01.	Gastroenterol Hepatol. 2009 Oct;32(8):542-8. Spanish.
[Management of patients with GERD. Clinical practice guideline. 2008 update. Clinical Practice Guideline Working Group on GERD]	Marzo M, Carrillo R, Mascort JJ, Alonso P, Mearin F, Ponce J, Ferrándiz J, Fernández M, Martínez G, Sáez M, Bonfill X, Piqué JM; Grupo de Trabajo de la GPC sobre ERGE.	Gastroenterol Hepatol. 2009 Jun-Jul;32(6):431-64.
[New challenges in the training of the gastroenterologists of the future]	Piqué JM.	Gastroenterol Hepatol. 2009 Apr;32(4):261-3
[Prediction of prognosis of patients with pancreatic adenocarcinoma with curative intent resection by means of histologic grade and pathologic N stage]	Soriano-Izquierdo A, Adet AC, Gallego R, Miquel R, Castells A, Pellisé M, Nadal C, López-Boado MA, Piqué JM, Gascón P, Conill C, Bombí A, Fernández-Cruz L, Maurel J, Navarro S.	Med Clin (Barc). 2009 Feb 14;132(5):163-71.
[The impact of anxiety and depression on relapse in patients with inflammatory bowel disease]	Vidal A, Gómez-Gil E, Sans M, Portella MJ, Salameró M, Piqué JM, Panés J.	Med Clin (Barc). 2009 Mar 7;132(8):298-302.
A patient with cirrhosis and increasing creatinine level: what is it and what to do?	Cárdenas A, Ginès P.	Clin Gastroenterol Hepatol. 2009 Dec;7(12):1287-91.

Aetiology of cirrhosis of the liver has an impact on survival predicted by the Model of End-stage Liver Disease score.	Angermayr B, Luca A, König F, Bertolini G, Ploner M, Gridelli B, Ulbrich G, Reiberger T, Bosch J, Peck-Radosavljevic M.	Eur J Clin Invest. 2009 Jan;39(1):65-71.
Alpha-fetoprotein for hepatocellular carcinoma diagnosis: the demise of a brilliant star.	Forner A, Reig M, Bruix J.	Gastroenterology. 2009 Jul;137(1):26-9.
Angiogenesis in liver disease.	Fernández M, Semela D, Bruix J, Colle I, Pinzani M, Bosch J.	J Hepatol. 2009 Mar;50(3):604-20.
Antiangiogenic therapy: not just for cancer anymore?	Shah VH, Bruix J.	Hepatology. 2009 Apr;49(4):1066-8.
Antiphospholipid syndrome during pegylated interferon alpha-2a therapy for chronic hepatitis C.	Balderramo DC, García O, Colmenero J, Espinosa G, Forns X, Ginès P.	Dig Liver Dis. 2009 Jul;41(7):e4-7.
Antiviral therapy increases the risk of bacterial infections in HCV-infected cirrhotic patients awaiting liver transplantation: A retrospective study.	Carrión JA, Martínez-Bauer E, Crespo G, Ramírez S, Pérez-del-Pulgar S, García-Valdecasas JC, Navasa M, Forns X.	J Hepatol. 2009 Apr;50(4):719-28
Apelin signaling modulates splanchnic angiogenesis and portosystemic collateral vessel formation in rats with portal hypertension.	Tiani C, Garcia-Pras E, Mejias M, de Gottardi A, Berzigotti A, Bosch J, Fernandez M.	J Hepatol. 2009 (50); 296-305.
Are angiotensin II receptor antagonists useful strategies in steatotic and nonsteatotic livers in conditions of partial hepatectomy under ischemia-reperfusion?	Ramalho FS, Alfany-Fernandez I, Casillas-Ramirez A, Massip-Salcedo M, Serafin A, Rimola A, Arroyo V, Rodés J, Roselló-Catafau J, Peralta C.	J Pharmacol Exp Ther. 2009 Apr;329(1):130-40.
Atorvastatin attenuates angiotensin II-induced inflammatory actions in the liver.	Moreno M, Ramalho LN, Sancho-Bru P, Ruiz-Ortega M, Ramalho F, Abraldes JG, Colmenero J, Dominguez M, Egido J, Arroyo V, Ginès P, Bataller R.	Am J Physiol Gastrointest Liver Physiol. 2009 Feb;296(2):G147-56
Atrophy of mesenteric sympathetic innervation may contribute to splanchnic vasodilation in rat portal hypertension.	Coll M, Martell M, Raurull M, Ezkurdia N, Cuenca S, Hernández-Losa J, Esteban R, Guardia J, Bosch J, Genescà J	Liver Inter 2009. DOI: 10.1111/j.1478-3231.2009.02176.x.
Beneficial effects of sorafenib on splanchnic, intrahepatic, and portocollateral circulations in portal hypertensive and cirrhotic rats.	Mejias M, Garcia-Pras E, Tiani C, Miquel R, Bosch J, Fernandez M.	Hepatology. 2009 Apr;49(4):1245-56.
Cell therapies for inflammatory bowel diseases.	Salas A, Ricart E, Panés J.	Expert Rev Gastroenterol Hepatol. 2009 Aug;3(4):321-4
Cholangiocarcinoma in cirrhosis: absence of contrast washout in delayed phases by magnetic resonance imaging avoids misdiagnosis of hepatocellular carcinoma.	Rimola J, Forner A, Reig M, Vilana R, de Lope CR, Ayuso C, Bruix J.	Hepatology. 2009 Sep;50(3):791-8.
Clinically relevant differences in the model for end-stage liver disease and model for end-stage liver disease-sodium scores determined at three university-based laboratories of the same area.	Xiol X, Gines P, Castells L, Twose J, Ribalta A, Fuentes-Arderiu X, Rodriguez S, Castellote J, Navasa M, Deulofeu R.	Liver Transpl. 2009 Mar;15(3):300-5.
Colonic Crohn's disease: value of magnetic resonance colonography for detection and quantification of disease activity.	Rimola J, Ordás I, Rodríguez S, Panés J.	Abdom Imaging. 2009 Jun 18.
Defective IL-10 production in severe phenotypes of Crohn's disease.	Correa I, Veny M, Esteller M, Piqué JM, Yagüe J, Panés J, Salas A.	J Leukoc Biol. 2009 May;85(5):896-903.
Defects in autophagy induce alterations in the secretory pathway and proinflammatory signaling of paneth cells.	Salas A, Panés J.	Gastroenterology. 2009 Oct;137(4):1527-9
Donor mannose-binding lectin gene polymorphisms influence the outcome of liver transplantation.	Cervera C, Balderramo D, Suárez B, Prieto J, Fuster F, Linares L, Fuster J, Moreno A, Lozano F, Navasa M.	Liver Transpl. 2009 Oct;15(10):1217-24.
Early bacteremia after solid organ transplantation.	Linares L, García-Goez JF, Cervera C, Almela M, Sanclemente G, Cofán F, Ricart MJ, Navasa M, Moreno A.	Transplant Proc. 2009 Jul-Aug;41(6):2262-4.
East meets the West--portal pressure predicts outcome of surgical resection for hepatocellular carcinoma.	Forner A, Bruix J	Nat Clin Pract Gastroenterol Hepatol. 2009 Jan;6(1):14-5
Effect of angiotensin II and bradykinin inhibition in rat reduced-size liver transplantation.	Padrissa-Altés S, Franco-Gou R, Boillot O, Serafin A, Rimola A, Arroyo V, Rodés J, Peralta C, Roselló-Catafau J.	Liver Transpl. 2009 Mar;15(3):313-20
Effects of Losartan on Hepatic Expression of Non-phagocytic NADPH Oxidase and Fibrogenic Genes in Patients with Chronic Hepatitis C.	Colmenero J, Bataller R, Sancho-Bru P, Dominguez M, Moreno M, Forns X, Bruguera M, Arroyo V, Brenner DA, Ginès P.	Am J Physiol Gastrointest Liver Physiol. 2009 Jul 23.

Etiology, management, and outcome of the Budd-Chiari syndrome	Murad SD, Plessier A, Hernandez-Guerra M, Fabris F, Eapen CE, Bahr MJ, Trebicka J, Morard I, Lasser L, Heller J, Hadengue A, Langlet P, Miranda H, Primignani M, Elias E, Leebeek FW, Rosendaal FR, Garcia-Pagan JC, Valla DC, Janssen HL; EN-Vie (European Network for Vascular Disorders of the Liver). Collaborators (99) Bourgeois N, Dewaide J, Gruselle P, Martinet JP, O'Grady J, Burroughs A, Patch D, McGilchrist A, Thomas G, Swift J, Higginson T, Davies MH, Kapaida S, Catnach S, Leebeek FW, Tielemans WC, Rijken DC, van Buuren HR, Metselaar HJ, de Man RA, Malfliet JJ, Keizerwaard A, van Santen LA, Hansen B, Apericio-Pages MN, van Erpecum KJ, van der Linde K, Tjwa ET, Lieveerse RJ, Bac DJ, Achahboun M, Marot A, Durand F, Durand V, Cazals-Hatem D, Videau D, Deninger MH, Belghitti J, Condat B, Bureau C, Chagneau-Derrode C, Gorla O, Hillaire S, Nousbaum JB, Dao MT, D'Alterroche L, Lebray P, Sondag, De Kerguenec C, Rosenbaum A, Bartoli E, Habersetszer F, Mathurin P, Scoazec JY, Marteau P, Buffet C, Rossle M, Minoli G, Spinzi G, Boschetti C, Dell'Era A, Nicolini A, Marra F, Vizzutti F, De Santis A, Berzigotti A, Zoli M, Bellis L, Puoti C, Lozano R, Geva F, Abralles JG, Bosch J, Cervantes F, Reverter JC, Ayuso JR, Gilabert R, Garcia-Criado A, Fuster J, Saez R, Baringo A, Rocabert L, Suarez Sambade D, Fernández-Bermejo M, Berenguer M, Aguilera V, de la Mata M, Bustamante J, Bañares Bañares R, Nuñez O, Monescillo A, Sánchez-Pobre P, Fernandez Castroagudin J, Vergara Gomez M, Fernández-Gil P, Lledo Navarro JL, Pons F, Romero M, Viladomiu L.	Ann Intern Med. 2009 Aug 4;151(3):167-75.
Evaluation of a latex agglutination test (PYLOGEN) for the detection of <i>Helicobacter pylori</i> in stool specimens.	Blanco S, Forné M, Lacomá A, Prat C, Cuesta MA, Fuenzalida L, Viver JM, Domínguez J.	Diagn Microbiol Infect Dis. 2009 Apr;63(4):349-53.
Evaluation of tumor response after locoregional therapies in hepatocellular carcinoma: are response evaluation criteria in solid tumors reliable?	Forner A, Ayuso C, Varela M, Rimola J, Hessheimer AJ, de Lope CR, Reig M, Bianchi L, Llovet JM, Bruix J.	Cancer. 2009 Feb 1;115(3):616-23
Fructose-sorbitol malabsorption.	Fernández-Bañares F, Esteve M, Viver JM.	Curr Gastroenterol Rep. 2009 Oct;11(5):368-74. R
Ghrelin attenuates hepatocellular injury and liver fibrogenesis in rodents and influences fibrosis progression in humans.	Moreno M, Chaves JF, Sancho-Bru P, Ramalho F, Ramalho LN, Mansego ML, Ivorra C, Dominguez M, Conde L, Millán C, Mari M, Colmenero J, Lozano JJ, Jares P, Vidal J, Forn X, Arroyo V, Caballeria J, Ginès P, Bataller R.	Hepatology. 2009 Nov 9;51(3):974-985.
Hepatic expression of CXC chemokines predicts portal hypertension and survival in patients with alcoholic hepatitis.	Dominguez M, Miquel R, Colmenero J, Moreno M, García-Pagán JC, Bosch J, Arroyo V, Ginès P, Caballeria J, Bataller R.	Gastroenterology. 2009 May;136(5):1639-50.
Hepatitis C virus compartmentalization and infection recurrence after liver transplantation.	Ramírez S, Perez-Del-Pulgar S, Carrion JA, Costa J, Gonzalez P, Massaguer A, Fondevila C, Garcia-Valdecasas JC, Navasa M, Forn X.	Am J Transplant. 2009 Jul;9(7):1591-601.
Hepatocarcinoma cells stimulate the growth, migration and expression of pro-angiogenic genes in human hepatic stellate cells.	Sancho-Bru P, Juez E, Moreno M, Khurdayan V, Morales-Ruiz M, Colmenero J, Arroyo V, Brenner DA, Ginès P, Bataller R.	Liver Int. 2009 Nov 19.
Human serum albumin: not just a plasma volume expander.	Arroyo V.	Hepatology. 2009 Aug;50(2):355H-7.

Hyponatremia is a risk factor of hepatic encephalopathy in patients with cirrhosis: a prospective study with time-dependent analysis.	Guevara M, Baccaro ME, Torre A, Gómez-Ansón B, Ríos J, Torres F, Rami L, Monté-Rubio GC, Martín-Llahí M, Arroyo V, Ginès P.	Am J Gastroenterol. 2009 Jun;104(6):1382-9.
Idiopathic portal hypertension in patients with HIV infection treated with highly active antiretroviral therapy.	Chang PE, Miquel R, Blanco JL, Laguno M, Bruguera M, Abalde JG, Bosch J, Garcia-Pagan JC.	Am J Gastroenterol. 2009 Jul;104(7):1707-14
Impact of mass screening for gluten-sensitive enteropathy in working population.	Mariné M, Fernández-Bañares F, Alsina M, Farré C, Cortijo M, Santaolalla R, Salas A, Tomàs M, Abugattas E, Loras C, Ordás I, Viver JM, Esteve M.	World J Gastroenterol. 2009 Mar 21;15(11):1331-8.
Incidence, prevalence, and clinical significance of abnormal hematologic indices in compensated cirrhosis.	Qamar AA, Grace ND, Groszmann RJ, Garcia-Tsao G, Bosch J, Burroughs AK, Ripoll C, Maurer R, Planas R, Escorsell A, Garcia-Pagan JC, Patch D, Matloff DS, Makuch R, Rendon G; Portal Hypertension Collaborative Group.	Clin Gastroenterol Hepatol. 2009 Jun;7(6):689-95.
Incidence, risk factors, and survival of hepatocellular carcinoma in primary biliary cirrhosis: comparative analysis from two centers.	Cavazza A, Caballería L, Floreani A, Farinati F, Bruguera M, Caroli D, Parés A.	Hepatology. 2009 Oct;50(4):1162-8
Increased susceptibility to exacerbated liver injury in hypercholesterolemic ApoE-deficient mice: potential involvement of oxysterols.	Ferré N, Martínez-Clemente M, López-Parra M, González-Pérez A, Horrillo R, Planagumà A, Camps J, Joven J, Tres A, Guardiola F, Bataller R, Arroyo V, Clària J.	Am J Physiol Gastrointest Liver Physiol. 2009 Mar;296(3):G553-62
Influence of mannose-binding lectin gene polymorphisms on the invasiveness of cytomegalovirus disease after solid organ transplantation.	Cervera C, Lozano F, Linares L, Antón A, Balderramo D, Suárez B, Pascal M, Sanclemente G, Cofán F, Ricart MJ, Navasa M, Roig E, Marcos MA, Pumarola T, Moreno A.	Transplant Proc. 2009 Jul-Aug;41(6):2259-61.
Is albumin infusion necessary after large volume paracentesis?	Cárdenas A, Ginès P, Runyon BA.	Liver Int. 2009 May;29(5):636-40; discussion 640-1.
Lack of clinical usefulness of Das-1 monoclonal antibody and mucin expression as risk markers of gastric carcinoma in patients with gastric intestinal metaplasia.	Forné M, Fernández-Bañares F, González-Minguez C, Casalots J, Poblet-Mas N, Garcia-Gil LJ, Esteve M, Rosinach M, Espinós J, Loras C, Salas A, Viver JM.	Am J Clin Pathol. 2009 Jan;131(1):99-105.
Late Crohn's disease patients present an increase in peripheral Th17 cells and cytokine production compared with early patients.	Veny M, Esteller M, Ricart E, Piqué JM, Panés J, Salas A.	Aliment Pharmacol Ther. 2009 Dec 3.
Liver stiffness identifies two different patterns of fibrosis progression in patients with hepatitis C virus recurrence after liver transplantation.	Carrión JA, Torres F, Crespo G, Miquel R, García-Valdecasas JC, Navasa M, Forn X.	Hepatology. 2009 Oct 18.
Long-term results of biofeedback treatment for faecal incontinence: a comparative study with untreated controls.	Lacima G, Pera M, Amador A, Escaramís G, Piqué JM.	Colorectal Dis. 2009 Apr 10.
Loss of response and requirement of infliximab dose intensification in Crohn's disease: a review.	Gisbert JP, Panés J.	Am J Gastroenterol. 2009 Mar;104(3):760-7.
Magnetic resonance for assessment of disease activity and severity in ileocolonic Crohn's disease.	Rimola J, Rodríguez S, García-Bosch O, Ordás I, Ayala E, Aceituno M, Pellisé M, Ayuso C, Ricart E, Donoso L, Panés J.	Gut. 2009 Aug;58(8):1113-20.
Major achievements in hepatocellular carcinoma.	Bruix J, Llovet JM.	Lancet. 2009 Feb 21;373(9664):614-6.
Mechanisms underlying the beneficial effects of stem cell therapies for inflammatory bowel diseases.	Panés J, Salas A.	Gut. 2009 Jul;58(7):898-900
Medical treatments: in association or alone, their roles and their future perspectives : The Western experience.	Reig M, Bruix J.	J Hepatobiliary Pancreat Surg. 2009 Nov 5.
Nadolol plus isosorbide mononitrate alone or associated with band ligation in the prevention of recurrent bleeding: a multicentre randomised controlled trial.	García-Pagán JC, Villanueva C, Albillos A, Bañares R, Morillas R, Abalde JG, Bosch J; Spanish Variceal Bleeding Study Group.	Gut. 2009 Aug;58(8):1144-50.
NCX-1000, a Nitric Oxide-Releasing Derivative of UDCA, Does Not Decrease Portal Pressure in Patients With Cirrhosis: Results of a Randomized, Double-Blind, Dose-Escalating Study.	Berzigotti A, Bellot P, De Gottardi A, Garcia-Pagan JC, Gagnon C, Spénard J, Bosch J.	Am J Gastroenterol. 2009 Nov 17.

New drugs for the treatment of hepatocellular carcinoma.	Boucher E, Forner A, Reig M, Bruix J.	Liver Int. 2009 Jan;29 Suppl 1:148-58.
Obesity-induced insulin resistance and hepatic steatosis are alleviated by omega-3 fatty acids: a role for resolvins and protectins.	González-Pérez A, Horrillo R, Ferré N, Gronert K, Dong B, Morán-Salvador E, Titos E, Martínez-Clemente M, López-Parra M, Arroyo V, Clària J.	FASEB J. 2009 Jun;23(6):1946-57
Pamidronate in the prevention of bone loss after liver transplantation: a randomized controlled trial.	Monegal A, Guañabens N, Suárez MJ, Suárez F, Clemente G, García-González M, De la Mata M, Serrano T, Casafont F, Tome S, Barrios C, Navasa M.	Transpl Int. 2009 Feb;22(2):198-206.
Paucicellular lymphocytic colitis: is it a minor form of lymphocytic colitis? A clinical pathological and immunological study.	Fernández-Bañares F, Casalots J, Salas A, Esteve M, Rosinach M, Forné M, Loras C, Santaolalla R, Espinós J, Viver JM.	Am J Gastroenterol. 2009 May;104(5):1189-98.
Peginterferon alfa-2b and ribavirin: effective in patients with hepatitis C who failed interferon alfa/ribavirin therapy.	Poynard T, Colombo M, Bruix J, Schiff E, Terg R, Flamm S, Moreno-Otero R, Carrilho F, Schmidt W, Berg T, McGarrity T, Heathcote EJ, Gonçalves F, Diago M, Craxi A, Silva M, Bedossa P, Mukhopadhyay P, Griffel L, Burroughs M, Brass C, Albrecht J; Epic Study Group.	Gastroenterology. 2009 May;136(5):1618-28.e2.
Pharmacological versus endoscopic therapy in the prevention of variceal hemorrhage: and the winner is...	Bosch J, Garcia-Tsao G.	Hepatology. 2009 Sep;50(3):674-7. NO ORIGINAL)
Phenotypic characterization of idiosyncratic drug-induced liver injury: the influence of age and sex.	Lucena MI, Andrade RJ, Kaplowitz N, García-Cortes M, Fernández MC, Romero-Gomez M, Bruguera M, Hallal H, Robles-Diaz M, Rodriguez-González JF, Navarro JM, Salmeron J, Martinez-Odriozola P, Pérez-Alvarez R, Borraz Y, Hidalgo R; Spanish Group for the Study of Drug-Induced Liver Disease.	Hepatology. 2009 Jun;49(6):2001-9.
Portal hypertension.	Cárdenas A, Ginès P.	Curr Opin Gastroenterol. 2009 May;25(3):195-201.
Predicting survival after liver transplantation in patients with hepatocellular carcinoma beyond the Milan criteria: a retrospective, exploratory analysis.	Mazzaferro V, Llovet JM, Miceli R, Bhoori S, Schiavo M, Mariani L, Camerini T, Roayaie S, Schwartz ME, Grazi GL, Adam R, Neuhaus P, Salizzoni M, Bruix J, Forner A, De Carlis L, Cillo U, Burroughs AK, Troisi R, Rossi M, Gerunda GE, Lerut J, Belghiti J, Boi	Lancet Oncol. 2009 Jan;10(1):35-43
Predictors of response to therapy with terlipressin and albumin in patients with cirrhosis and type I hepatorenal syndrome.	Nazar A, Pereira GH, Guevara M, Martín-Llahi M, Pepin MN, Marinelli M, Solá E, Baccaro ME, Terra C, Arroyo V, Ginès P.	Hepatology. 2009 Sep 9.
Prevalence and factors related to hepatitis B and C in inflammatory bowel disease patients in Spain: a nationwide, multicenter study.	C Loras, C Saro, F Gonzalez-Huix, M Mínguez, O Merino, JP Gisbert, J Barrio, A Bernal, A Gutiérrez, M Piqueras, X Calvet, M Andreu, A Abad, D Ginard, L Bujanda, J Panés, M Torres, F Fernández-Bañares, JM Viver, M Esteve.	Am J Gastroenterol. 2009;104:57-63.
Prevalence and factors related to hepatitis B and C in inflammatory bowel disease patients in Spain: a nationwide, multicenter study.	Loras C, Saro C, Gonzalez-Huix F, Mínguez M, Merino O, Gisbert JP, Barrio J, Bernal A, Gutiérrez A, Piqueras M, Calvet X, Andreu M, Abad A, Ginard D, Bujanda L, Panés J, Torres M, Fernández-Bañares F, Viver JM, Esteve M; GETECCu (Grupo Español de Enfermedades de Crohn y Colitis Ulcerosa).	Am J Gastroenterol. 2009 Jan;104(1):57-63. Erratum in: Am J Gastroenterol. 2009 Mar;104(3):801.
Prognostic value of acute hemodynamic response to i.v. propranolol in patients with cirrhosis and portal hypertension.	La Mura V, Abalde JG, Raffa S, Retto O, Berzigotti A, García-Pagán JC, Bosch J.	J Hepatol. 2009 Aug;51(2):279-87
Ras pathway activation in hepatocellular carcinoma and anti-tumoral effect of combined sorafenib and rapamycin in vivo.	Newell P, Toffanin S, Villanueva A, Chiang DY, Mínguez B, Cabellos L, Savic R, Hoshida Y, Lim KH, Melgar-Lesmes P, Yea S, Peix J, Deniz K, Fiel MI, Thung S, Alsinet C, Tovar V, Mazzaferro V, Bruix J, Roayaie S, Schwartz M, Friedman SL, Llovet JM.	J Hepatol. 2009 Oct;51(4):725-33.

Reduction of advanced liver fibrosis by short-term targeted delivery of an angiotensin receptor blocker to hepatic stellate cells in rats.	Moreno M, Gonzalo T, Kok RJ, Sancho-Bru P, van Beuge M, Swart J, Prakash J, Temming K, Fondevila C, Beljaars L, Lacombe M, van der Hoeven P, Arroyo V, Poelstra K, Brenner DA, Ginès P, Bataller R.	Hepatology . 2009 Nov 9.
Renal failure in cirrhosis.	Ginès P, Schrier RW.	N Engl J Med. 2009 Sep 24;361(13):1279-90
Report of the first international liver transplantation society expert panel consensus conference on renal insufficiency in liver transplantation.	Charlton MR, Wall WJ, Ojo AO, Ginès P, Textor S, Shihab FS, Marotta P, Cantarovich M, Eason JD, Wiesner RH, Ramsay MA, Garcia-Valdecasas JC, Neuberger JM, Feng S, Davis CL, Gonwa TA; International Liver Transplantation Society Expert Panel.	Liver Transpl. 2009 Nov;15(11):S1-34.
Risk factors and characteristics of extent progression in ulcerative colitis.	Etchevers MJ, Aceituno M, García-Bosch O, Ordás I, Sans M, Ricart E, Panés J.	Inflamm Bowel Dis. 2009 Sep;15(9):1320-5.
Role of 3.0-T MR colonography in the evaluation of inflammatory bowel disease.	Rimola J, Rodríguez S, García-Bosch O, Ricart E, Pagès M, Pellisé M, Ayuso C, Panés J.	Radiographics. 2009 May-Jun;29(3):701-19.
Role of small-bowel endoscopy in the management of patients with inflammatory bowel disease: an international OMED-ECCO consensus.	Bourrille A, Ignjatovic A, Aabakken L, Loftus EV Jr, Eliakim R, Pennazio M, Bouhnik Y, Seidman E, Keuchel M, Albert JG, Ardizzone S, Bar-Meir S, Bisschops R, Despott EJ, Fortun PF, Heuschkel R, Kammermeier J, Leighton JA, Mantzaris GJ, Moussata D, Lo S, Paulsen V, Panés J, Radford-Smith G, Reinisch W, Rondonotti E, Sanders DS, Swoger JM, Yamamoto H, Travis S, Colombel JF, Van Gossum A; World Organisation of Digestive Endoscopy (OMED) and the European Crohn's and Colitis Organisation (ECCO).	Endoscopy. 2009 Jul;41(7):618-37.
Scientific publication, bibliometric indicators, and Hirsch's h-index	Gisbert JP, Panés J.	Gastroenterol Hepatol. 2009 Mar;32(3):140-9.
Seroepidemiology of hepatitis B virus infection in pregnant women in Catalonia (Spain).	Salleras L, Domínguez A, Bruguera M, Plans P, Espuñes J, Costa J, Cardeñosa N, Plasència A.	J Clin Virol. 2009 Apr;44(4):329-32.
Serum Fibrosis Markers Identify Patients With Mild and Progressive Hepatitis C Recurrence After Liver Transplantation.	Carrión JA, Fernández-Varo G, Bruguera M, García-Pagán JC, García-Valdecasas JC, Pérez-Del-Pulgar S, Foros X, Jiménez W, Navasa M.	Gastroenterology. 2009 Sep 26.
Simvastatin lowers portal pressure in patients with cirrhosis and portal hypertension: a randomized controlled trial.	Abraldes JG, Albillos A, Bañares R, Turnes J, González R, García-Pagán JC, Bosch J.	Gastroenterology. 2009 May;136(5):1651-8.
Sorafenib for hepatocellular carcinoma: global validation.	Reig M, Bruix J.	Gastroenterology. 2009 Sep;137(3):1171-3.
Sunitinib and the benefits of a negative study.	Forner A, Llovet JM, Bruix J.	Lancet Oncol. 2009 Aug;10(8):743-4.
Superoxide dismutase gene transfer reduces portal pressure in ccl4 cirrhotic rats with portal hypertension.	Laviña B, Gracia-Sancho J, Rodríguez-Vilarrupla A, Chu Y, Heistad DD, Bosch J, García-Pagán JC.	Gut. 2009 Jan;58(1):118-25.
Testing molecular therapies in hepatocellular carcinoma: the need for randomized phase II trials.	Llovet JM, Bruix J.	J Clin Oncol. 2009 Feb 20;27(6):833-5
The clinical use of HVPg measurements in chronic liver disease.	Bosch J, Abraldes JG, Berzigotti A, García-Pagan JC.	Nat Rev Gastroenterol Hepatol. 2009 Oct;6(10):573-82. Review.
The feminization and the profession of Medicine	Arrizabalaga P, Bruguera M.	Med Clin (Barc). 2009 Jul 4;133(5):184-6.
The Hirsch's h-index: a new tool for measuring scientific production.	Gisbert JP, Panés J.	Cir Esp. 2009 Oct;86(4):193-5.
The impact of anxiety and depression on relapse in patients with inflammatory bowel disease	Vidal A, Gómez-Gil E, Sans M, Portella MJ, Salameo M, Piqué JM, Panés J.	Med Clin (Barc). 2009 Mar 7;132(8):298-302.
The need for novel and interesting data in liver cancer research.	Bruix J, Lindor K.	Hepatology. 2009 Dec;50(6):1690-1.
The Portal Hypertension Collaborative Group. Hepatic venous pressure gradient predicts development of hepatocellular carcinoma independently of severity of cirrhosis.	Ripoll C, Groszmann RJ, Garcia-Tsao G, Bosch J, Grace N, Burroughs A, Planas R, Escorsell A, Garcia-Pagan JC, Makuch R, Patch D, Matloff DS	J Hepatol. 2009 May;50(5):923-8

The value of MELD in the allocation of priority for liver transplantation candidates.	Colmenero J, Castro-Narro G, Navasa M.	Gastroenterol Hepatol. 2009 Jul 22.
Therapeutic targets in liver transplantation: angiotensin II in nonsteatotic grafts and angiotensin-(1-7) in steatotic grafts.	Alfany-Fernandez I, Casillas-Ramirez A, Bintanel-Morcillo M, Brosnihan KB, Ferrario CM, Serafin A, Rimola A, Rodés J, Roselló-Catafau J, Peralta C.	Am J Transplant. 2009 Mar;9(3):439-51.
To expand or not to expand the criteria for hepatocellular carcinoma transplantation: is downstaging the answer?	Forner A, Bruix J.	Gastroenterology. 2009 Jul;137(1):375-6; discussion 377.
Towards the non-invasive diagnosis of cirrhosis: the nuts-cirrhosis connection.	Bosch J.	J Hepatol. 2009 Jan;50(1):4-6.
Tuberculosis in solid organ transplant recipients at a tertiary hospital in the last 20 years in Barcelona, Spain.	García-Goez JF, Linares L, Benito N, Cervera C, Cofán F, Ricart MJ, Navasa M, Pérez-Villa F, González J, Moreno A.	Transplant Proc. 2009 Jul-Aug;41(6):2268-70.
Vascular endothelial growth factor and angiopoietin-2 play a major role in the pathogenesis of vascular leakage in cirrhotic rats.	Melgar-Lesmes P, Tugues S, Ros J, Fernández-Varo G, Morales-Ruiz M, Rodés J, Jiménez W.	Gut. 2009 Feb;58(2):285-92.
VEGF-A links angiogenesis and inflammation in inflammatory bowel disease pathogenesis.	Scaldaferri F, Vetrano S, Sans M, Arena V, Straface G, Stigliano E, Repici A, Sturm A, Malesci A, Panes J, Yla-Herttuala S, Fiocchi C, Danese S.	Gastroenterology. 2009 Feb;136(2):585-95.e5.
Venlafaxine-induced cholestatic hepatitis	Arroyo VC, Hallal H, Agudo JL, Aniorte JP.	Gastroenterol Hepatol. 2009 May;32(5):382-3.

Malalties de l'aparell respiratori

[A cyclooxygenase-2 selective inhibitor worsens respiratory function and enhances mast cell activity in ovalbumin-sensitized mice]	Torres R, Pérez M, Marco A, Picado C, de Mora F.	Arch Bronconeumol. 2009 Apr;45(4):162-7.
[Again an asthma model... but a useful one]	Torres R, Picado C, de Mora F.	Arch Bronconeumol. 2009 Sep;45(9):419-21.
[Consideration on the flu that we do not want to call "swine": an European point of view]	Torres A; Comité Científico de la SEPAR para la Gripe H1N1.	Arch Bronconeumol. 2009 Jul;45(7):315-6.
[Current role of angiotensin II receptor antagonists and their combination in the treatment of hypertension]	Armario P, Hernández Del Rey R, Oliveras A.	Med Clin (Barc). 2009 May 30;132(20):792-6.
[Diffuse interstitial lung disease related to peribronchiolar metaplasia]	Cano-Jiménez E, Molina-Molina M, Ramírez J, Sánchez M, Aliaga JL, Xaubet A.	Arch Bronconeumol. 2009 Jan;45(1):57-9.
[Hypersensitivity Pneumonitis after Exposure to Candida spp.]	Serrano C, Torregro A, Loosli A, Valero A, Picado C.	Arch Bronconeumol. 2009 Oct 6.
[Incidence and characteristics of asthma exacerbations in Barcelona (ASMAB II)]	Morell F, Genover T, Benaque E, Picado C, Muñoz X, Cruz MJ.	Arch Bronconeumol. 2009 Nov;45(11):550-5.
[Phenotypic heterogeneity of chronic obstructive pulmonary disease]	García-Aymerich J, Agustí A, Barberà JA, Belda J, Farrero E, Ferrer A, Ferrer J, Gáldiz JB, Gea J, Gómez FP, Monsó E, Morera J, Roca J, Sauleda J, Antó JM; en nombre del Grupo de Trabajo sobre la Caracterización Fenotípica y Evolución de la Enfermedad Pulmonar Obstructiva Crónica (PAC-COPD).	Arch Bronconeumol. 2009 Mar;45(3):129-38
[Post-hospital mortality in patients re-admitted due to COPD. Utility of BODE index]	Sanjaume M, Almagro P, Rodríguez-Carballeira M, Barreiro B, Heredia JL, Garau J.	Rev Clin Esp. 2009 Sep;209(8):364-70.
[Predictive factors for survival in patients with idiopathic pulmonary fibrosis]	Casanova A, Girón RM, Molina M, Xaubet A, Ancochea J.	Med Clin (Barc). 2009 Sep 12;133(9):333-6.
[Predictive value of chest X-ray and electrocardiographic abnormalities in patients with pulmonary embolism in relation to mortality and recurrences.]	Nauffal D, Doménech R, León M, Bugés J, Martín-Villasclaras JJ; Investigadores del Registro RIETE.	Med Clin (Barc). 2009 Mar 28;132(11):420-2.
[Prevalence of target organ damage and factors associated with cardiovascular events in subjects with refractory hypertension]	Armario P, Oliveras A, Hernández Del Rey R, Poch E, Larrouse M, Roca-Cusachs A, de la Sierra A.	Med Clin (Barc). 2009 Jun 27;133(4):127-31

A Prediction Rule for Estimating the Risk of Bacteremia in Patients with Community-Acquired	Falguera M, Trujillano J, Caro S, Menéndez aR, Carratalà J, Ruiz-González A, Vilà M, García M, Porcel JM, Torres A, and the NAC-CALIDAD (Proyecto Integrado de Investigación de la Sociedad Española de Patología, del Aparato Respiratorio sobre Infecciones Respiratorias de Vías Bajas) Study Group.	Clin Infect Dis, 2009;49 409-416
A multinational survey of risk factors for infection with extended-spectrum beta-lactamase-producing enterobacteriaceae in nonhospitalized patients.	Ben-Ami R, Rodríguez-Baño J, Arslan H, Pitout JD, Quentin C, Calbo ES, Azap OK, Arpin C, Pascual A, Livermore DM, Garau J, Carmeli Y.	Clin Infect Dis. 2009 Sep 1;49(5):682-90.
A prediction rule for estimating the risk of bacteremia in patients with community-acquired pneumonia.	Falguera M, Trujillano J, Caro S, Menéndez R, Carratalà J, Ruiz-González A, Vilà M, García M, Porcel JM, Torres A; NAC-CALIDAD (Proyecto Integrado de Investigación de la Sociedad Española de Patología del Aparato Respiratorio sobre Infecciones Respiratorias de Vías Bajas) Study Group.	Clin Infect Dis. 2009 Aug 1;49(3):409-16.
A preventable killer: Pneumonia.	Klugman KP; PACE (Pneumococcal Advisory Council of Experts), Garau J; ESCMID (European Society of Clinical Microbiology and Infection).	Clin Microbiol Infect. 2009 Nov;15(11):989-90.
Abnormal transition pore kinetics and cytochrome C release in muscle mitochondria of patients with chronic obstructive pulmonary disease.	Puente-Maestu L, Pérez-Parra J, Godoy R, Moreno N, Tejedor A, Torres A, Lázaro A, Ferreira A, Agustí A.	Am J Respir Cell Mol Biol. 2009 Jun;40(6):746-50
Activity of the cyclooxygenase 2-prostaglandin-E prostanoïd receptor pathway in mice exposed to house dust mite aeroallergens, and impact of exogenous prostaglandin E2.	Herrerias A, Torres R, Serra M, Marco A, Pujols L, Picado C, de Mora F.	J Inflamm (Lond). 2009 Oct 30;6:30.
Acute effects of sildenafil on pulmonary hemodynamics and gas exchange in patients with COPD and pulmonary hypertension.	Blanco I, Gimeno E, Muñoz PA, Pizarro S, Rodriguez-Roisin R, Roca J, Barberá JA	Am J Respir Crit Care Med 2009 2009 Nov 5
Adequacy of Antimicrobial Treatment and Outcome of Staphylococcus aureus bacteremia in 9 Western European Countries	Ammerlaan H, Seifert H, Harbarth S, Brun-Buisson C, Torres A, Antonelli M, Kluytmans J, Bonten M on behalf of the Study on European Practices of Infections with Staphylococcus aureus (SEPIA) Study Group	Clin Infect Dis. 2009 Oct 1;49(7):997-1005
Algunas reflexiones sobre la gripe que no quieren llamar porcina: la visión desde Europa	Torres A y Comité Científico de la SEPAR para la Gripe H1N1	Arch Bronch 2009;45(7):316-316
Allergic conjunctivitis and H1 antihistamines.	del Cuvillo A, Sastre J, Montoro J, Jáuregui I, Dávila I, Ferrer M, Bartra J, Mullol J, Valero A.	J Investig Allergol Clin Immunol. 2009, 19 Suppl 1:11-8.
Allergic rhinitis and school performance.	Jáuregui I, Mullol J, Dávila I, Ferrer M, Bartra J, del Cuvillo A, Montoro J, Sastre J, Valero A.	J Investig Allergol Clin Immunol. 2009;19 Suppl 1:32-9.
Anaphylaxis to Wheat Flour-Derived Foodstuffs and the Lipid Transfer Protein Syndrome: A Potential Role of Wheat Lipid Transfer Protein Tri a 14.	Palacin A, Bartra J, Muñoz R, Diaz-Perales A, Valero A, Salcedo G.	Int Arch Allergy Immunol. 2009 Dec 16;152(2):178-183
Animal models of ventilator-associated pneumonia.	Luna CM, Sibila O, Agustí C, Torres A.	Eur Respir J. 2009 Jan;33(1):182-8
Apnoeic and obstructive nonapnoeic sleep respiratory events.	Masa JF, Corral J, Teran J, Martin MJ, Disdier C, Rubio M, Mota M, Zamorano J, Montserrat JM.	Eur Respir J. 2009 Jul;34(1):156-61.
Asthmatic reaction induced by celecoxib in a patient with aspirin-induced asthma.	Muñoz-Cano R, Bartra J, Vennera MC, Valero A, Picado C.	J Investig Allergol Clin Immunol. 2009;19(1):75-6
Atrophy of mesenteric sympathetic innervation may contribute to splanchnic vasodilation in rat portal hypertension.	Coll M, Martell M, Raurell I, Ezkurdia N, Cuenca S, Hernández-Losa J, Esteban R, Guardia J, Bosch J, Genescà J.	Liver Int. 2009 Nov 30.
Bacteraemic pneumococcal pneumonia in COPD patients: better outcomes than expected.	Calbo E, Valdés E, Ochoa de Echagüen A, Fleites A, Molinos L, Xercavins M, Freixas N, Rodríguez-Carballeira M, Garau J.	Eur J Clin Microbiol Infect Dis. 2009 Aug;28(8):971-6

Biological consequences of oxygen desaturation and respiratory effort in an acute animal model of obstructive sleep apnea (OSA).	Nácher M, Farré R, Montserrat JM, Torres M, Navajas D, Bulbena O, Serrano-Mollar A.	Sleep Med. 2009 Sep;10(8):892-7.
Biomarkers improve mortality prediction by prognostic scales in community-acquired pneumonia.	Menéndez R, Martínez R, Reyes S, Mensa J, Filella X, Marcos MA, Martínez A, Esquinas C, Ramirez P, Torres A.	Thorax. 2009 Jul;64(7):587-91.
Biomarkers improve mortality prediction by prognostic scales in community-acquired pneumonia	Menéndez R, Martínez R, Reyes S, Mensa J, Filella X, Marcos MA, Martínez A, Esquinas C, Torres A	Thorax. 2009 Dec;64(12):1016-7
Chronic endurance exercise induces quadriceps nitrosative stress in patients with severe COPD.	Barreiro E, Rabinovich R, Marin-Corral J, Barberà JA, Gea J, Roca J.	Thorax, 2009 Jan;64(1):13-9.
Chronic urticaria: do urticaria nonexperts implement treatment guidelines? A survey of adherence to published guidelines by nonexperts.	Ferrer M, Jáuregui I, Bartra J, Dávila I, del Cuvillo A, Montoro J, Mullol J, Valero A, Sastre J.	Br J Dermatol. 2009 Apr;160(4):823-7.
Clinical outcomes of HIV-infected patients hospitalized with bacterial community-acquired pneumonia.	Malinis M, Myers J, Bordon J, Peyrani P, Kapoor R, Nakamatzu R, Lopardo G, Torres A, Feldman C, Allen M, Arnold F, Ramirez J.	Int J Infect Dis. 2009 Jul 6.
Community-acquired pneumonia.	Torres A.	Semin Respir Crit Care Med. 2009 Apr;30(2):125-6.
Community-Acquired Pneumonia:Current perspective of the HCAP problem: Is it CAP or it is HAP?"	Polverino E, Torres A	Semin Respir Crit Care Med. 2009 Apr;30(2):239-48
COPD guidelines in relation to infections: a critical analysis	Torres A	Breathe, 2009;5(4): 32-35
Cost of bacteraemia caused by methicillin-resistant vs. methicillin-susceptible Staphylococcus aureus in Spain: a retrospective cohort study.	Rubio-Terrés C, Garau J, Grau S, Martínez-Martínez L; on behalf of the Cast of Resistance Study group.	Clin Microbiol Infect. 2009 Aug 27.
Current perspective of the HCAP problem: is it CAP or is it HAP?	Polverino E, Torres A.	Semin Respir Crit Care Med. 2009 Apr;30(2):239-48.
Defining, treating and preventing hospital acquired pneumonia: European perspective.	Torres A, Ewig S, Lode H, Carlet J; European HAP working group.	Intensive Care Med. 2009 Jan;35(1):9-29.
Desensitization to clopidogrel: a growing need.	Sanchez-Lopez J, Muñoz-Cano R, Bartra J, Valero A, Picado C.	Allergy. 2009 Oct 1.
Development of a prognostic index for 90-day mortality in patients discharged after admission to hospital for community-acquired pneumonia.	Capelastegui A, España PP, Quintana JM, Bilbao A, Menendez R, Zalacain R, Torres A.	Thorax. 2009 Jun;64(6):496-501.
Diagnostic strategies for healthcare-associated pneumonia.	Polverino E, Torres A.	Semin Respir Crit Care Med. 2009 Feb;30(1):36-45.
Dietary habits of firstly admitted Spanish COPD patients.	de Batlle J, Romieu I, Antó JM, Mendez M, Rodríguez E, Balcells E, Ferrer A, Gea J, Rodríguez-Roisin R, García-Aymerich J; PAC-COPD Study Group.	Respir Med. 2009 Dec;103(12):1904-10.
Effects of cigarette smoke on endothelial function of pulmonary arteries in the guinea pig.	Ferrer E, Peinado VI, Díez M, Carrasco JL, Musri MM, Martínez A, Rodríguez-Roisin R, Barberà JA.	Respir Res. 2009 Aug 14;10:76.
Efficacy of moxifloxacin in the treatment of bronchial colonisation in COPD.	Miravittles M, Marín A, Monsó E, Vilà S, de la Roza C, Hervás R, Esquinas C, García M, Millares L, Morera J, Torres A.	Eur Respir J. 2009 Nov;34(5):1066-71.
Evaluation of the respiratory muscular function by means of diaphragmatic mechanomyographic signals in COPD patients.	Sarlabous L, Torres A, Fiz JA, Gea J, Martínez-Llorens JM, Jane R.	Conf Proc IEEE Eng Med Biol Soc. 2009;1:3925-8.
Enterobacteriaceae and Pseudomonas aeruginosa in community-acquired pneumonia: the reality after a decade of uncertainty?	Torres A, Menéndez R	Eur Respir J 2010; 35:1-2
Expansion of the prognostic assessment of patients with chronic obstructive pulmonary disease: the updated BODE index and the ADO index.	Puhan MA, Garcia-Aymerich J, Frey M, ter Riet G, Antó JM, Agustí AG, Gómez FP, Rodríguez-Roisin R, Moons KG, Kessels AG, Held U.	Lancet. 2009 Aug 29;374(9691):704-11.

Factor XIII-A subunit Val34Leu polymorphism is associated with the risk of thrombosis in patients with antiphospholipid antibodies and high fibrinogen levels.	de la Red G, Tàssies D, Espinosa G, Monteagudo J, Bové A, Plaza J, Cervera R, Reverter JC.	Thromb Haemost. 2009 Feb;101(2):312-6
From pollinosis to digestive allergy.	Bartra J, Sastre J, del Cuvillo A, Montoro J, Jáuregui I, Dávila I, Ferrer M, Mullol J, Valero A.	J Investig Allergol Clin Immunol. 2009;19 Suppl 1:3
Genetic aspects of allergic rhinitis.	Dávila I, Mullol J, Ferrer M, Bartra J, del Cuvillo A, Montoro J, Jáuregui I, Sastre J, Valero A.	J Investig Allergol Clin Immunol. 2009;19 Suppl 1:25-31.
Genetic and structural analysis of MBL2 and MASP2 polymorphisms in south-eastern African children	Vallès X, Sarrías M R., Casals F, Farnós M, Piñer R, Suárez B, Morais, Mandomando I, Sigáuque B, Roca A, Alonso P.L, Torres A, Thielens N.M, Lozano F	Tissue Antigens. 2009 Oct;74(4):298-307
Glucocorticoid receptor in human respiratory epithelial cells.	Pujolsa L, Mullol J, Picado C.	Neuroimmunomodulation. 2009;16(5):290-9.
Glucocorticoid therapy increases COX-2 gene expression in nasal polyps in vivo.	Pujols L, Benitez P, Alobid I, Martínez-Antón A, Roca-Ferrer J, Mullol J, Picado C.	Eur Respir J. 2009 Mar;33(3):502-8.
Healthcare-Associated Pneumonia: Diagnostic Strategies for HCAP Seminars in Respiratory and Critical care Medicine.	Polverino E, Torres A	January 2009; Vol 30 (1): 36-45
Hemodynamic and Gas Exchange Effects of Sildenafil in Patients with COPD and Pulmonary Hypertension.	Blanco I, Gimeno E, Munoz PA, Pizarro S, Rodríguez-Roisin R, Roca J, Barbera JA.	Am J Respir Crit Care Med. 2009 Nov 5.
Hospital-acquired pneumonia in Europe.	Torres A, Ewig S, Lode H, Carlet J.	Eur Respir J. 2009 May;33(5):951-2.
Improving outcomes in elderly patients with community-acquired pneumonia by adhering to national guidelines: Community-Acquired Pneumonia Organization International cohort study results.	Arnold FW, LaJoie AS, Brock GN, Peyrani P, Rello J, Menéndez R, Lopardo G, Torres A, Rossi P, Ramirez JA; Community-Acquired Pneumonia Organization (CAPO) Investigators.	Arch Intern Med. 2009 Sep 14;169(16):1515-24.
In vitro cross-reactivity between tomato and other plant allergens.	López-Matas MA, Ferrer A, Larramendi CH, Huertas AJ, Pagán JA, García-Abujeta JL, Bartra J, Lavín JR, Andreu C, Carnés J.	Ann Allergy Asthma Immunol. 2009 Nov;103(5):425-31.
Influence of antipseudomonal agents on <i>Pseudomonas aeruginosa</i> colonization and acquisition of resistance in critically ill medical patients.	Martínez JA, Delgado E, Martí S, Marco F, Vila F, Mensa J, Torres A, Codina C, Trilla A, Soriano A, Alquezar A, Castro P, Nicolás, JA	Intensive Care Med, 2009;35:439-447
Management of methicillin-resistant <i>Staphylococcus aureus</i> infections.	Garau J, Bouza E, Chastre J, Gudíol F, Harbarth S.	Clin Microbiol Infect. 2009 Feb;15(2):125-36.
Meeting the old man's friend.	Torres A, Menéndez R.	Thorax. 2009 Dec;64(12):1016-7.
Micrnas expressed during lung cancer development are expressed in Human pseudoglandular lung embryogenesis	Navarro A, Marrades R, Viñolas N, Quera A, Agustí C, Huerta A, Ramírez, Torres A, Monzo M	Oncology 2009; 76(3):162-169
Molecular diagnosis in allergology: application of the microarray technique.	Ferrer M, Sanz ML, Sastre J, Bartra J, del Cuvillo A, Montoro J, Jáuregui I, Dávila I, Mullol J, Valero A.	J Investig Allergol Clin Immunol. 2009;19 Suppl 1:19-24. Review.
Mortality associated with cefepime therapy among neutropenic patients.	Gomez L, Quintana S, Garau J.	Clin Infect Dis. 2009 Sep 15;49(6):987.
MRSA as a cause of community-acquired pneumonia.	Nakou A, Woodhead M, Torres A.	Eur Respir J. 2009 Nov;34(5):1013-4.
New insights concerning methicillin-resistant <i>Staphylococcus aureus</i> disease.	Cauda R, Garau J.	Clin Microbiol Infect. 2009 Feb;15(2):109-11.
Non-invasive ventilation after extubation in hypercapnic patients with chronic respiratory disorders: randomised controlled trial.	Ferrer M, Sellarés J, Valencia M, Carrillo A, Gonzalez G, Badia JR, Nicolas JM, Torres A.	Lancet. 2009 Sep 26;374(9695):1082-88.
Obstructive apneas induce early release of mesenchymal stem cells into circulating blood.	Carreras A, Almendros I, Acerbi I, Montserrat JM, Navajas D, Farré R.	Sleep. 2009 Jan 1;32(1):117-9.
Obstructive sleep apnea has little impact on quality of life in the elderly.	Martínez-García MA, Soler-Cataluña JJ, Román-Sánchez P, González V, Amorós C, Montserrat JM.	Sleep Med. 2009 Jan;10(1):104-11.
Persistent allergic rhinitis has a moderate impact on the sense of smell, depending on both nasal congestion and inflammation.	Guilemany JM, García-Piñero A, Alobid I, Cardelús S, Centellas S, Bartra J, Valero A, Picado C, Mullol J.	Laryngoscope. 2009 Feb;119(2):233-8.

Physical activity and clinical and functional status in COPD.	Garcia-Aymerich J, Serra I, Gómez FP, Ferrero E, Balcells E, Rodríguez DA, de Batlle J, Gimeno E, Donaire-Gonzalez D, Orozco-Levi M, Sauleda J, Gea J, Rodríguez-Roisin R, Roca J, Agustí AG, Antó JM; Phenotype and Course of COPD Study Group.	Chest. 2009 Jul;136(1):62-70.
Pigs might fly	Woodhead M.A., Torres A, Ewig S	Eur Respir J. 2009 Jun;33(6):1241-3
Prevention and Treatment of Hospital-acquired pneumonia	Ferrer M, Torres A	Eur Respir Dis, 2009; 5 (1):59-64
Prospective comparison of severity scores for predicting clinically relevant outcomes for patients hospitalized with community-acquired pneumonia.	Yandiola PP, Capelastegui A, Quintana J, Diez R, Gorordo I, Bilbao A, Zalacain R, Menendez R, Torres A.	Chest. 2009 Jun;135(6):1572-9.
Pseudomonas aeruginosa in patients hospitalised for COPD exacerbation: a prospective study.	Garcia-Vidal C, Almagro P, Romani V, Rodríguez-Carballeira M, Cuchi E, Canales L, Blasco D, Heredia JL, Garau J.	Eur Respir J. 2009 Nov;34(5):1072-8.
Quality of life, stage severity and COPD.	Jenkins C, Rodríguez-Roisin R.	Eur Respir J. 2009 May;33(5):953-5.
¿Qué está avanzando en la neumonía?	Torres A	II Curso Avanzado de Infecciones Respiratorias
Quick diagnosis units: a potentially useful alternative to conventional hospitalisation.	Bosch X, Aibar J, Capell S, Coca A, López-Soto A.	Med J Aust. 2009 Nov 2;191(9):496-8.
Reduction of Nasal Volume After Allergen-Induced Rhinitis in Patients Treated With Rupatadine: A Randomized, Cross-Over, Double-Blind, Placebo-Controlled Study.	A Valero, C Serrano, J Bartra, I Izquierdo, R Muñoz-Cano, J Mullol, C Picado J.	Investig Allergol Clin Immunol 2009; 19: 488-493.
Respiratory impedance during weaning from mechanical ventilation in a mixed population of critically ill patients.	Sellares J, Acerbi I, Loureiro H, Dellaca RL, Ferrer M, Torres A, Navajas D, Farre R.	Br J Anaesth. 2009 Dec;103(6):828-32.
Risk factors for opportunistic infections in infliximab-treated patients: the importance of screening in prevention.	Garcia-Vidal C, Rodríguez-Fernández S, Teijón S, Esteve M, Rodríguez-Carballeira M, Lacasa JM, Salvador G, Garau J.	Eur J Clin Microbiol Infect Dis. 2009 Apr;28(4):331-7.
Sensitization to Alternaria in patients with respiratory allergy.	Bartra J, Belmonte J, Torres-Rodríguez JM, Cistero-Bahima A.	Front Biosci. 2009 Jan 1;14:3372-9.
Severe community-acquired pneumonia: validation of the Infectious Diseases Society of America/American Thoracic Society guidelines to predict an intensive care unit admission.	Liapikou A, Ferrer M, Polverino E, Balasso V, Esperatti M, Piñer R, Mensa J, Luque N, Ewig S, Menendez R, Niederman MS, Torres A.	Clin Infect Dis. 2009 Feb 15;48(4):377-85.
Severe Community Acquired Pneumonia: Validation of the IDSA/ATS guidelines to predict ICU admission	Liapikou A, Ferrer M, MD, PhD, Polverino E, Balasso V, Esperatti M, Piñer R, Mensa J, Luque N, Ewig S, Menéndez R, Niederman M, Torres A	Clin Infect Dis, 2009;48:377-85
Systemic inflammatory response and increased risk for ventilator-associated pneumonia: a primary study	Ramírez P, Ferrer M, Gimeno R, Tormo S, Valencia M, Piñer R, Menéndez R, Torres A,	Crit Care Med, 2009;37(5): 1691-1695
Sleep Breathing Flow Characteristics as a Sign for the Detection of Wakefulness in Patients with Sleep Apnea.	Guerrero A, Embid C, Farre R, Navajas D, Masa JF, Duran J, Montserrat JM.	Respiration. 2009 Dec 3.
Sleep-related breathing disorders in acute lacunar stroke.	Bonnin-Vilaplana M, Arboix A, Parra O, García-Eroles L, Montserrat JM, Massons J.	J Neurol. 2009 Jul 22.
Stability in community-acquired pneumonia: one step forward with markers?	Menéndez R, Martínez R, Reyes S, Mensa J, Polverino E, Filella X, Esquinas C, Martínez A, Ramirez P, Torres A.	Thorax. 2009 Nov;64(11):987-92.
Stress and allergy.	Montoro J, Mullol J, Jáuregui I, Dávila I, Ferrer M, Bartra J, del Cuvillo A, Sastre J, Valero A.	J Investig Allergol Clin Immunol. 2009;19 Suppl 1:40-7.
Superoxide dismutase gene transfer reduces portal pressure in CCl4 cirrhotic rats with portal hypertension.	Laviña B, Gracia-Sancho J, Rodríguez-Vilarrupla A, Chu Y, Heistad DD, Bosch J, García-Pagán JC.	Gut. 2009 Jan;58(1):118-25.
Systemic inflammatory response and increased risk for ventilator-associated pneumonia: a preliminary study.	Ramírez P, Ferrer M, Gimeno R, Tormo S, Valencia M, Piñer R, Menendez R, Torres A.	Crit Care Med. 2009 May;37(5):1691-5.
The impact of time on the systemic inflammatory response in pneumococcal pneumonia.	Calbo E, Alsina M, Rodríguez-Carballeira M, Lite J, Garau J.	Eur Respir J. 2009 Jul 16

Topical glucocorticoids downregulate COX-1 positive cells in nasal polyps.	Ebbens FA, Maldonado M, de Groot EJ, Alobid I, van Drunen CM, Picado C, Fokkens WJ, Mullol J.	Allergy. 2009 Jan;64(1):96-103.
United airways again: high prevalence of rhinosinusitis and nasal polyps in bronchiectasis.	Guilemany JM, Angrill J, Alobid I, Centellas S, Pujols L, Bartra J, Bernal-Sprekelsen M, Valero A, Picado C, Mullol J.	Allergy. 2009 May;64(5):790-7.
United airways: the impact of chronic rhinosinusitis and nasal polyps in bronchiectatic patient's quality of life.	Guilemany JM, Angrill J, Alobid I, Centellas S, Prades E, Roca J, Pujols L, Bernal-Sprekelsen M, Picado C, Mullol J.	Allergy. 2009 Oct;64(10):1524-9.
Urinary albumin excretion is associated with true resistant hypertension.	Oliveras A, Armario P, Hernández-Del Rey R, Arroyo JA, Poch E, Larrousse M, Roca-Cusachs A, de la Sierra A.	J Hum Hypertens. 2009 May 7.
Validation and comparison of SCAP as a predictive score for identifying low-risk patients in community-acquired pneumonia.	España PP, Capelastegui A, Quintana JM, Bilbao A, Diez R, Pascual S, Esteban C, Zalacaín R, Menendez R, Torres A.	J Infect. 2009 Dec 2.
Variation in antibiotic prescribing and its impact on recovery in patients with acute cough in primary care: prospective study in 13 countries.	Butler CC, Hood K, Verheij T, Little P, Melbye H, Nuttall J, Kelly MJ, Mölsted S, Godycki-Cwirko M, Almirall J, Torres A, Gillespie D, Rautakorpi U, Coenen S, Goossens H.	BMJ. 2009 Jun 23;338:b2242. doi: 10.1136/bmj.b2242.
Ventilation-perfusion imbalance and chronic obstructive pulmonary disease staging severity.	Rodríguez-Roisin R, Drakulovic M, Rodríguez DA, Roca J, Barberà JA, Wagner PD.	J Appl Physiol. 2009 Jun;106(6):1902-8.
Ventilator-associated pneumonia.	Valencia M, Torres A.	Curr Opin Crit Care. 2009 Feb;15(1):30-5.
Viral pneumonia.	Marcos MA, Esperatti M, Torres A.	Curr Opin Infect Dis. 2009 Apr;22(2):143-147.
Yellow fever vaccine and egg allergy: really a problem?	Muñoz-Cano R, Sanchez-Lopez J, Bartra J, Valero A.	Allergy. 2009 Oct 12

Malalties del sistema endocrí i de la nutrició

[Cardiovascular complications at 1-year of follow-up in patients with atherothrombosis. On behalf of Spain's REACH Registry]	Suárez C, Castillo J, Esmatjes E, Sala J, Cairols M, Montoto C, Barberà G; en representació de los investigadores del registro REACH España.	Med Clin (Barc). 2009 Apr 18;132(14):537-44
[Preclinical atherosclerosis in a group of young subjects with type 1 diabetes from a Mediterranean area.]	Giménez M, Gilabert R, Conget I.	Med Clin (Barc). 2009 May 23;132(19):740-2.
[The REACH registry: baseline and 1-year results]	Esmatjes E, Blanco AJ.	Med Clin (Barc). 2009 Sep;132 Suppl 2:5-9.
A functional leptin system is essential for sodium tungstate antiobesity action.	Canals I, Carmona MC, Amigó M, Barbera A, Bortolozzi A, Artigas F, Gomis R.	Endocrinology. 2009 Feb;150(2):642-50.
Androgen treatment effects on memory in female-to-male transsexuals.	Gómez-Gil E, Cañizares S, Torres A, de la Torre F, Halperin I, Salamero M.	Psychoneuroendocrinology. 2009 Jan;34(1):110-7.
Childhood sexual abuse and hypothalamus-pituitary-thyroid axis in postpartum major depression.	Plaza A, García-Esteve L, Ascaso C, Navarro P, Gelabert E, Halperin I, Valdés M, Martín-Santos R.	J Affect Disord. 2009 Sep 7.
Dual effects of sodium tungstate on adipocyte biology: inhibition of adipogenesis and stimulation of cellular oxygen consumption.	Carmona MC, Amigó M, Barceló-Batlloir S, Julià M, Esteban Y, Moreno S, Gomis R.	Int J Obes (Lond). 2009 May;33(5):534-40.
Effectiveness of retinoic acid treatment for redifferentiation of thyroid cancer in relation to recovery of radioiodine uptake.	Fernández CA, Puig-Domingo M, Lomeña F, Estorch M, Camacho Martí V, Bittini AL, Marazuela M, Santamaría J, Castro J, Martínez de Icaya P, Moraga I, Martín T, Megía A, Porta M, Mauricio D, Halperin I.	J Endocrinol Invest. 2009 Mar;32(3):228-33.
Glucose control and cardiovascular disease: is it important? No.	Conget I, Giménez M.	Diabetes Care. 2009 Nov;32 Suppl 2:S334-6.
Glycaemic profile characteristics and frequency of impaired awareness of hypoglycaemia in subjects with T1D and repeated hypoglycaemic events.	Giménez M, Lara M, Jiménez A, Conget I.	Acta Diabetol. 2009 Dec;46(4):291-3.
Identification of a pancreatic stellate cell population with properties of progenitor cells: new role for stellate cells in the pancreas.	Mato E, Lucas M, Petriz J, Gomis R, Novials A.	Biochem J. 2009 Jun 26;421(2):181-91.

Inhibitory effects of leptin on pancreatic alpha-cell function.	Tudurí E, Marroquí L, Soriano S, Ropero AB, Batista TM, Piquer S, López-Boado MA, Carneiro EM, Gomis R, Nadal A, Quesada I.	Diabetes. 2009 Jul;58(7):1616-24.
Long-term effects of Roux-en-Y gastric bypass surgery on plasma glucagon-like peptide-1 and islet function in morbidly obese subjects.	Vidal J, Nicolau J, Romero F, Casamitjana R, Momblan D, Conget I, Morinigo R, Lacy AM.	J Clin Endocrinol Metab. 2009 Mar;94(3):884-91.
Long-term treatment of acromegalic patients resistant to somatostatin analogues with the GH receptor antagonist pegvisomant: its efficacy in relation to gender and previous radiotherapy.	Marazuela M, Lucas T, Alvarez-Escolá C, Puig-Domingo M, de la Torre NG, de Miguel-Novoa P, Duran-Hervada A, Manzanares R, Luque-Ramírez M, Halperin I, Casanueva FF, Bernabeu I.	Eur J Endocrinol. 2009 Apr;160(4):535-42.
Metabolic profile of antipsychotic-naive individuals with non-affective psychosis.	Fernandez-Egea E, Bernardo M, Donner T, Conget I, Parellada E, Justicia A, Esmatjes E, Garcia-Rizo C, Kirkpatrick B.	Br J Psychiatry. 2009 May;194(5):434-8.
Molecular mechanisms of tungstate-induced pancreatic plasticity: a transcriptomics approach.	Altirriba J, Barbera A, Del Zotto H, Nadal B, Piquer S, Sánchez-Pla A, Gagliardino JJ, Gomis R.	BMC Genomics. 2009 Aug 28;10:406.
Pica secondary to iron deficiency 1 year after gastric bypass.	Moizé V, Moizé L, Lacy A, Vidal J.	Surg Obes Relat Dis. 2009 Sep 19.
Prevalence of cardiovascular risk factors in patients with type 1 diabetes in end-stage renal disease: changes in the trend from 1999 to 2006.	Rueda SF, Fernández C, Nicolau J, Ricart MJ, Esmatjes E.	J Diabetes Complications. 2009 Sep-Oct;23(5):317-22.
Proteomics in obesity research	Barceló-Batllori S, Gomis R.	Proteom Clin Appli, 3(2), 263-78 (2009)
Rhabdomyolysis after bariatric surgery: a potentially fatal complication.	Merino I, Borrat X, Balust J, Delgado S, Lacy AM, Vidal J, Martínez-Palli G.	Br J Anaesth. 2009 Feb;102(2):283-4.
Role of iduronate-2-sulfatase in glucose-stimulated insulin secretion by activation of exocytosis.	Piquer S, Casas S, Quesada I, Nadal A, Julià M, Novials A, Gomis R.	Am J Physiol Endocrinol Metab. 2009 Sep;297(3):E793-801.
Rosiglitazone evaluated for cardiovascular outcomes in oral agent combination therapy for type 2 diabetes (RECORD): a multicentre, randomised, open-label trial.	Home PD, Pocock SJ, Beck-Nielsen H, Curtis PS, Gomis R, Hanefeld M, Jones NP, Komajda M, McMurray JJ; RECORD Study Team.	Lancet. 2009 Jun 20;373(9681):2125-35.
Telomere length and pulse pressure in newly diagnosed, antipsychotic-naive patients with nonaffective psychosis.	Fernandez-Egea E, Bernardo M, Heaphy CM, Griffith JK, Parellada E, Esmatjes E, Conget I, Nguyen L, George V, Stöppler H, Kirkpatrick B.	Schizophr Bull. 2009 Mar;35(2):437-42.
The Efficacy of Octreotide LAR as Firstline Therapy for Patients with Newly Diagnosed Acromegaly is Independent of Tumor Extension: Predictive Factors of Tumor and Biochemical Response.	Luque-Ramírez M, Portoles GR, Varela C, Albero R, Halperin I, Moreiro J, Soto A, Casamitjana R.	Horm Metab Res. 2009 Oct 1.
The Exon 3-Deleted Growth Hormone Receptor Is Associated with Better Response to Pegvisomant Therapy in Acromegaly.	Bernabeu I, Alvarez-Escolá C, Quinteiro C, Lucas T, Puig-Domingo M, Luque-Ramírez M, de Miguel-Novoa P, Fernandez-Rodriguez E, Halperin I, Loidi L, Casanueva FF, Marazuela M.	J Clin Endocrinol Metab. 2009 Oct 29

Malalties del sistema excretor renal i genital masculí

A novel risk score for mortality in renal transplant recipients beyond the first posttransplant year.	Hernández D, Sánchez-Fructuoso A, González-Posada JM, Arias M, Campistol JM, Rufino M, Morales JM, Moreso F, Pérez G, Torres A, Serón D; Spanish Late Allograft Dysfunction Study Group.	Transplantation. 2009 Sep 27;88(6):803-9.
Anemia in chronic kidney disease and its cardiovascular implications	Cases A, Coll E, Collado S.	Med Clin (Barc). 2009 May;132 Suppl 1:38-4
Application of label-free quantitative peptidomics for the identification of urinary biomarkers of kidney chronic allograft dysfunction.	Quintana LF, Campistol JM, Alcolea MP, Bañon-Maneus E, Sol-González A, Cutillas PR.	Mol Cell Proteomics. 2009 Jul;8(7):1658-73
Chronic allograft nephropathy - a clinical syndrome: early detection and the potential role of proliferation signal inhibitors.	Campistol JM, Boletis IN, Dantal J, de Fijter JW, Hertig A, Neumayer HH, Oyen O, Pascual J, Pohanka E, Ruiz JC, Scolari MP, Stefoni S, Serón D, Sparacino V, Arns W, Chapman JR.	Clin Transplant. 2009 Aug 27.
Comparison of body composition by bioelectrical impedance and dual-energy x-ray absorptiometry in overweight/obese	Fakhrawi DH, Beeson L, Libanati C, Feleke D, Kim H, Quansah A, Darnell A, Lammi-Keefe CJ, Cordero-	J Clin Densitom. 2009 Apr-Jun;12(2):238-44

postmenopausal women.	MacIntyre Z.	
Conversion from calcineurin inhibitors to sirolimus maintenance therapy in renal allograft recipients: 24-month efficacy and safety results from the CONVERT trial.	Schena FP, Pascoe MD, Alberu J, del Carmen Rial M, Oberbauer R, Brennan DC, Campistol JM, Racusen L, Polinsky MS, Goldberg-Alberts R, Li H, Scarola J, Neylan JF; Sirolimus CONVERT Trial Study Group.	Transplantation. 2009 Jan 27;87(2):233-42.
Coordinating between the renal transplant unit and the non-transplant nephrology department	Oppenheimer F, García García M, López Alba T, Campistol JM.	Nefrologia. 2009;29 Suppl 1:72-7.
Evolution of secondary hyperparathyroidism after kidney transplantation in patients receiving cinacalcet on dialysis.	Torregrosa JV, Bergua C, Martínez de Osaba MJ, Oppenheimer F, Campistol JM.	Transplant Proc. 2009 Jul-Aug;41(6):2396-8.
Evolving trends in induction therapy.	Arias M, Campistol JM, Vincenti F.	Transplant Rev (Orlando). 2009 Apr;23(2):94
Generalized cutis laxa and fibrillar glomerulopathy resulting from IgG Deposition in IgG-lambda Monoclonal Gammopathy: pulmonary hemorrhage during stem cell mobilization and complete hematological response with bortezomib and dexamethasone therapy.	Fernández de Larrea C, Rovira M, Mascaró JM Jr, Torras A, Solé M, Lloreta J, Serra N, Cibeira MT, Bladé J.	Eur J Haematol. 2009 Feb;82(2):154-8.
Haemodialysis through a cellulose membrane induces dephosphorylation of CD11b and promotes leukocyte adhesion to endothelial cells.	Hernandez MR, Fuste B, Cases A, Tonda R, Escolar G, Ordinas A, Diaz-Ricart M.	Clin Invest Med. 2009 Feb 1;32(1):E48-56.
Institute for clinical management of nephro-urological diseases: the benefits of a quality care programme	Santiñá M, Arrizabalaga P, Prat A, Alcaraz A, Campistol JM, Trilla A.	Nefrologia. 2009;29(2):118-22
Is the intracellular ATP concentration of CD4+ T-Cells a predictive biomarker of immune status in stable transplant recipients?	Millán O, Sánchez-Fueyo A, Rimola A, Guillen D, Hidalgo S, Benitez C, Campistol JM, Brunet M	Transplantation. 2009 Aug 15;88(3 Suppl):S7
Mammalian target of rapamycin and diabetes: what does the current evidence tell us?	Vodenik B, Rovira J, Campistol JM.	Transplant Proc. 2009 Jul-Aug;41(6 Suppl):S
Mammalian target of rapamycin inhibition prevents glomerular hypertrophy in a model of renal mass reduction.	Rovira J, Arellano EM, Carreras J, Campos B, Vodenik B, Bañón-Maneus E, Ramírez-Bajo MJ, Moya-Rull D, Solé-González A, Hernández A, Revuelta I, Quintana LF, Howat WJ, Campistol JM, Diekmann F.	Transplantation. 2009 Sep 15;88(5):646-52
Mid-dilution hemodiafiltration: a comparison with pre- and postdilution modes using the same polyphenylene membrane.	Maduell F, Arias M, Vera M, Fontseré N, Blasco M, Barros X, Garro J, Elena M, Bergadá E, Cases A, Bedini JL, Campistol JM.	Blood Purif. 2009;28(3):268-74
Minimizing the risk of posttransplant malignancy.	Campistol JM.	Transplantation. 2009 Apr 27;87(8 Suppl):S19
Practical recommendations for the early use of m-TOR inhibitors (sirolimus) in renal transplantation.	Campistol JM, Cockwell P, Diekmann F, Donati D, Guirado L, Herlenius G, Mousa D, Pratschke J, San Millán JC.	Transpl Int. 2009 Jul;22(7):681-7.
Quality of life in simultaneous pancreas-kidney transplant recipients.	Isla Pera P, Moncho Vasallo J, Torras Rabasa A, Oppenheimer Salinas F, Fernández Cruz Pérez L, Ricart Brulles MJ.	Clin Transplant. 2009 Sep-Oct;23(5):600-5.
Randomized, controlled, prospective trial of the use of a mesh to prevent parastomal hernia.	Serra-Aracil X, Bombardo-Junca J, Moreno-Matias J, Darnell A, Mora-Lopez L, Alcantara-Moral M, Ayguavives-Garnica I, Navarro-Soto S.	Ann Surg. 2009 Apr;249(4):583-7
Sirolimus monotherapy as maintenance immunosuppression: a multicenter experience.	Pinto JR, Arellano Torres EM, Franco A, Morales JM, Ruiz JC, Diekmann F, Alperovich G, Campistol JM.	Transpl Int. 2009 Oct 15.
Synchronous isolated adrenal metastasis from rectum adenocarcinoma.	Bonfill T, Dotor E, Darnell A, Casalots A, Bombardó J, Saigi E, Pericay C.	Clin Transl Oncol. 2009 Apr;11(4):257-8.
The search for a new marker of renal function in older patients with chronic kidney disease stages 3-4: usefulness of cystatin C-based equations.	Fontseré N, Esteve V, Saurina A, Pou M, Barba N, Deulofeu R, Di Gregorio S, del Rio LM, Rios J, Torres F, Maduell F, Campistol JM, Ramírez de Arellano M.	Nephron Clin Pract. 2009;112(3):c164-70.
Update in kidney and cardiovascular diseases. Conclusion	González-Juanatey JR, Cases A.	Med Clin (Barc). 2009 May;132 Suppl 1:61-2
Urine proteomics biomarkers in renal transplantation: an overview.	Quintana LF, Bañón-Maneus E, Solé-Gonzalez A, Campistol JM.	Transplantation. 2009 Aug 15;88(3 Suppl):S4
Urine proteomics to detect biomarkers for chronic allograft dysfunction.	Quintana LF, Solé-Gonzalez A, Kalko SG, Bañón-Maneus E, Solé M,	J Am Soc Nephrol. 2009 Feb;20(2):428-35.

	Diekmann F, Gutierrez-Dalmau A, Abian J, Campistol JM.	
--	--	--

Malalties del sistema nerviós

[Central nervous system involvement in primary Sjögren syndrome.]	Ramírez M, Ramos-Casals M, Graus F.	Med Clin (Barc). 2009 Sep 12;133(9):349-59.
[Clinical and immunological profile of limbic encephalitis associated with voltage-gated potassium channel antibodies.]	López J, Blanco Y, Graus F, Saiz A.	Med Clin (Barc). 2009 Jul 11;133(6):224-8.
[Clinical study of 28 patients with cerebellar hemorrhage]	Arboix A, Rennie M.	Med Clin (Barc). 2009 May 9;132(17):665-8.
[Neuroprotection in Parkinson's disease: analysis though group of experts' methodology]	Linazasoro G, Sesar A, Valldeoriola F, Compta Y, Herrero MT, Martínez Castrillo JC, López Lozano JJ, Bergaretxe A, Vela L, Fernández JM, Castro A, Kulisevski J, Lezcano E, Vaamonde J, López Del Val J, Chacón J, Vivancos F, Luquin R, Aguilar M, Burguera JA, Salvador C, Menéndez Guisasaola L, Catalán MJ, Mir P, Campos V, Grandas F, Mínguez A, Balaguer E, Yáñez R, Leiva C, García Ruiz P, Cubo E.	Neurologia. 2009 Mar;24(2):113-24
[Paraneoplastic stiff-person syndrome with anti-amphiphysin antibodies with small-cell lung cancer]	Cánovas D, Martínez JM, Viguera M, Ribera G, Graus F, Saiz A.	Neurologia. 2009 Mar;24(2):139-40. Spanish.
[Pruritus as initial manifestation of a paraneoplastic stiff person syndrome associated to anti-amphiphysin antibodies.]	Casadevall T, Costa-Jussà F, Llufríu S, Graus F, Saiz A.	Neurologia. 2009 Apr;24(3):215-6. Spanish.
A double-blind, delayed-start trial of rasagiline in Parkinson's disease.	Olanow CW, Rascol O, Hauser R, Feigin PD, Jankovic J, Lang A, Langston W, Melamed E, Poewe W, Stocchi F, Tolosa E; ADAGIO Study Investigators.	N Engl J Med. 2009 Sep 24;361(13):1268-78.
A multicentre retrospective study of the clinical use of ropinirole in the treatment of Parkinson's disease: The ROPI-PARK Study.	Valldeoriola F, Cobaleda S, Lahuerta J.	Clin Neurol Neurosurg. 2009 Sep 2.
A reassessment of risks and benefits of dopamine agonists in Parkinson's disease.	Antonini A, Tolosa E, Mizuno Y, Yamamoto M, Poewe WH.	Lancet Neurol. 2009 Oct;8(10):929-37
AMPA receptor antibodies in limbic encephalitis alter synaptic receptor location.	Lai M, Hughes EG, Peng X, Zhou L, Gleichman AJ, Shu H, Matà S, Kremens D, Vitaliani R, Geschwind MD, Bataller L, Kalb RG, Davis R, Graus F, Lynch DR, Balice-Gordon R, Dalmau J.	Ann Neurol. 2009 Apr;65(4):424-34.
Antibodies to the GABA(B) receptor in limbic encephalitis with seizures: case series and characterisation of the antigen.	Lancaster E, Lai M, Peng X, Hughes E, Constantinescu R, Raizer J, Friedman D, Skeen MB, Grisold W, Kimura A, Ohta K, Iizuka T, Guzman M, Graus F, Moss SJ, Balice-Gordon R, Dalmau J.	Lancet Neurol. 2009 Dec 2.
Anti-Hu-associated brainstem encephalitis.	Saiz A, Bruna J, Stourac P, Vigliani MC, Giometto B, Grisold W, Honnorat J, Psimaras D, Voltz R, Graus F.	J Neurol Neurosurg Psychiatry. 2009 Apr;80(4):404-7.
Antioxidant CR-6 protects against reperfusion injury after a transient episode of focal brain ischemia in rats.	Pérez-Asensio FJ, de la Rosa X, Jiménez-Altayó F, Gorina R, Martínez E, Messeguer A, Vila E, Chamorro A, Planas AM.	J Cereb Blood Flow Metab. 2009 Nov 11.
Apomorphine and levodopa infusion therapies for advanced Parkinson's disease: selection criteria and patient management.	Antonini A, Tolosa E.	Expert Rev Neurother. 2009 Jun;9(6):859-67.
Brainstem reflexes are enhanced following severe spinal cord injury and reduced by continuous intrathecal baclofen.	Kumru H, Kofler M, Valls-Solé J, Portell E, Vidal J.	Neurorehabil Neural Repair. 2009 Nov;23(9):921-7.
Cerebrospinal hypocretin, daytime sleepiness and sleep architecture in Parkinson's disease dementia.	Compta Y, Santamaria J, Ratti L, Tolosa E, Iranzo A, Muñoz E, Valldeoriola F, Casamitjana R, Ríos J, Martí MJ.	Brain. 2009 Oct 25.
Cerebrospinal tau, phospho-tau, and beta-amyloid and neuropsychological functions in Parkinson's disease.	Compta Y, Martí MJ, Ibarretxe-Bilbao N, Junqué C, Valldeoriola F, Muñoz E, Ezquerro M, Ríos J, Tolosa E.	Mov Disord. 2009 Nov 15;24(15):2203-10.

C-nociceptors sensitized to cold in a patient with small-fiber neuropathy and cold allodynia.	Serra J, Solà R, Quiles C, Casanova-Molla J, Pascual V, Bostock H, Valls-Solé J.	Pain. 2009 Dec 15;147(1-3):46-53.
Course of matrix metalloproteinase-9 isoforms after the administration of uric acid in patients with acute stroke: a proof-of-concept study.	Amaro S, Obach V, Cervera A, Urria X, Gómez-Choco M, Planas AM, Chamorro A.	J Neurol. 2009 Apr;256(4):651-6.
Cytotoxic effect of neuromyelitis optica antibody (NMO-IgG) to astrocytes: an in vitro study.	Sabater L, Giralt A, Boronat A, Hankiewicz K, Blanco Y, Llufríu S, Alberch J, Graus F, Saiz A.	J Neuroimmunol. 2009 Oct 30;215(1-2):31-5.
Diagnosis and the premotor phase of Parkinson disease.	Tolosa E, Gaig C, Santamaría J, Compta Y.	Neurology. 2009 Feb 17;72(7 Suppl):S12-20.
Different MAPT haplotypes are associated with Parkinson's disease and progressive supranuclear palsy.	Ezquerro M, Pastor P, Gaig C, Vidal J, Cruchaga C, Muñoz E, Martí MJ, Valldeoriola F, Aguilar M, Calopa M, Hernandez-Vara J, Tolosa E.	Neurobiol Aging. 2009 Oct 28.
Differential progression of brain atrophy in Parkinson disease with and without visual hallucinations.	Ibarretxe-Bilbao N, Ramirez-Ruiz B, Junque C, Martí MJ, Valldeoriola F, Bargallo N, Juanes S, Tolosa E.	J Neurol Neurosurg Psychiatry. 2009 Dec 3
Effectiveness of retinoic acid treatment for redifferentiation of thyroid cancer in relation to recovery of radioiodine uptake.	Fernández CA, Puig-Domingo M, Lomeña F, Estorch M, Camacho Martí V, Bittini AL, Marazuela M, Santamaría J, Castro J, Martínez de Icaya P, Moraga I, Martín T, Megia A, Porta M, Mauricio D, Halperin I.	J Endocrinol Invest. 2009 Mar;32(3):228-33.
Effect of the additional noradrenergic neurodegeneration to 6-OHDA-lesioned rats in levodopa-induced dyskinesias and in cognitive disturbances	Pérez V, Marin C, Rubio A, Aguilar E, Barbanoj M, Kulisevsky J.	J Neural Transm. 2009 Aug 27.
Effect of the metabotropic glutamate antagonist MPEP on striatal expression of the Homer family proteins in levodopa-treated hemiparkinsonian rats.	Jiménez A, Bonastre M, Aguilar E, Marin C.	Psychopharmacology (Berl) . 2009; 206(2):233-42
Effects of early vs. late initiation of levodopa treatment in hemiparkinsonian rats	Marin C, Aguilar E, Mengod G, Cortés R, Obeso JA.	Eur J Neurosci. 2009. 30(5):823-32.
Efficacy and safety of pallidal stimulation in primary dystonia: results of the Spanish multicentric study.	Valldeoriola F, Regidor I, Mínguez-Castellanos A, Lezcano E, García-Ruiz P, Rojo A, Salvador A, Castro A, Grandas F, Martí MJ, Martínez-Martín P, Kulisevsky J, Relova L, Rumià J, Cámara A, Burguera JA, Linazasoro G, López Del Val J, Obeso J, Rodríguez-Oroz MC, Tolosa E.	J Neurol Neurosurg Psychiatry. 2009 Sep 10.
Excessive muscle activity increases over time in idiopathic REM sleep behavior disorder.	Iranzo A, Luca Ratti P, Casanova-Molla J, Serradell M, Vilaseca I, Santamaria J.	Sleep. 2009 Sep 1;32(9):1149-53.
H reflex modulation by transcranial magnetic stimulation in spinal cord injury subjects after gait training with electromechanical systems.	Benito Penalva J, Opisso E, Medina J, Corrons M, Kumru H, Vidal J, Valls-Solé J.	Spinal Cord. 2009 Nov 24
Harms and benefits of lymphocyte subpopulations in patients with acute stroke.	Urria X, Cervera A, Villamor N, Planas AM, Chamorro A.	Neuroscience. 2009 Feb 6;158(3):1174-83.
Infarction in the territory of the anterior cerebral artery: clinical study of 51 patients.	Arboix A, García-Eroles L, Sellarés N, Raga A, Oliveres M, Massons J.	BMC Neurol. 2009 Jul 9;9:30
Intraneural injection during nerve stimulator-guided sciatic nerve block at the popliteal fossa.	Sala Blanch X, López AM, Carazo J, Hadzic A, Carrera A, Pomés J, Valls-Solé J.	Br J Anaesth. 2009 Jun;102(6):855-61.
Lacunar stroke.	Arboix A, Martí-Vilalta JL.	Expert Rev Neurother. 2009 Feb;9(2):179-96.
Linburg's syndrome, can it cause focal dystonia?	Rosset-Llobet J, Garcia-Elias M, Montero J, Valls-Solé J, Pascual-Leone A.	Mov Disord. 2009 Aug 15;24(11):1704-6.
Longitudinal one-year study of levels and stoichiometry of neurofilament heavy and light chain concentrations in CSF in patients with multiple system atrophy.	Petzold A, Thompson EJ, Keir G, Quinn N, Holmberg B, Dizdar N, Wenning GK, Rascol O, Tolosa E, Rosengren L.	J Neurol Sci. 2009 Apr 15;279(1-2):76-9.
Microstructural white matter changes in metabolic syndrome: a diffusion tensor imaging study.	Segura B, Jurado MA, Freixenet N, Falcón C, Junqué C, Arboix A.	Neurology. 2009 Aug 11;73(6):438-44.

Midbrain hyperechogenicity in idiopathic REM sleep behavior disorder.	Stockner H, Iranzo A, Seppi K, Serradell M, Gschliesser V, Sojer M, Valldeoriola F, Molinuevo JL, Frauscher B, Schmidauer C, Santamaria J, Högl B, Tolosa E, Poewe W; SINBAR (Sleep Innsbruck Barcelona) Group.	Mov Disord. 2009 Oct 15;24(13):1906-9.
Mild cognitive impairment in stroke patients with ischemic cerebral small-vessel disease: a forerunner of vascular dementia?	Grau-Olivares M, Arboix A.	Expert Rev Neurother. 2009 Aug;9(8):1201-17. Review
Monocyte subtypes predict clinical course and prognosis in human stroke.	Urra X, Villamor N, Amaro S, Gómez-Choco M, Obach V, Oleaga L, Planas AM, Chamorro A.	J Cereb Blood Flow Metab. 2009 May;29(5):994-1002
Monocytes are major players in the prognosis and risk of infection after acute stroke.	Urra X, Cervera A, Obach V, Climent N, Planas AM, Chamorro A.	Stroke. 2009 Apr;40(4):1262-8.
MRI and cognitive impairment in Parkinson's disease.	Ibarretxe-Bilbao N, Tolosa E, Junque C, Martí MJ.	Mov Disord. 2009;24 Suppl 2:S748-53.
Neuroanatomical correlates of impaired decision-making and facial emotion recognition in early Parkinson's disease.	Ibarretxe-Bilbao N, Junque C, Tolosa E, Martí MJ, Valldeoriola F, Bargallo N, Zarei M.	Eur J Neurosci. 2009 Sep;30(6):1162-71.
Neuroanatomical substrate of visuospatial and visuoperceptual impairment in Parkinson's disease.	Perêira JB, Junqué C, Martí MJ, Ramirez-Ruiz B, Bargalló N, Tolosa E.	Mov Disord. 2009 Jun 15;24(8):1193-9.
Neuromyelitis optica positive antibodies confer a worse course in relapsing-neuromyelitis optica in Cuba and French West Indies.	Cabrera-Gómez JA, Bonnan M, González-Quevedo A, Saiz-Hinarejos A, Marignier R, Olindo S, Graus F, Smadja D, Merle H, Thomas L, Gómez-García A, Cabre P.	Mult Scler. 2009 Jul;15(7):828-33.
Neurophysiological tools for small fiber assessment in painful diabetic neuropathy (comment letter).	Schestatsky P, Gerchman F, Valls-Solé J.	Pain Med. 2009 Apr;10(3):601
Obstructive sleep apnea in narcolepsy.	Sansa G, Iranzo A, Santamaria J.	Sleep Med. 2009 Aug 19.
Onco-neural antibodies and tumour type determine survival and neurological symptoms in paraneoplastic neurological syndromes with Hu or CV2/CRMP5 antibodies.	Honorat J, Cartalat-Carel S, Ricard D, Camdessanche JP, Carpentier AF, Rogemond V, Chapuis F, Aguera M, Decullier E, Duchemin AM, Graus F, Antoine JC.	J Neurol Neurosurg Psychiatry. 2009 Apr;80(4):412-6.
Paraneoplastic movement disorders.	Grant R, Graus F.	Mov Disord. 2009 Sep 15;24(12):1715-24.
Parkinsonism, dysautonomia, REM behaviour disorder and visual hallucinations mimicking synucleinopathy in a patient with progressive supranuclear palsy.	Compta Y, Martí MJ, Rey MJ, Ezquerro M.	J Neurol Neurosurg Psychiatry. 2009 May;80(5):578-9.
Parkinson's disease is overdiagnosed clinically at baseline in diagnostically uncertain cases: a 3-year European multicenter study with repeat [123I]FP-CIT SPECT.	Marshall VL, Reiningger CB, Marquardt M, Patterson J, Hadley DM, Oertel WH, Benamer HT, Kemp P, Burn D, Tolosa E, Kulisevsky J, Cunha L, Costa D, Booi J, Tatsch K, Chaudhuri KR, Ulm G, Pogarell O, Höffken H, Gerstner A, Grosset DG.	Mov Disord. 2009 Mar 15;24(4):500-8.
Pathological description of a non-motor variant of multiple system atrophy.	Gaig C, Iranzo A, Tolosa E, Vilaseca I, Rey MJ, Santamaria J.	J Neurol Neurosurg Psychiatry. 2008 Dec;79(12):1399-400.
Perspectives on recent advances in the understanding and treatment of Parkinson's disease.	Schapira AH, Agid Y, Barone P, Jenner P, Lemke MR, Poewe W, Rascol O, Reichmann H, Tolosa E.	Eur J Neurol. 2009 Oct;16(10):1090-9.
Plasma exchange for acute attacks of CNS demyelination: Predictors of improvement at 6 months.	Llufriu S, Castillo J, Blanco Y, Ramió-Torrentà L, Río J, Vallès M, Lozano M, Castellà MD, Calabria J, Horga A, Graus F, Montalban X, Saiz A.	Neurology. 2009 Sep 22;73(12):949-53.
Prefrontal cortex volume reduction on MRI in preclinical Huntington's disease relates to visuomotor performance and CAG number.	Gómez-Ansón B, Alegret M, Muñoz E, Monté GC, Alayrach E, Sánchez A, Boada M, Tolosa E.	Parkinsonism Relat Disord. 2009 Mar;15(3):213-9.
Premotor Parkinson disease.	Tolosa E, Poewe W.	Neurology. 2009 Feb 17;72(7 Suppl):S1.
Rationale and design of a randomized, double-blind, parallel-group study of terutroban 30 mg/day versus aspirin 100 mg/day in stroke patients: the prevention of cerebrovascular and cardiovascular events of ischemic origin with terutroban in patients with	Boussier MG, Amarenco P, Chamorro A, Fisher M, Ford I, Fox K, Hennerici MG, Mattle HP, Rothwell PM; PERFORM Study Investigators.	Cerebrovasc Dis. 2009;27(5):509-18.
Regulatory T cells protect the brain after stroke.	Planas AM, Chamorro A.	Nat Med. 2009 Feb;15(2):138-9.

Relapsing neuromyelitis optica: long term history and clinical predictors of death.	Cabre P, González-Quevedo A, Bonnan M, Saiz A, Olindo S, Graus F, Smadja D, Merle H, Thomas L, Cabrera-Gomez JA.	J Neurol Neurosurg Psychiatry. 2009 Oct;80(10):1162-4.
Retinal microvasculature in acute lacunar stroke.	Arboix A.	Lancet Neurol. 2009 Jul;8(7):596-8.
Sleep-related breathing disorders in acute lacunar stroke.	Bonnin-Vilaplana M, Arboix A, Parra O, García-Eroles L, Montserrat JM, Massons J.	J Neurol. 2009 Jul 22.
SOX antibodies in small-cell lung cancer and Lambert-Eaton myasthenic syndrome: frequency and relation with survival.	Titulaer MJ, Klooster R, Potman M, Sabater L, Graus F, Hegeman IM, Thijssen PE, Wirtz PW, Twijnstra A, Smitt PA, van der Maarel SM, Verschuuren JJ.	J Clin Oncol. 2009 Sep 10;27(26):4260-7
Spanish Multicenter Normative Studies (NEURONORMA Project): methods and sample characteristics.	Peña-Casanova J, Blesa R, Aguilar M, Gramunt-Fombuena N, Gómez-Ansón B, Oliva R, Molinuevo JL, Robles A, Barquero MS, Antúnez C, Martínez-Parra C, Frank-García A, Fernández M, Alfonso V, Sol JM; NEURONORMA Study Team.	Arch Clin Neuropsychol. 2009 Jun;24(4):307-19.
Spanish Multicenter Normative Studies (NEURONORMA Project): norms for the Rey-Osterrieth complex figure (copy and memory), and free and cued selective reminding test.	Peña-Casanova J, Gramunt-Fombuena N, Quiñones-Ubeda S, Sánchez-Benavides G, Aguilar M, Badenes D, Molinuevo JL, Robles A, Barquero MS, Payno M, Antúnez C, Martínez-Parra C, Frank-García A, Fernández M, Alfonso V, Sol JM, Blesa R; NEURONORMA Study Team.	Arch Clin Neuropsychol. 2009 Jun;24(4):371-93.
Spanish Multicenter Normative Studies (NEURONORMA Project): norms for the visual object and space perception battery-abbreviated, and judgment of line orientation.	Peña-Casanova J, Quintana-Aparicio M, Quiñones-Ubeda S, Aguilar M, Molinuevo JL, Serradell M, Robles A, Barquero MS, Villanueva C, Antúnez C, Martínez-Parra C, Frank-García A, Aguilar MD, Fernández M, Alfonso V, Sol JM, Blesa R; NEURONORMA Study Team.	Arch Clin Neuropsychol. 2009 Jun;24(4):355-70.
Spanish Multicenter Normative Studies (NEURONORMA Project): norms for Boston naming test and token test.	Peña-Casanova J, Quiñones-Ubeda S, Gramunt-Fombuena N, Aguilar M, Casas L, Molinuevo JL, Robles A, Rodríguez D, Barquero MS, Antúnez C, Martínez-Parra C, Frank-García A, Fernández M, Molano A, Alfonso V, Sol JM, Blesa R; NEURONORMA Study Team.	Arch Clin Neuropsychol. 2009 Jun;24(4):343-54.
Spanish Multicenter Normative Studies (NEURONORMA Project): norms for the Stroop color-word interference test and the Tower of London-Drexel.	Peña-Casanova J, Quiñones-Ubeda S, Gramunt-Fombuena N, Quintana M, Aguilar M, Molinuevo JL, Serradell M, Robles A, Barquero MS, Payno M, Antúnez C, Martínez-Parra C, Frank-García A, Fernández M, Alfonso V, Sol JM, Blesa R; NEURONORMA Study Team.	Arch Clin Neuropsychol. 2009 Jun;24(4):413-29.
Spanish Multicenter Normative Studies (NEURONORMA Project): norms for verbal fluency tests.	Peña-Casanova J, Quiñones-Ubeda S, Gramunt-Fombuena N, Quintana-Aparicio M, Aguilar M, Badenes D, Cerulla N, Molinuevo JL, Ruiz E, Robles A, Barquero MS, Antúnez C, Martínez-Parra C, Frank-García A, Fernández M, Alfonso V, Sol JM, Blesa R; NEURONORMA Study Team.	Arch Clin Neuropsychol. 2009 Jun;24(4):395-411.
Spanish Multicenter Normative Studies (NEURONORMA Project): norms for verbal span, visuospatial span, letter and number sequencing, trail making test, and symbol digit modalities test.	Peña-Casanova J, Quiñones-Ubeda S, Quintana-Aparicio M, Aguilar M, Badenes D, Molinuevo JL, Torner L, Robles A, Barquero MS, Villanueva C, Antúnez C, Martínez-Parra C, Frank-García A, Sanz A, Fernández M, Alfonso V, Sol JM, Blesa R; NEURONORMA Study Team.	Arch Clin Neuropsychol. 2009 Jun;24(4):321-41
Speeding up gait initiation and gait-pattern with a startling stimulus.	Queralt A, Valls-Solé J, Castellote JM.	Gait Posture. 2009 Nov 11.
Stochastic and spatial influences on drug-induced bifurcations in cardiac tissue culture.	Kim MY, Aguilar M, Hodge A, Vigmond E, Shrier A, Glass L.	Phys Rev Lett. 2009 Jul 31;103(5):058101.

Stroke induced immunodepression syndrome: from bench to bedside.	Urrea X, Obach V, Chamorro A.	Curr Mol Med. 2009 Mar;9(2):195-202
Stroke prognosis in diabetes mellitus: new insights but questions remain.	Arboix A.	Expert Rev Cardiovasc Ther. 2009 Oct;7(10):1181-5
Stroke treatment with alteplase given 3.0-4.5 h after onset of acute ischaemic stroke (ECASS III): additional outcomes and subgroup analysis of a randomised controlled trial.	Bluhmki E, Chamorro A, Dávalos A, Machnig T, Sauce C, Wahlgren N, Wardlaw J, Hacke W.	Lancet Neurol. 2009 Dec;8(12):1095-102.
Stroke with polyvascular atherothrombotic disease.	Blanco M, Sobrino T, Montaner J, Medrano V, Jiménez C, Masjuán J, Gómez-Escalonilla C, de Luis P, Arboix A, Castillo J; on behalf of the MÍTICO Study.	Atherosclerosis. 2009 Jul 28.
Structural brain correlates of verbal fluency in Parkinson's disease.	Pereira JB, Junqué C, Martí MJ, Ramirez-Ruiz B, Bartrés-Faz D, Tolosa E.	Neuroreport. 2009 May 27;20(8):741-4.
Supplement neuroimaging movement disorders.	Poewe W, Scherfler C, Tolosa E, Marek K.	Mov Disord. 2009;24 Suppl 2:S655.
Sympathetic skin responses evoked by different stimuli modalities in spinal cord injury patients.	Kumru H, Vidal J, Perez M, Schestatsky P, Valls-Solé J.	Neurorehabil Neural Repair. 2009 Jul-Aug;23(6):553-8
Sympathetic skin responses evoked by muscle contraction.	Schestatsky P, Valls-Solé J, Felix-Torres V, Guarany FC, Castellote JM, Pérez D, Costa J.	Neurosci Lett. 2009 Oct 2;463(2):140-4.
The clinical and pathophysiological relevance of REM sleep behavior disorder in neurodegenerative diseases.	Iranzo A, Santamaria J, Tolosa E.	Sleep Med Rev. 2009 Dec;13(6):385-401.
The effect of a prepulse stimulus on the EMG rebound following the cutaneous silent period.	Kumru H, Opisso E, Valls-Solé J, Kofler M.	J Physiol. 2009 Feb 1;587(Pt 3):587-95.
The Prevention of cerebrovascular and cardiovascular Events of ischemic origin with teRutroban in patients with a history of ischemic stroke or tRansient ischeMic attack (PERFORM) study: baseline characteristics of the population.	Boussier MG, Amarenco P, Chamorro A, Fisher M, Ford I, Fox K, Hennerici M, Mattle HP, Rothwell PM; PERFORM Study Investigators.	Cerebrovasc Dis. 2009;27(6):608-13.
The startle reaction to somatosensory inputs: different response pattern to stimuli of upper and lower limbs.	Alvarez-Blanco S, Leon L, Valls-Solé J.	Exp Brain Res. 2009 May;195(2):285-92
Tirofiban increases soluble guanylate cyclase in rat vascular walls: pharmacological and pathophysiological consequences.	Ruiz-Torres MP, Griera M, Chamorro A, Díez-Marqués ML, Rodríguez-Puyol D, Rodríguez-Puyol M.	Cardiovasc Res. 2009 Apr 1;82(1):125-32.
TP receptor antagonism: a new concept in atherothrombosis and stroke prevention.	Chamorro A.	Cerebrovasc Dis. 2009;27 Suppl 3:20-7. E
Treatment of narcolepsy complicated by psychotic symptoms.	Undurraga J, Garrido J, Santamaria J, Parellada E.	Psychosomatics. 2009 Jul-Aug;50(4):427-8
Upstream variants of CRHR1 and MAPT genes associated with age at onset in progressive supranuclear palsy and cortical basal degeneration.	Cruchaga C, Vidal-Taboada JM, Ezquerra M, Lorenzo E, Martínez-Lage P, Blázquez M, Tolosa E; Iberian Atypical Parkinsonism Study Group Researchers, Pastor P.	Neurobiol Dis. 2009 Feb;33(2):164-70.
Wernicke encephalopathy in alcoholics with diabetic ketoacidosis.	Chamorro AJ, Marcos-Martin M, Martin-Polo J, Garcia-Diez LC, Luna G.	Intern Med. 2009;48(13):1187-9
When does Parkinson's disease begin?	Gaig C, Tolosa E.	Mov Disord. 2009;24 Suppl 2:S656-64.

Malalties infeccioses

[Antibiotic prophylaxis for infectious endocarditis: who needs it and when to recommend it]	Falces C, Garcia de la Mària C, Mestres CA, del Río A, Marco F, Moreno A, Miró JM; Grupo de Estudio de la Endocarditis del Hospital Clínic de Barcelona.	Rev Esp Anestesiol Reanim. 2009 Mar;56(3):135-8.
[Budget impact of a set-dose combination of efavirenz-emtricitabine-tenofovir in the treatment of patients infected with HIV-1.]	Oyagüez I, Casado MA, Cotarelo M, Ramírez-Arellano A, Mallolas J.	Farm Hosp. 2009 Sep 1;33(5):247-56.

[Consensus document for the treatment of bacteremia and endocarditis caused by methicillin-resistant <i>Staphylococcus aureus</i> . Sociedad Española de Enfermedades Infecciosas y Microbiología Clínica.]	Gudiol F, Aguado JM, Pascual A, Pujol M, Almirante B, Miró JM, Cercenado E, Domínguez Mde L, Soriano A, Rodríguez-Baño J, Vallés J, Palomar M, Tornos P, Bouza E; Sociedad Española de Enfermedades Infecciosas y Microbiología Clínica.	Enferm Infecc Microbiol Clin. 2009 Feb;27(2):105-15.
[Evaluation of the status of patients with severe infection, criteria for intensive care unit admittance.]	Olaechea PM, Alvarez-Lerma F, Sánchez M, Torres A, Palomar M, Fernández P, Miró JM, Miguel Cisneros J, Torres M.	Enferm Infecc Microbiol Clin. 2009 Jun;27(6):342-52.
[HIV infection in immigrants in Spain: Epidemiological characteristics and clinical presentation in the CoRIS Cohort (2004-2006)]	Caro-Murillo AM, Gutiérrez F, Manuel Ramos J, Sobrino P, Miró JM, López-Cortés LF, Tural C, Moreno A, de Los Santos I, Murillas J, Camino X, Salavert M, Rubio R, Moreno S, del Amo J; CoRIS.	Enferm Infecc Microbiol Clin. 2009 Aug-Sep;27(7):380-8.
[Human immunodeficiency virus type 2 and human T-cell lymphotropic virus type 1 and type 2 infections in Spain: an update]	Toro C, Soriano V; Grupo Español de Estudio del VIH-2 y HTLV-1/2.(Miro JM, H. Clinic, Barcelona)	Enferm Infecc Microbiol Clin. 2009 Aug-Sep;27(7):377-9.
[On the way to shortening tuberculosis treatments: clinical trials of the Unitat d' Investagació en Tuberculosi de Barcelona supported by the Centers for Disease Control and Prevention.]	Moreno A, Sánchez F, Nelson J, Miró JM, Caylà JA; el Grupo de Trabajo de la UITB-TBTC (site 31).	Gac Sanit. . [Epub ahead of print] Spanish.
[Recommendations from the GESIDA/Spanish AIDS Plan regarding antiretroviral treatment in adults with human immunodeficiency virus infection (update February 2009)]	Panel de expertos de Gesida y Plan Nacional sobre el Sida. (Miro JM, H. Clinic, Barcelona)	Enferm Infecc Microbiol Clin. 2009 Apr;27(4):222-35
A pilot randomized trial comparing an intensive versus a standard intervention in stable HIV-infected patients with moderate-high cardiovascular risk.	Masiá M, Bernal E, Padilla S, García N, Escribano JC, Martínez E, Gutiérrez F.	J Antimicrob Chemother. 2009 Sep;64(3):589-98.
A simplification trial switching from nucleoside reverse transcriptase inhibitors to once-daily fixed-dose abacavir/lamivudine or tenofovir/emtricitabine in HIV-1-infected patients with virological suppression.	Martínez E, Arranz JA, Podzamczar D, Loncá M, Sanz J, Barragán P, Ribera E, Knobel H, Roca V, Gutiérrez F, Blanco JL, Mallolas J, Llibre JM, Clotet B, Dalmau D, Segura F, Arribas JR, Cosín J, Barrufet P, Casas E, Ferrer E, Curran A, González A, Pich J, Cruceta A, Arnaiz JA, Miró JM, Gatell JM; BICOMBO Study Team.	J Acquir Immune Defic Syndr. 2009 Jul 1;51(3):290-7.
Addition of gentamicin or rifampin does not enhance the effectiveness of daptomycin in treatment of experimental endocarditis due to methicillin-resistant <i>Staphylococcus aureus</i> .	Miró JM, Garcia-de-la-Maria C, Armero Y, Soy D, Moreno A, del Río A, Almela M, Sarasa M, Mestres CA, Gatell JM, Jiménez de Anta MT, Marco F; Hospital Clinic Experimental Endocarditis Study Group.	Antimicrob Agents Chemother. 2009 Oct;53(10):4172-7
Adenosine deaminase enhances T-cell response elicited by dendritic cells loaded with inactivated HIV.	Climent N, Martínez-Navio JM, Gil C, García F, Rovira C, Hurtado C, Miralles L, Gatell JM, Gallart T, Mallol J, Lluís C, Franco R.	Immunol Cell Biol. 2009 Nov-Dec;87(8):634-9.
Body image is a major determinant of sexual dysfunction in stable HIV-infected women.	Luzi K, Guaraldi G, Murri R, De Paola M, Orlando G, Squillace N, Esposito R, Rochira V, Zirilli L, Martínez E.	Antivir Ther. 2009;14(1):85-92. Erratum in: Antivir Ther. 2009;14(3):465. Vincenzo, Rochira [corrected to Rochira, Vincenzo].
Cardiovascular disease and HIV infection: host, virus, or drugs?	Martínez E, Larrousse M, Gatell JM.	Curr Opin Infect Dis. 2009 Feb;22(1):28-34.
Clinical consensus conference: survey on Gram-positive bloodstream infections with a focus on <i>Staphylococcus aureus</i> .	Naber CK, Baddour LM, Giamarellos-Bourboulis EJ, Gould IM, Herrmann M, Hoen B, Karchmer AW, Kobayashi Y, Kozlov RS, Lew D, Miró JM, Moellering RC Jr, Moreillon P, Peters G, Rubinstein E, Seifert H, Corey GR.	Clin Infect Dis. 2009 May 15;48 Suppl 4:S260-70.

Clinical guidelines for the management of acute viral infections in patients with systemic lupus erythematosus	Ramos-Casals M, Cuadrado MJ, Alba P, Sanna G, Brito-Zerón P, Bertolaccini L, Babini A, Moreno A, D'Cruz D, Khamashta MA.	Minerva Med, 2009 Dec;100(6):437-446.
Clinical presentation, etiology, and outcome of infective endocarditis in the 21st century: the International Collaboration on Endocarditis- Prospective Cohort Study	Murdoch DR, Corey GR, Hoen B, Miró JM, Fowler VG Jr, Bayer AS, Karchmer AW, Olaison L, Pappas PA, Moreillon P, Chambers ST, Chu VH, Falcó V, Holland DJ, Jones P, Klein JL, Raymond NJ, Read KM, Tripodi MF, Utili R, Wang A, Woods CW, Cabell CH; International Collaboration on Endocarditis-Prospective Cohort Study (ICE-PCS) Investigators. (A.Moreno).	Arch Intern Med. 2009 Mar 9;169(5):463-73.
Coagulase-negative staphylococcal prosthetic valve endocarditis--a contemporary update based on the International Collaboration on Endocarditis: prospective cohort study	Chu VH, Miro JM, Hoen B, Cabell CH, Pappas PA, Jones P, Stryjewski ME, Anguera I, Braun S, Muñoz P, Commerford P, Tornos P, Francis J, Oyonarte M, Selton-Suty C, Morris AJ, Habib G, Almirante B, Sexton DJ, Corey GR, Fowler VG Jr; International Collaboration on Endocarditis-Prospective Cohort Study Group. (A.Moreno).	Heart. 2009 Apr;95(7):570-6.
Common genetic variation and the control of HIV-1 in humans.	Fellay J, Ge D, Shianna KV, Colombo S, Ledergerber B, Cirulli ET, Urban TJ, Zhang K, Gumbs CE, Smith JP, Castagna A, Cozzi-Lepri A, De Luca A, Easterbrook P, Günthard HF, Mallal S, Mussini C, Dalmau J, Martinez-Picado J, Miro JM, Obel N, Wolinsky SM, Martinson JJ, Detels R, Margolick JB, Jacobson LP, Descombes P, Antonarakis SE, Beckmann JS, O'Brien SJ, Letvin NL, McMichael AJ, Haynes BF, Carrington M, Feng S, Telenti A, Goldstein DB; NIAID Center for HIV/AIDS Vaccine Immunology (CHAVI).	PLoS Genet. 2009 Dec;5(12):e1000791.
Continuous antiretroviral therapy decreases bone mineral density.	Grund B, Peng G, Gibert CL, Hoy JF, Isaksson RL, Shlay JC, Martinez E, Reiss P, Visnegarwala F, Carr AD; INSIGHT SMART Body Composition Substudy Group.	AIDS. 2009 Jul 31;23(12):1519-29.
Decrease in serial prevalence of coinfection with hepatitis C virus among HIV-infected patients in Spain, 1997-2006.	Pérez Cachafeiro S, Del Amo J, Iribarren JA, Salavert Lleti M, Gutiérrez F, Moreno A, Labarga P, Pineda JA, Vidal F, Berenguer J, Moreno S; Cohorts of the Spanish AIDS Research Network (CoRIS and CoRIS-MD).	Clin Infect Dis. 2009 May 15;48(10):1467-70.
Delayed diagnosis of HIV infection in a multicenter cohort: prevalence, risk factors, response to HAART and impact on mortality.	Sobrinho-Vegas P, García-San Miguel L, Caro-Murillo AM, Miró JM, Viciano P, Tural C, Saumoy M, Santos I, Sola J, del Amo J, Moreno S; CoRIS.	Curr HIV Res. 2009 Mar;7(2):224-30.
Disorders of body fat distribution in HIV-1-infected patients.	Moreno S, Miralles C, Negredo E, Domingo P, Estrada V, Gutiérrez F, Lozano F, Martínez E.	AIDS Rev. 2009 Jul-Sep;11(3):126-34.
Donor mannose-binding lectin gene polymorphisms influence the outcome of liver transplantation	Cervera C, Balderramo D, Suarez B, Prieto J, Fuster F, Linares L, Fuster J, Moreno A, Lozano F, Navasa M.	. Liver Transpl. 2009; 15: 1217-1224.

Early Bacteremia After Solid Organ Transplantation.	Linares L, García Goez JF, Cervera C, Almela M, Sanclemente G, Cofán F, Ricart MJ, Navasa M, Moreno A.	Transplant Proc. 2009 Jul-Aug;41(6):2262-4.
Efficacy and safety of switching from boosted lopinavir to boosted atazanavir in patients with virological suppression receiving a LPV/r-containing HAART: the ATAZIP study.	Mallolas J, Podzamczar D, Milinkovic A, Domingo P, Clotet B, Ribera E, Gutiérrez F, Knobel H, Cosin J, Ferrer E, Arranz JA, Roca V, Vidal F, Murillas J, Pich J, Pedrol E, Llibre JM, Dalmau D, García I, Aranda M, Cruceta A, Martínez E, Blanco JL, Lazzari E, Gatell JM; ATAZIP Study Group.	J Acquir Immune Defic Syndr. 2009 May 1;51(1):29-36.
Fosamprenavir (GW433908)/ritonavir in HIV-infected patients: efficacy and safety results from the Spanish Expanded Access Program.	Pérez-Elias MJ, Sánchez-Conde M, Soriano V, Mallolas J, Luque I, Rodríguez-Alcántara F; Fosamprenavir Expanded Access Program Group.	Enferm Infecc Microbiol Clin. 2009 Jan;27(1):28-32.
Genetic and functional mitochondrial assessment of HIV-infected patients developing HAART-related hyperlactatemia.	Garrabou G, Morén C, Gallego-Escuredo JM, Milinkovic A, Villarroya F, Negredo E, Giralt M, Vidal F, Pedrol E, Martínez E, Cardellach F, Gatell JM, Miró O.	J Acquir Immune Defic Syndr. 2009 Dec 1;52(4):443-51.
Guidelines on the prevention, diagnosis, and treatment of infective endocarditis (new version 2009): the Task Force on the Prevention, Diagnosis, and Treatment of Infective Endocarditis of the European Society of Cardiology (ESC).	Task Force on the Prevention, Diagnosis, and Treatment of Infective Endocarditis of the European Society of Cardiology; European Society of Clinical Microbiology and Infectious Diseases; International Society of Chemotherapy for Infection and Cancer, (Miro JM, H. Clinic)	Eur Heart J. 2009 Oct;30(19):2369-413.
Health care-associated native valve endocarditis: importance of non-nosocomial acquisition.	Benito N, Miró JM, de Lazzari E, Cabell CH, del Rio A, Altclas J, Commerford P, Delahaye F, Dragulescu S, Giamarellou H, Habib G, Kamarulzaman A, Kumar AS, Nacinovich FM, Suter F, Tribouilloy C, Venugopal K, Moreno A, Fowler VG Jr; ICE-PCS(International Collaboration on Endocarditis Prospective Cohort Study).	Ann Intern Med. 2009;150(9):586-94
Hepatitis C virus coinfection does not influence the CD4 cell recovery in HIV-1-infected patients with maximum virologic suppression.	Peters L, Mocroft A, Soriano V, Rockstroh JK, Losso M, Valerio L, Aldins P, Reiss P, Ledergerber B, Lundgren JD; EuroSIDA Study Group.(Miro JM, H. Clinic Barcelona).	J Acquir Immune Defic Syndr. 2009 Apr 15;50(5):457-63.
Heterogeneous vancomycin-intermediate susceptibility phenotype in bloodstream methicillin-resistant Staphylococcus aureus isolates from an international cohort of patients with infective endocarditis: prevalence, genotype, and clinical significance.	Bae IG, Federspiel JJ, Miró JM, Woods CW, Park L, Rybak MJ, Rude TH, Bradley S, Bukovski S, de la Maria CG, Kanj SS, Korman TM, Marco F, Murdoch DR, Plesiat P, Rodríguez-Creixems M, Reinbott P, Steed L, Tattevin P, Tripodi MF, Newton KL, Corey GR, Fowler VG Jr; International Collaboration on Endocarditis-Microbiology Investigator (A.Moreno).	J Infect Dis. 2009 Nov 1;200(9):1355-66.
HIV infection late detection in AIDS patients of an European city with increased immigration since mid 1990s.	Carnicer-Pont D, de Olalla PG, Caylà JA; AIDS Working Group.(Miro JM, H. Clinic Barcelona)	Curr HIV Res. 2009 Mar;7(2):237-43.
How much fat loss is needed for lipoatrophy to become clinically evident?	Podzamczar D, Ferrer E, Martínez E, Del Rio L, Rosales J, Curto J, Ribera E, Barrufet P, Llibre JM, Aranda M; ABCDE Study Team.	AIDS Res Hum Retroviruses. 2009 Jun;25(6):563-7.
Impact of alpha-defensins1-3 on the maturation and differentiation of human monocyte-derived DCs. Concentration-dependent opposite dual effects.	Rodríguez-García M, Oliva H, Climent N, Escribese MM, García F, Moran TM, Gatell JM, Gallart T.	Clin Immunol. 2009 Jun;131(3):374-84.

Incidence and risk factors of HIV-related non-Hodgkin's lymphoma in the era of combination antiretroviral therapy: a European multicohort study.	Collaboration of Observational HIV Epidemiological Research Europe (COHERE) Study Group.	Antivir Ther. 2009;14(8):1065-74.
Influence of mannose-binding lectin gene polymorphisms in the invasiveness of CMV disease after solid organ transplantation.	Cervera C, Lozano F, Linares L, Antón A, Balderramo D, Suárez B, Pascal M, Sanclemente G, Cofán F, Ricart MJ, Navasa M, Roig E, Marcos MA, Pumarola T, Moreno A	Transplant Proc. 2009 Jul-Aug;41(6):2259-61.
Influence of repeated cycles of structured therapy interruption on the rate of recovery of CD4+ T cells after highly active antiretroviral therapy resumption.	León A, Martínez E, Milinkovic A, Mora B, Mallolas J, Blanco JL, Larrousse M, Laguno M, Gallart T, Plana M, Gatell JM, Garcia F.	J Antimicrob Chemother. 2009 Jan;63(1):184-8
Long-term effectiveness and safety outcomes in HIV-1-infected patients after a median time of 6 years on nevirapine.	Rodríguez-Arrondo F, Aguirrebengoa K, Portu J, Muñoz J, García MA, Goikoetxea J, Martínez E, Iribarren JA, Perez-Alvarez N, Negredo E, Clotet B.	Curr HIV Res. 2009 Sep;7(5):526-32.
Mortality from HIV and TB coinfections is higher in Eastern Europe than in Western Europe and Argentina.	Podlekareva DN, Mocroft A, Post FA, Riekstina V, Miro JM, Furrer H, Bruyand M, Pantelev AM, Rakhmanova AG, Girardi E, Losso MH, Toibaro JJ, Caylá J, Miller RF, Obel N, Skrahina A, Chentsova N, Lundgren JD, Kirk O; HIV/TB Study Writing Group.	AIDS. 2009 Nov 27;23(18):2485-95
Objective amount of limb fat in HIV-infected subjects with subjective diagnosis of lipoatrophy.	Martínez E, Larrousse M, Podzamczar D, Gatell JM.	HIV Med. 2009 Apr;10(4):257-61.
Optimizing outcomes in patients with serious Gram-positive infections.	Miró JM.	Clin Microbiol Infect. 2009 Dec;15 Suppl 6:1-3.
Patients at risk from S. aureus bloodstream infections.	Del Río A, Cervera C, Moreno A, Moreillon P, Miro JM.	Clin Infect Dis 2009;48(S4):S246-53
Patients at risk of complications of Staphylococcus aureus bloodstream infection.	del Río A, Cervera C, Moreno A, Moreillon P, Miró JM.	Clin Infect Dis. 2009 May 15;48 Suppl 4:S246-53.
Pegylated interferon {alpha}2a plus ribavirin versus pegylated interferon {alpha}2b plus ribavirin for the treatment of chronic hepatitis C in HIV-infected patients.	Berenguer J, González-García J, López-Aldegue J, Von-Wichmann MA, Quereda C, Hernando A, Sanz J, Tural C, Ortega E, Mallolas J, Santos I, Miralles P, Montes ML, Bellón JM, Esteban H; GESIDA HIV/HCV cohort.	J Antimicrob Chemother. 2009 Jun;63(6):1256-63.
Pharmacokinetic assessment of nevirapine and metabolites in human immunodeficiency virus type 1-infected patients with hepatic fibrosis.	Cammett AM, MacGregor TR, Wruck JM, Felizarta F, Mialhes P, Mallolas J, Piliero PJ.	Antimicrob Agents Chemother. 2009 Oct;53(10):4147-52.
Phenotypic and functional characteristics of HIV-specific CD8 T cells and gag sequence variability after autologous dendritic cells based therapeutic vaccine.	López A, van der Lubbe N, Sánchez-Palomino S, Arnedo M, Nomdedeu M, Castro P, Guilà M, Maleno MJ, García F, Gallart T, Gatell JM, Plana M.	Vaccine. 2009 Oct 19;27(44):6166-78.
Polymorphic receptors of the innate immune system (MBL/MASP-2 and TLR2/4) and susceptibility to pneumococcal bacteremia in HIV-infected patients: a case-control study.	Horcajada JP, Lozano F, Muñoz A, Suarez B, Fariñas-Alvarez C, Almela M, Smithson A, Martínez E, Mallolas J, Mensa J, Gatell JM.	Curr HIV Res. 2009 Mar;7(2):218-23.
Predicting bacteremic pneumonia in HIV-1 infected patients consulting the emergency department.	Perelló Rafael, Miró Oscar, Marcos Maria Angeles, Almela Manel, Bragulat Ernest, Sánchez Miquel, Agustí Carlos, Miró Jose M ^a , Moreno Asunción.	Am J Emerg. (Accepted in press)
Predictors of Immune Reconstitution Inflammatory Syndrome-Associated With Kaposi Sarcoma in Mozambique: A Prospective Study.	Letang E, Almeida JM, Miró JM, Ayala E, White IE, Carrilho C, Bastos R, Nhampossa T, Menéndez C, Campbell TB, Alonso PL, Nanche D.	J Acquir Immune Defic Syndr. 2009 Oct 1
Profilaxis antibiótica de la endocarditis infecciosa: a quién y cuándo se debe recomendar.	C.Falces, C.García de la María, CA.Mestres, A.del Río, F.Marco, A.Moreno, JM.Miró por el Grupo de Estudio de la Endocarditis del Hospital Clínic de Barcelona.	Rev Esp Anestesiología Reanim. 2009; 56(3):135-8.

Prognosis of HIV-associated non-Hodgkin lymphoma in patients starting combination antiretroviral therapy.	Collaboration of Observational HIV Epidemiological Research Europe (COHERE) study group, Bohlius J, Schmidlin K, Costagliola D, Fätkenheuer G, May M, Caro Murillo AM, Mocroft A, Bonnet F, Clifford G, Touloumi G, Miro JM, Chene G, Lundgren J, Egger M.	AIDS. 2009 Sep 24;23(15):2029-37.
Progressive multifocal leukoencephalopathy in HIV-1 infection.	Cinque P, Koralknik II, Gerevini S, Miro JM, Proce RW	Lancet Infect Dis. 2009 Oct.;9(10):625-36.
Proinflammatory cytokine changes in clinically stable, virologically suppressed, HIV-infected patients switching from protease inhibitors to abacavir.	Virgili N, Fisac C, Martínez E, Ribera E, Gatell JM, Podzamczar D.	J Acquir Immune Defic Syndr. 2009 Apr 15;50(5):552-3.
Randomized trial comparing pegylated interferon alpha-2b versus pegylated interferon alpha-2a, both plus ribavirin, to treat chronic hepatitis C in human immunodeficiency virus patients.	Laguno M, Cifuentes C, Murillas J, Veloso S, Larrousse M, Payeras A, Bonet L, Vidal F, Milinkovic A, Bassa A, Villalonga C, Pérez I, Tural C, Martínez-Rebollar M, Calvo M, Blanco JL, Martínez E, Sánchez-Tapias JM, Gatell JM, Mallolas J.	Hepatology. 2009 Jan;49(1):22-31. Erratum in: Hepatology. 2009 Mar;49(3):1058.
Rate of accumulation of thymidine analogue mutations in patients continuing to receive virologically failing regimens containing zidovudine or stavudine: implications for antiretroviral therapy programs in resource-limited settings.	Cozzi-Lepri A, Phillips AN, Martínez-Picado J, Monforte A, Katlama C, Eg Hansen AB, Horban A, Bruun J, Clotet B, Lundgren JD; EuroSIDA Study Group. (Miro JM, H. Clinic, Barcelona)	J Infect Dis. 2009 Sep 1;200(5):687-97
Reduced valve replacement surgery and complication rate in Staphylococcus aureus endocarditis patients receiving acetyl-salicylic acid.	Eisen DP, Corey GR, McBryde ES, Fowler VG Jr, Miro JM, Cabell CH, Street AC, Paiva MG, Ionac A, Tan RS, Tribouilloy C, Pachirat O, Jones SB, Chipigina N, Naber C, Pan A, Ravasio V, Gattringer R, Chu VH, Bayer AS; ICE Investigators.	J Infect. 2009 May;58(5):332-8
Risk factors and management of Gram-positive bacteraemia.	Cervera C, Almela M, Martínez-Martínez JA, Moreno A, Miró JM.	Int J Antimicrob Agents. 2009;34 Suppl 4:S26-30.
Risk factors for treatment-limiting toxicities in patients starting nevirapine-containing antiretroviral therapy.	Kesselring AM, Wit FW, Sabin CA, Lundgren JD, Gill MJ, Gatell JM, Rauch A, Montaner JS, de Wolf F, Reiss P, Mocroft A; Nevirapine Toxicity Multicohort Collaboration.(Miro JM, H. Clinic, Barcelona)	AIDS. 2009 Aug 24;23(13):1689-99.
Risk factors, clinical features, and outcomes of listeriosis in solid-organ transplant recipients. a matched case-control study.	Fernández-Sabé N, Cervera C, López-Medrano F, Llano M, Sáez E, Len O, Fortún J, Blanes M, Laporta R, Torre-Cisneros J, Gavalda J, Muñoz P, Fariñas C, Aguado JM, Moreno A, Carratalà J.	Clin Infect Dis. 2009; 49(8):1153-9.
Safety of Switching Nevirapine Twice Daily to Nevirapine Once Daily in Virologically Suppressed Patients.	Podzamczar D, Olmo M, Sanz J, Boix V, Negro E, Knobel H, Domingo P, Pineda JA, Vilades C, Quero JH, Force L, Lahoz JG, Muñoz P, Llibre JM, Mariño A, Ortega E, Dalmau D, Gatell JM, Antón E, Sola J, Galindo MJ, Pedrol E, Sanz J, Lima JT, Flores J; NODY Study Group.	J Acquir Immune Defic Syndr. 2009 Apr 1;50(4):390-6.
Short-term effect of ritonavir-boosted atazanavir in hepatitis B and/or C co-infected, treatment-experienced HIV patients.	Pérez-Eliás MJ, Gatell JM, Flores J, Santos J, Vera-Médez F, Clotet B, Moreno A, Pérez-Molina JA, Vendrell B, Serrano O.	HIV Clin Trials. 2009 Jul-Aug;10(4):269-75.
Should we follow the guidelines?	Gatell JM.	Enferm Infecc Microbiol Clin. 2009 Apr;27(4):197-8.
Substitution of moxifloxacin for isoniazid during intensive phase treatment of pulmonary tuberculosis.	Dorman SE, Johnson JL, Goldberg S, Muzanye G, Padayatchi N, Bozeman L, Heilig CM, Bernardo J, Choudhri S, Grosset JH, Guy E, Guyadeen P, Leus MC, Maltas G, Menzies D, Nuermberger EL, Villarino M, Vernon A, Chaisson RE; Tuberculosis Trials Consortium.(Miro JM, H. Clinic Barcelona)	Am J Respir Crit Care Med. 2009 Aug 1;180(3):273-80.

Sustained virological response to interferon plus ribavirin reduces liver-related complications and mortality in patients coinfecting with human immunodeficiency virus and hepatitis C virus.	Berenguer J, Alvarez-Pellicer J, Martín PM, López-Aldeguer J, Von-Wichmann MA, Quereda C, Mallolas J, Sanz J, Tural C, Bellón JM, González-García J; GESIDA3603/5607 Study Group.	Hepatology. 2009 Aug;50(2):407-13.
The changing face of HIV/AIDS in treated patients.	Llibre JM, Falco V, Tural C, Negredo E, Pineda JA, Muñoz J, Ortega E, Videla S, Sirera G, Martínez E, Miralles C, Iribarren J, Galindo MJ, Domingo P, d'Arminio-Monforte A, Miro JM, Clotet B.	Curr HIV Res. 2009 Jul;7(4):365-77
The effect of combined antiretroviral therapy on the overall mortality of HIV-infected individuals	HIV-CAUSAL Collaboration (Miro JM, H. Clinic, Barcelona)	AIDS. 2010 Jan 2;24(1):123-37.
The model for end-stage liver disease score is the best prognostic factor in human immunodeficiency virus 1-infected patients with end-stage liver disease: A prospective cohort study.	Murillas J, Rimola A, Laguno M, de Lazzari E, Rascón J, Agüero F, Blanco JL, Moitinho E, Moreno A, Miró JM; ESLD-HIV Working Group Investigators.	Liver Transpl. 2009 Sep;15(9):1133-41.
Timing of initiation of antiretroviral therapy in AIDS-free HIV-1-infected patients: a collaborative analysis of 18 HIV cohort studies.	When To Start Consortium, Sterne JA, May M, Costagliola D, de Wolf F, Phillips AN, Harris R, Funk MJ, Gekus RB, Gill J, Dabis F, Miró JM, Justice AC, Ledergerber B, Fätkenheuer G, Hogg RS, Monforte AD, Saag M, Smith C, Staszewski S, Egger M, Cole SR.	Lancet. 2009 Apr 18;373(9672):1352-63.
Toll-like Receptor 4 Polymorphisms and Aspergillosis.	Cervera C, Moreno A, Lozano F..	N Engl J Med 2009;360:634-5. Letter to the editor.
Tuberculosis after Solid Organ Transplantation: Incidence, Risk Factors and Clinical Characteristics in the RESITRA Cohort.	Torre-Cisneros J, Doblas A, Aguado JM, San Juan R, Blanes M, Montejo M, Cervera C, Len O, Carratalà J, Cisneros JM, Bou G, Muñoz P, Ramos A, Gurgui M, Borrell N, Fortún J, Moreno A, Gavalda J, on behalf of REIPI Network, Spain.	Clin Infect Dis 2009;48:1657-65.
Tuberculosis In Solid Organ Transplant Recipients In A Tertiary Hospital In The Last 20 Years In Barcelona, Spain..	García-Goez, JF, Linares, L, Benito, N, Cervera, C, Cofán, F, Ricart, MJ, Navasa, M, Pérez-Villa, F, González, J, Moreno, A	Transplant Proc. 2009 Jul-Aug;41(6):2268-70
Variable impact on mortality of AIDS-defining events diagnosed during combination antiretroviral therapy: not all AIDS-defining conditions are created equal.	Antiretroviral Therapy Cohort Collaboration (ART-CC), Mocroft A, Sterne JA, Egger M, May M, Grabar S, Furrer H, Sabin C, Fatkenheuer G, Justice A, Reiss P, d'Arminio Monforte A, Gill J, Hogg R, Bonnet F, Kitahata M, Staszewski S, Casabona J, Harris R, Saag M.(Miro JM, H. Clinic, Barcelona)	Clin Infect Dis. 2009 Apr 15;48(8):1138-51.
When and how to use maraviroc in HIV-infected patients.	Soriano V, Perno CF, Kaiser R, Calvez V, Gatell JM, di Perri G, Pillay D, Rockstroh J, Geretti AM.	AIDS. 2009 Nov 27;23(18):2377-85.

Malalties reumatològiques i del sistema immune.

[Risk factors for osteoporosis in osteoporotic women followed in Primary Care and in Hospitals. OPINHO-PC study]	González Macías J, Jodar E, Muñoz M, Díez Pérez A, Guañabens N, Fuster E.	Rev Clin Esp. 2009 Jul-Aug;209(7):319-24.
Accelerated atherosclerosis in systemic lupus erythematosus: perspectives towards decreasing cardiovascular morbidity and mortality.	Escárcega RO, Garcia-Carrasco M, Jara LJ, Cervera R.	Lupus. 2009 Apr;18(5):383-6.
Antiphospholipid antibodies may impair factor XIIa-dependent activation of fibrinolysis in pregnancy: in vitro evidence with human endothelial cells in culture and monoclonal anticardiolipin antibodies.	Lázaro I, Carmona F, Reverter JC, Cervera R, Tassies D, Balasch J.	Am J Obstet Gynecol. 2009 Jul;201(1):87.e1-6.
Autoimmunity and Recurrent Pregnancy Losses.	Cervera R, Balasch J.	Clin Rev Allergy Immunol. 2009 Oct 20.

Bone mineral density and risk of fractures in aging, obese post-menopausal women with type 2 diabetes. The GIUMO Study.	Sosa M, Saavedra P, Jódar E, Lozano-Tonkin C, Quesada JM, Torrijos A, Pérez-Cano R, Nogués X, Díaz-Curiel M, Moro MJ, Gómez C, Mosquera J, Alegre J, Olmos J, Muñoz-Torres M, Guañabens N, Del Pino J, Hawkins F; GIUMO Study Group.	Aging Clin Exp Res. 2009 Feb;21(1):27-32.
Catastrophic antiphospholipid syndrome (CAPS): descriptive analysis of a series of 280 patients from the "CAPS Registry".	Cervera R, Bucciarelli S, Plasín MA, Gómez-Puerta JA, Plaza J, Pons-Estel G, Shoenfeld Y, Ingelmo M, Espinosa G; Catastrophic Antiphospholipid Syndrome (CAPS) Registry Project Group (European Forum On Antiphospholipid Antibodies).	J Autoimmun. 2009 May-Jun;32(3-4):240-5
Catastrophic antiphospholipid syndrome: Treatment, prognosis, and the risk of relapse.	Bucciarelli S, Erkan D, Espinosa G, Cervera R.	Clinic Rev Allerg Immunol 2009; 38: 80-4.
Clinical significance of synovial lymphoid neogenesis and its reversal after anti-tumour necrosis factor alpha therapy in rheumatoid arthritis.	Cañete JD, Celis R, Moll C, Izquierdo E, Marsal S, Sanmartí R, Palacin A, Lora D, de la Cruz J, Pablos JL.	Ann Rheum Dis. 2009 May;68(5):751-6
Common infectious agents prevalence in antiphospholipid syndrome.	Zinger H, Sherer Y, Goddard G, Berkun Y, Barzilai O, Agmon-Levin N, Ram M, Blank M, Tincani A, Rozman B, Cervera R, Shoenfeld Y.	Lupus. 2009 Nov;18(13):1149-53.
Development of alopecia areata after biological therapy with TNF-alpha Blockers: description of a case and review of the literature.	Hernández MV, Nogués S, Ruiz-Esquivel V, Alsina M, Cañete JD, Sanmartí R.	Clin Exp Rheumatol. 2009 Sep-Oct;27(5):892-3.
Diagnostic and prognostic value of antibodies against chimeric fibrin/filaggrin citrullinated synthetic peptides in rheumatoid arthritis.	Sanmartí R, Graell E, Perez ML, Ercilla G, Viñas O, Gómez-Puerta JA, Gratacós J, Balsa A, Gómara MJ, Larrosa M, Cañete JD, Haro I.	Arthritis Res Ther. 2009;11(5):R135.
Disability measured by the modified health assessment questionnaire in early rheumatoid arthritis: prognostic factors after two years of follow-up.	Graell E, Vazquez I, Larrosa M, Rodríguez-Cros JR, Hernández MV, Gratacós J, Gómez A, Cañete JD, Gómez-Puerta JA, Sanmartí R.	Clin Exp Rheumatol. 2009 Mar-Apr;27(2):284-91.
Distinct synovial immunopathology in Behçet disease and psoriatic arthritis.	Cañete JD, Celis R, Noordenbos T, Moll C, Gómez-Puerta JA, Pizcueta P, Palacin A, Tak PP, Sanmartí R, Baeten D.	Arthritis Res Ther. 2009;11(1):R17
Epidemiology of systemic lupus erythematosus: Lessons from the Euro-Lupus cohort.	Cervera R.	Intern J Adv Rheumatol 2009; 6: 130-136
Etanercept in the longterm treatment of patients with ankylosing spondylitis.	Dijkmans B, Emery P, Hakala M, Leirisalo-Repo M, Mola EM, Paolozzi L, Salvarani C, Sanmartí R, Sibia J, Sieper J, Van Den Bosch F, van der Heijde D, van der Linden S, Wajdula J.	J Rheumatol. 2009 Jun;36(6):1256-64.
Etiopathogenesis of Behçet's disease.	Mendoza-Pinto C, García-Carrasco M, Jiménez-Hernández M, Jiménez Hernández C, Riebeling-Navarro C, Nava Zavala A, Vera Recabarren M, Espinosa G, Jara Quezada J, Cervera R.	Autoimmun Rev. 2009 Oct 30.
EULAR points to consider for conducting clinical trials in systemic lupus erythematosus: literature based evidence for the selection of endpoints.	Bertsias GK, Ioannidis JP, Boletis J, Bombardieri S, Cervera R, Dostal C, Font J, Gilboe IM, Houssiau F, Huizinga T, Isenberg D, Kallenberg CG, Khamashta M, Piette JC, Schneider M, Smolen J, Sturfelt G, Tincani A, van Vollenhoven R, Boumpas DT, Gordon C.	Ann Rheum Dis. 2009 Apr;68(4):477-83
EULAR points to consider for conducting clinical trials in systemic lupus erythematosus.	Gordon C, Bertsias G, Ioannidis JP, Boletis J, Bombardieri S, Cervera R, Dostál C, Font J, Gilboe IM, Houssiau F, Huizinga TW, Isenberg D, Kallenberg CG, Khamashta MA, Piette JC, Schneider M, Smolen JS, Sturfelt G, Tincani A, Van Vollenhoven R, Boumpas DT.	Ann Rheum Dis. 2009 Apr;68(4):470-6.
EULAR Recommendations for monitoring systemic lupus erythematosus patients in clinical practice and in observational studies.	Mosca M, Tani C, Aringer M, Bombardieri S, Boumpas D, Brey R, Cervera R, Doria A, Jayne D, Khamashta MA, Kuhn A, Gordon C, Petri M, Rekvig OP, Schneider M, Sherer Y, Shoenfeld Y, Smolen JS, Talarico R, Tincani A, van Vollenhoven RF, Ward MM, Werth VP, Carmona L.	Ann Rheum Dis. 2009 Nov 5.

European consensus statement on the terminology used in the management of lupus glomerulonephritis.	Gordon C, Jayne D, Pusey C, Adu D, Amoura Z, Aringer M, Ballerin J, Cervera R, Calvo-Alén J, Chizzolini C, Dayer J, Doria A, Ferrario F, Floege J, Guillevin L, Haubitz M, Hiepe F, Houssiau F, Lesavre P, Lightstone L, Meroni P, Meyer O, Moulin B, O'Reilly K, Praga M, Schulze-Koops H, Sinico R, Smith K, Tincani A, Vasconcelos C, Hughes G.	Lupus. 2009 Mar;18(3):257-63.
European Working Party on systemic lupus erythematosus and European Forum on Antiphospholipid Antibodies: two networks promoting European research on autoimmunity.	Cervera R, Tincani A.	Lupus. 2009 Sep;18(10):863-8.
Factor XIII-A subunit Val34Leu polymorphism is associated with the risk of thrombosis in patients with antiphospholipid antibodies and high fibrinogen levels.	de la Red G, Tàssies D, Espinosa G, Monteagudo J, Bové A, Plaza J, Cervera R, Reverter JC.	Thromb Haemost. 2009 Feb;101(2):312-6
Factors influencing polyautoimmunity in systemic lupus erythematosus.	Rojas-Villarraga A, Toro CE, Espinosa G, Rodríguez-Velosa Y, Duarte-Rey C, Mantilla RD, Iglesias-Gamarra A, Cervera R, Anaya JM.	Autoimmun Rev. 2009 Oct 9
Heart valve surgery in patients with the antiphospholipid syndrome: analysis of a series of nine cases.	Colli A, Mestres CA, Espinosa G, Plasín MA, Pomar JL, Font J, Cervera R.	Eur J Cardiothorac Surg. 2009 Aug 19.
High osteoprotegerin serum levels in primary biliary cirrhosis are associated with disease severity but not with the mRNA gene expression in liver tissue.	Guañabens N, Enjuanes A, Alvarez L, Peris P, Caballería L, Jesús Martínez de Osaba M, Cerdá D, Monegal A, Pons F, Parés A.	J Bone Miner Metab. 2009;27(3):347-54.
Immature blood vessels in Rheumatoid synovium are selectively depleted in response to anti-TNF therapy.	Izquierdo E, Cañete JD, Celis R, Santiago B, Usategui A, Sanmartí R, Del Rey MJ, Pablos JL.	PLoS One. 2009 Dec 2;4(12):e8131.
In Memoriam	Shoenfeld Y, Gershwin ME, Cervera R, Ronald A. Asherson	Clinic Rev Allerg Immunol 2009; 38: 71-73.
Infections and the antiphospholipid syndrome	García-Carrasco M, Galarza-Maldonado C, Mendoza-Pinto C, Escárcega RO, Cervera R.	Clinic Rev Allerg Immunol 2009; 38: 104-108.
Influence of variants of Fc gamma receptors IIA and IIIA on the American College of Rheumatology and European League Against Rheumatism responses to anti-tumour necrosis factor alpha therapy in rheumatoid arthritis.	Cañete JD, Suárez B, Hernández MV, Sanmartí R, Rego I, Celis R, Moll C, Pinto JA, Blanco FJ, Lozano F.	Ann Rheum Dis. 2009 Oct;68(10):1547-52
Interstitial lung disease as a presenting manifestation of microscopic polyangiitis successfully treated with mycophenolate mofetil.	Gómez-Puerta JA, Espinosa G, Morlà R, Cid MC, Cervera R.	Clin Exp Rheumatol. 2009 Jan-Feb;27(1):166-7
Macroscopic features of knee synovitis in early untreated Behçet disease and psoriatic arthritis.	Moll C, Bogas M, Gómez-Puerta JA, Celis R, Vázquez I, Rodríguez F, Kanterewicz E, Sanmartí R, Cañete JD.	Clin Rheumatol. 2009 Sep;28(9):1053-7.
Morbidity and mortality in the antiphospholipid syndrome during a 5-year period: a multicentre prospective study of 1000 patients.	Cervera R, Khamashta MA, Shoenfeld Y, Camps MT, Jacobsen S, Kiss E, Zehner MM, Tincani A, Kontopoulou-Griva I, Galeazzi M, Bellisai F, Meroni PL, Derksen RH, de Groot PG, Gromnica-Ihle E, Baleva M, Mosca M, Bombardieri S, Houssiau F, Gris JC, Quéré I, Hachulla E, Vasconcelos C, Roch B, Fernández-Nebro A, Piette JC, Espinosa G, Bucciarelli S, Pisoni CN, Bertolaccini ML, Boffa MC, Hughes GR; Euro-Phospholipid Project Group (European Forum on Antiphospholipid Antibodies).	Ann Rheum Dis. 2009 Sep;68(9):1428-32.
Morbidity and mortality in the antiphospholipid syndrome.	Espinosa G, Cervera R.	Curr Opin Pulm Med. 2009 Sep;15(5):413-7
Mycophenolate mofetil versus cyclophosphamide for induction treatment of lupus nephritis.	Appel GB, Contreras G, Dooley MA, Ginzler EM, Isenberg D, Jayne D, Li L-S, Mysler E, Sánchez-Guerrero J, Solomons N, Wofsy D, and the Aspreva Lupus Management Study Grup (Cervera R).	J Am Soc Nephrol 2009; 20: 1103-1112
Networking in Europe for special centres of excellence for autoimmune diseases.	Vasconcelos C, Cervera R.	Lupus. 2009 Sep;18(10):930-2.

Osteoporosis in patients with systemic lupus erythematosus.	García-Carrasco M, Mendoza-Pinto C, Escárcega RO, Jiménez-Hernández M, Etchegaray Morales I, Munguía Realpozo P, Rebollo-Vázquez J, Soto-Vega E, Delezé M, Cervera R.	Isr Med Assoc J. 2009 Aug;11(8):486-91.
Pamidronate in the prevention of bone loss after liver transplantation: a randomized controlled trial.	Monegal A, Guañabens N, Suárez MJ, Suárez F, Clemente G, García-González M, De la Mata M, Serrano T, Casafont F, Tome S, Barrios C, Navasa M.	Transpl Int. 2009 Feb;22(2):198-206.
Prevalence of hepatitis C serum antibody in autoimmune diseases	Agmon-Levin N, Ram M, Barzilai O, Porat-Katz BS, Parikman R, Selmi C, Gershwin ME, Anaya JM, Youinou P, Bizzaro N, Tincani A, Tzioufas AG, Cervera R, Stojanovich L, Martin J, Gonzalez-Gay MA, Valentini G, Blank M, SanMarco M, Rozman B, Bombardieri S, De Vita S, Shoenfeld Y.	J Autoimmun. 2009 May-Jun;32(3-4):261-6.
Proliferative lupus nephritis in a patient with systemic lupus erythematosus and longstanding secondary amyloid nephropathy.	Gómez-Puerta JA, Cervera R, Moll C, Solé M, Collado A, Sanmartí R.	Clin Rheumatol. 2009 Jan;28(1):95-7.
Prostaglandin E2 and bone turnover markers in the evaluation of primary hypertrophic osteoarthropathy (pachydermoperiostosis): a case report.	Martínez-Ferrer A, Peris P, Alós L, Morales-Ruiz M, Guañabens N.	Clin Rheumatol. 2009 Oct;28(10):1229-33
Risk factors of vertebral fractures in women with systemic lupus erythematosus.	Mendoza-Pinto C, García-Carrasco M, Sandoval-Cruz H, Muñoz-Guarneros M, Escárcega RO, Jiménez-Hernández M, Munguía-Realpozo P, Sandoval-Cruz M, Delezé-Hinojosa M, López-Colombo A, Cervera R.	Clin Rheumatol. 2009 May;28(5):579-85.
Risks factors for low bone mineral density in pre-menopausal Mexican women with systemic lupus erythematosus.	Mendoza-Pinto C, García-Carrasco M, Sandoval-Cruz H, Escárcega RO, Jiménez-Hernández M, Etchegaray-Morales I, Soto-Vega E, Muñoz-Guarneros M, López-Colombo A, Delezé-Hinojosa M, Cervera R.	Clin Rheumatol. 2009 Jan;28(1):65-70.
Sixth meeting of the European Forum on antiphospholipid antibodies. How to improve the understanding of the antiphospholipid syndrome.	Rotar Z, Rozman B, de Groot PG, Sanmarco M, Shoenfeld Y, Meroni PL, Cervera R, Pengo V, Cimaz R, Avcin T, Carp HJA, Tincani A.	Lupus 2009; 18: 53-60.
Suspensión de la anticoagulación en pacientes con síndrome antifosfolipídico primario en los que se negativizan los anticuerpos antifosfolipídicos.	Rodríguez-Fernández S, Saavedra P, Espinosa G, Cervera R.	Rev Clin Esp 2009; 209: 357-358.
Synovial immunopathological changes associated with successful abatacept therapy in a case of severe refractory psoriatic arthritis.	Cañete JD, Celis R Phd, Hernández MV, Pablos JL, Sanmartí R.	Ann Rheum Dis. 2009 Aug 20.
The CAPS Registry: morbidity and mortality of the catastrophic antiphospholipid syndrome.	Bucciarelli S, Espinosa G, Cervera R.	Lupus. 2009 Sep;18(10):905-12.
The Euro-lupus project: epidemiology of systemic lupus erythematosus in Europe.	Cervera R, Khamashta MA, Hughes GR.	Lupus. 2009 Sep;18(10):869-74
The Euro-Phospholipid project: epidemiology of the antiphospholipid syndrome in Europe.	Cervera R, Boffa MC, Khamashta MA, Hughes GR.	Lupus. 2009 Sep;18(10):889-93.
The Ped-APS Registry: the antiphospholipid syndrome in childhood.	Avcin T, Cimaz R, Rozman B, and the Ped-APS Registry Collaborative Group (Cervera R).	Lupus 2009; 18: 894-899.
Thrombin activatable fibrinolysis inhibitor and clot lysis time in pregnant patients with antiphospholipid syndrome: relationship with pregnancy outcome and thrombosis.	Martínez-Zamora MA, Tassies D, Carmona F, Espinosa G, Cervera R, Reverter JC, Balasch JC.	Am J Reprod Immunol. 2009 Dec;62(6):381-9.
Thromboprophylaxis and obstetric management of the antiphospholipid syndrome.	Espinosa G, Cervera R.	Expert Opin Pharmacother. 2009 Mar;10(4):601-14
Unusual manifestations of the antiphospholipid syndrome.	Cervera R, Espinosa G.	Int J Clin Rheumatol 2009; 4: 189-202.

Use of rituximab in patients with systemic lupus erythematosus: An update.	García-Carrasco M, Jiménez-Hernández M, Escárcega RO, Mendoza-Pinto C, Galarza-Maldonado C, Sandoval-Cruz M, Zamudio-Huerta L, López-Colombo A, Cervera R.	Autoimmun Rev 2009; 8: 343-348
--	--	--------------------------------

Medicina d'atenció primària

[Antibiotic prescribing in respiratory tract infections and predictive factors for their use.]	Llor C, Cots JM, Bjerrum L, Cid M, Guerra G, Arranz X, Gómez M, Monedero MJ, Alcántara JD, Pérez C, García G, Ortega J, Cigüenza ML, Pineda V, Paredes J, Burgazzoli JL, Hernández S; y grupo de estudio Happy Audit España.	Aten Primaria. 2009 Aug 25
[Cross-sectional epidemiological study of clinical profiles and glycemc control in diabetic patients in primary care in Spain (the EPIDIAP study)]	de Pablos Velasco P, Franch J, Banegas Banegas JR, Fernández Anaya S, Sicras Mainar A, Díaz Cerezo S.	Endocrinol Nutr. 2009 May;56(5):233-40. Epub 2009 Jul 1. Spanish. Erratum in: Endocrinol Nutr. 2009 Jun-Jul;56(6):330.
[Differences between office and ambulatory control of hypertension in very elderly patients. The CARDIORISC - MAPAPRES project.]	Llisterri JL, Alonso FJ, Gorostidi M, Sierra C, de La Sierra A, Banegas JR, Segura J, Sobrino J, De La Cruz JJ, Madruga F, Aranda P, Redon J, Ruilope LM; en representación de los investigadores del Proyecto CARDIORISC-MAPAPRES. Sociedad Española de Hipertensión-Liga Española para la Lucha contra la Hipertensión Arterial (SEH-LELHA).	Med Clin (Barc). 2009 Nov 28;133(20):769-76.
[Hypertension and health policy in Spain]	Banegas JR, Jovell A, Abarca B, Aguilar Diosdado M, Aguilera L, Aranda P, Bertoméu V, Capilla P, Conthe P, De Alvaro F, Fernández-Pro A, Formiguera X, Frías J, Guerrero L, Llisterri JL, Lobos JM, Macías JF, Martín De Francisco AL, Millán J, Morales JC, Palomo V, Roca-Cusachs A, Román J, Sanchis C, Sarriá A, Segura J, De La Sierra A, Verde L, Zarco J, Ruilope LM.	Med Clin (Barc). 2009 Feb 21;132(6):222-9.
[Reply to the letter corresponding to the published article "Initial management of acute ischemic stroke"]	Navarrete P.	Med Intensiva. 2009 Nov;33(8):408.
[The evolution of quality care indicators of patients with type 2 diabetes in the Spanish primary care (1996-2007). The RedGEDAPS quality of care program.]	Franch Nadal J, Artola Menéndez S, Diez Espino J, Mata Cases M; en representación de la Red de Grupos de Estudio de la Diabetes en Atención Primaria de la Salud.	Med Clin (Barc). 2009 Sep 16.
Análisis coste-efectividad de aliskiren en pacientes hipertensos, con diabetes tipo 2 y nefropatía ya tratados de forma óptima con ARA-II y otros fármacos antihipertensivos.	Brosa, M; De la Figuera, M; Franch, J; Segura, J; Riera, M; Figueras, M.:	Pharmacoeconomics Spanish Research Articles. 2009; 6: 95-104
Antibiotic prescribing over the last 16 years: fewer antibiotics but the spectrum is broadening.	Llor C, Cots JM, Gaspar MJ, Alay M, Rams N.	Eur J Clin Microbiol Infect Dis. 2009 Aug;28(8):893-7.
Biogeographical origin and varicella risk in the adult immigration population in Catalonia, Spain (2004-2006).	Valerio L, Escribá JM, Fernández-Vázquez J, Roca C, Milozzi J, Solsona L, Molina I.	Euro Surveill. 2009 Sep 17;14(37). pii: 19332.
Clasificación de la fibromialgia. Revisión sistemática de la literatura.	Belenguer R, Ramos-Casals M, Sisó A, Rivera J.	Reumatología Clínica 2009; 5 (2): 55-62
Efficacy of amoxicillin versus amoxicillin/clavulanate in acute exacerbations of chronic pulmonary obstructive disease in primary care.	Llor C, Hernández S, Ribas A, Alvarez C, Cots JM, Bayona C, González I, Miravittles M; BRAMOX Study Group.	Int J Chron Obstruct Pulmon Dis. 2009;4:45-53.
Lack of correlation between the central anti-nociceptive and peripheral anti-inflammatory effects of selective COX-2 inhibitor parecoxib.	Urdaneta A, Siso A, Urdaneta B, Cardenas R, Quintero L, Avila R, Suarez-Roca H.	Brain Res Bull. 2009 Aug 28;80(1-2):56-61.
Prevalence and clinical relevance of autoimmune neutropenia in patients with primary Sjögren's syndrome.	Brito-Zerón P, Soria N, Muñoz S, Bové A, Akasbi M, Belenguer R, Sisó A, Ramos-Casals M.	Semin Arthritis Rheum. 2009 Apr;38(5):389-95.

Prevalence and factors associated with circadian blood pressure patterns in hypertensive patients.	de la Sierra A, Redon J, Banegas JR, Segura J, Parati G, Gorostidi M, de la Cruz JJ, Sobrino J, Llisterri JL, Alonso J, Vinyoles E, Pallarés V, Sarría A, Aranda P, Ruilope LM; Spanish Society of Hypertension Ambulatory Blood Pressure Monitoring Registry Investigators.	Hypertension. 2009 Mar;53(3):466-72.
Problemas relacionados con la medicación que causan ingresos hospitalarios.	Sotoca JM, Canivell S, Alemany L, Sisó A, Codina C, Ribas J.	Aten Primaria 2009; 41 (3): 141-146.
Randomized, placebo-controlled evaluation of chlorobutanol, potassium carbonate, and irrigation in cerumen removal.	Caballero M, Navarrete P, Prades E, Domenech J, Bernal-Sprekelsen M.	Ann Otol Rhinol Laryngol. 2009 Aug;118(8):552-5
Renal and cardiovascular events: do they deserve the same consideration in clinical trials?	Ruilope LM, Segura J, Fujita T, Ritz E.	J Hypertens. 2009 Sep;27(9):1743-5
Repetition of the rapid antigen test in initially negative supposed streptococcal pharyngitis is not necessary in adults.	Llor C, Calviño O, Hernández S, Crispi S, Pérez-Bauer M, Fernández Y, Martínez T, Gómez FF, Cots JM.	Int J Clin Pract. 2009 Sep;63(9):1340-4
Sjögren Syndrome or Sjögren Disease? The Histological and Immunological Bias Caused by the 2002 Criteria.	Ramos-Casals M, Brito-Zerón P, Perez-De-Lis M, Jimenez I, Blanco MJ, Bove A, Soto MJ, Akasbi M, Diaz C, Sentis J, Siso A.	Clin Rev Allergy Immunol. 2009 Jul 4.
The sale of antibiotics without prescription in pharmacies in Catalonia, Spain.	Llor C, Cots JM.	Clin Infect Dis. 2009 May 15;48(10):1345-9.

Oncología clínica

[Prediction of prognosis of patients with pancreatic adenocarcinoma with curative intent resection by means of histologic grade and pathologic N stage]	Soriano-Izquierdo A, Adet AC, Gallego R, Miquel R, Castells A, Pellisé M, Nadal C, López-Boado MA, Piqué JM, Gascón P, Conill C, Bombí A, Fernández-Cruz L, Maurel J, Navarro S.	Med Clin (Barc). 2009 Feb 14;132(5):163-71
[The future of molecular markers in cancer: towards a tailored treatment.]	Gascón P.	Med Clin (Barc). 2009 Apr 18;132(14):549-50.
[The role of chemotherapy in advanced oral cavity cancer.]	Caballero M, Grau JJ, Casellas S, Bernal-Sprekelsen M, Blanch JL.	Acta Otorrinolaringol Esp. 2009 Jul-Aug;60(4):260-7
18F-FDG PET/CT for early prediction of response to neoadjuvant chemotherapy in breast cancer.	Duch J, Fuster D, Muñoz M, Fernández PL, Paredes P, Fontanillas M, Guzmán F, Rubí S, Lomeña FJ, Pons F.	Eur J Nucl Med Mol Imaging. 2009 Oct;36(10):1551-7.
Anemia management in oncology and hematology.	Spivak JL, Gascón P, Ludwig H.	Oncologist. 2009;14 Suppl 1:43-56
Darbepoetin alfa for treating chemotherapy-induced anemia in patients with a baseline hemoglobin level < 10 g/dL versus > or = 10 g/dL: an exploratory analysis from a randomized, double-blind, active-controlled trial.	Vansteenkiste J, Hedenus M, Gascon P, Bokemeyer C, Ludwig H, Vermorken J, Hamilton L, Bridges K, Pujol B.	BMC Cancer. 2009 Sep 3;9:311.
Development of a new questionnaire to assess patient perceptions of cancer-related fatigue: item generation and item reduction.	Baró E, Carulla J, Cassinello J, Colomer R, Mata JG, Gascón P, Gasquet JA, Herdman M, Rodríguez CA, Sánchez J, Valentín V.	Value Health. 2009 Jan;12(1):130-8.
Dihydrofolate reductase amplification and sensitization to methotrexate of methotrexate-resistant colon cancer cells.	Morales C, García MJ, Ribas M, Miró R, Muñoz M, Caldas C, Peinado MA.	Mol Cancer Ther. 2009 Feb;8(2):424-32.
Exemestane as primary treatment of oestrogen receptor-positive breast cancer in postmenopausal women: a phase II trial.	Barnadas A, Gil M, González S, Tusquets I, Muñoz M, Arcusa A, Prieto L, Margelí-Vila M, Moreno A.	Br J Cancer. 2009 Feb 10;100(3):442-9.
Gemcitabine and capecitabine in previously anthracycline-treated metastatic breast cancer: a multicenter phase II study (SOLTI 0301 trial).	Ciruelos EM, Cortés J, Cortés-Funes H, Mayordomo JJ, Bermejo B, Ojeda B, García E, Rodríguez CA, Muñoz M, Gómez P, Manso L, Andrés R, Lluch A, Saura C, Mendiola C, Baselga J.	Ann Oncol. 2009 Nov 25.
Gene single nucleotide polymorphism accumulation improves survival in advanced head and neck cancer patients treated with weekly paclitaxel.	Grau JJ, Caballero M, Campayo M, Jansa S, Vargas M, Alós L, Monzo M.	Laryngoscope. 2009 Aug;119(8):1484-90.

Is nephrology more at ease than oncology with erythropoiesis-stimulating agents? Treatment guidelines and an update on benefits and risks.	Locatelli F, Gascón P.	Oncologist. 2009;14 Suppl 1:57-62
Molecular biology of androgen-independent prostate cancer: the role of the androgen receptor pathway.	Mellado B, Codony J, Ribal MJ, Visa L, Gascón P.	Clin Transl Oncol. 2009 Jan;11(1):5-10.
Nonpegylated liposomal doxorubicin (TLC-D99), paclitaxel, and trastuzumab in HER-2-overexpressing breast cancer: a multicenter phase I/II study.	Cortes J, Di Cosimo S, Climent MA, Cortés-Funes H, Lluch A, Gascón P, Mayordomo JI, Gil M, Benavides M, Cirera L, Ojeda B, Rodríguez CA, Trigo JM, Vazquez J, Regueiro P, Dorado JF, Baselga J; Spanish Breast Cancer Cooperative Group SOLTI.	Clin Cancer Res. 2009 Jan 1;15(1):307-14. Erratum in: Clin Cancer Res. 2009 Mar 1;15(5):1843
Phase I clinical trial of liposomal-encapsulated doxorubicin citrate and docetaxel, associated with trastuzumab, as neo-adjuvant treatment in stages II and IIIA, HER2-overexpressing breast cancer patients. GEICAM 2003-03 study.	Antón A, Ruiz A, Seguí MA, Calvo L, Muñoz M, Lao J, Sancho F, Fernández L.	Ann Oncol. 2009 Mar;20(3):454-9.
Phase II trial of short-term neoadjuvant docetaxel and complete androgen blockade in high-risk prostate cancer.	Mellado B, Font A, Alcaraz A, Aparicio LA, Veiga FJ, Areal J, Gallardo E, Hannaoui N, Lorenzo JR, Sousa A, Fernandez PL, Gascon P.	Br J Cancer. 2009 Oct 20;101(8):1248-52
Serum matrilysin levels predict outcome in curatively resected colorectal cancer patients.	Martínez-Fernández A, García-Albeniz X, Pineda E, Visa L, Gallego R, Codony-Servat J, Augé JM, Longarón R, Gascón P, Lacy A, Castells A, Maurel J.	Ann Surg Oncol. 2009 May;16(5):1412-20.
Spanish Society of medical oncology consensus on the use of erythropoietic stimulating agents in anaemic cancer patients.	Alberola V, Carrato A, Díaz-Rubio E, Gascón P, et al.	Clin Transl Oncol 11: 727-736, 2009
The role of MMP7 and its cross-talk with the FAS/FASL system during the acquisition of chemoresistance to oxaliplatin.	Almendro V, Ametller E, García-Recio S, Collazo O, Casas I, Augé JM, Maurel J, Gascón P.	PLoS One. 2009;4(3):e4728.
Weekly paclitaxel for platin-resistant stage IV head and neck cancer patients.	Grau JJ, Caballero M, Verger E, Monzó M, Blanch JL.	Acta Otolaryngol. 2009 Nov;129(11):1294-9.
Serum IGF-I, IGFBP-3, and matrix metalloproteinase-7 levels and acquired chemo-resistance in advanced colorectal cancer.	Gallego R, Codony-Servat J, García-Albéniz X, Carcereny E, Longarón R, Oliveras A, Tosca M, Augé JM, Gascón P, Maurel J.	Endocr Relat Cancer. 2009 Mar;16(1):311-7.

Semiologia general i propedèutica

[Can we achieve a greater reduction of cardiovascular mortality and morbidity in patients already treated with renin-angiotensin system blockers?]	de la Sierra A, Ruilope LM.	Med Clin (Barc). 2009 Nov 10.
[Differences between office and ambulatory control of hypertension in very elderly patients. The CARDIORISC - MAPAPRES project.]	Llisterri JL, Alonso FJ, Gorostidi M, Sierra C, de La Sierra A, Banegas JR, Segura J, Sobrino J, De La Cruz JJ, Madruga F, Aranda P, Redon J, Ruilope LM; en representación de los investigadores del Proyecto CARDIORISC-MAPAPRES. Sociedad Española de Hipertensión-Liga Española para la Lucha contra la Hipertensión Arterial (SEH-LELHA).	Med Clin (Barc). 2009 Nov 28;133(20):769-76.
[Differences on the contribution of specific components of the metabolic syndrome between hypertensive Latin American and Spanish patients]	de la Sierra A, Piskorz D, Plavnik F, Saavedra L; Red Iberoamericana de Síndrome Metabólico.	Med Clin (Barc). 2009 Jun 13;133(2):47-52.
[Evaluation of the status of patients with severe infection, criteria for intensive care unit admittance.]	Olaechea PM, Alvarez-Lerma F, Sánchez M, Torres A, Palomar M, Fernández P, Miró JM, Miguel Cisneros J, Torres M.	Enferm Infecc Microbiol Clin. 2009 Jun;27(6):342-52.

[Hypertension and health policy in Spain]	Banegas JR, Jovell A, Abarca B, Aguilar Diosdado M, Aguilera L, Aranda P, Bertoméu V, Capilla P, Conthe P, De Alvaro F, Fernández-Pro A, Formiguera X, Frías J, Guerrero L, Llisterri JL, Lobos JM, Macías JF, Martín De Francisco AL, Millán J, Morales JC, Palomo V, Roca-Cusachs A, Román J, Sanchis C, Sarriá A, Segura J, De La Sierra A, Verde L, Zarco J, Ruilope LM.	Med Clin (Barc). 2009 Feb 21;132(6):222-9.
[Hypertension in the elderly population]	Sierra C, López-Soto A, Coca A.	Rev Esp Geriatr Gerontol. 2008 Oct;43 Suppl 2:53-9. Spanish.
[Obesity, physical activity and cardiovascular risk: ergoanthropometric classification, pharmacological variables, biomarkers and "obesity paradox"]	Morales Salinas A, Coca A.	Med Clin (Barc). 2009 May 18.
[Prevalence of target organ damage and factors associated with cardiovascular events in subjects with refractory hypertension]	Armario P, Oliveras A, Hernández Del Rey R, Poch E, Larrouse M, Roca-Cusachs A, de la Sierra A.	Med Clin (Barc). 2009 Jun 27;133(4):127-31.
[Relationship between chronic fatigue syndrome and type A behaviour]	Godás Sieso T, Gómez Gil E, Salamero Baró M, Fernandez-Huerta JM, Fernandez-Solá J.	Med Clin (Barc). 2009 Oct 17;133(14):539-41.
Accidentes biológicos percutáneos en el personal sanitario: análisis de factores de riesgo no prevenibles mediante precauciones estándar.	M. Campins, M. Torres, P. Varela, V. López, A. Gascó, M. De la Prada, M. Espuga, G. Tapia, P. Peña, E. Hermosilla, S. Otero, T. Bastida, P. Sanz, JM. Bayas, C. Serra.	Med Clin (Barc)2009; 132: 251-258.
A 3 years follow-up of a Mediterranean diet rich in virgin olive oil is associated with high plasma antioxidant capacity and reduced body weight gain.	Razquin C, Martinez JA, Martinez-Gonzalez MA, Mitjavila MT, Estruch R, Marti A.	Eur J Clin Nutr. 2009 Dec;
Acute effects of pharmacotherapies in blood pressure in normotensive moderate smokers.	Martins LC, Ferreira-Melo SE, Sabha M, Coelho OR, Yugar-Toledo JC, Quinaglia T, Moreira MM, Coca A, Moreno Júnior H.	Blood Press. 2009;18(5):255-60.
Alcohol consumption is associated with high concentrations of urinary hydroxytyrosol.	Schröder H, de la Torre R, Estruch R, Corella D, Martínez-González MA, Salas-Salvadó J, Ros E, Arós F, Flores G, Civit E, Farré M, Fiol M, Vila J, Fernandez-Crehuet J, Ruiz-Gutiérrez V, Lapetra J, Sáez G, Covas MI; PREDIMED Study Investigators.	Am J Clin Nutr. 2009 Nov;90(5):1329-35.
Aldosterone excess or escape: Treating resistant hypertension.	Ubaid-Girioli S, Adriana de Souza L, Yugar-Toledo JC, Martins LC, Ferreira-Melo S, Coelho OR, Sierra C, Coca A, Pimenta E, Moreno H.	J Clin Hypertens (Greenwich). 2009 May;11(5):245-52.
Ambulatory blood pressure monitoring (ABPM) in nonagenarians.	Formiga F, Ferrer A, Sobrino J, Coca A, Riera A, Pujol R.	Arch Gerontol Geriatr. 2009 May-Jun;4
Ambulatory blood pressure monitoring and 24-month mortality in nonagenarians.	Formiga F, Ferrer A, Sobrino J, Riera-Mestre A, Coca A, Pujol R.	J Am Geriatr Soc. 2009 May;57(5):941-3.
Antihypertensive treatment and stroke prevention: are angiotensin receptor blockers superior to other antihypertensive agents?	Armario P, de la Sierra A.	Ther Adv Cardiovasc Dis. 2009 Jun;3(3):197-204
Antineutrophil cytoplasmic antibody-associated vasculitides and respiratory disease.	Gómez-Puerta JA, Hernández-Rodríguez J, López-Soto A, Bosch X.	Chest. 2009 Oct;136(4):1101-11
Application of hypertension guidelines in clinical practice: implementation of the 2007 ESH/ESC European practice Guidelines in Spain.	de la Sierra A, Zamorano JL, Ruilope LM.	J Hypertens. 2009 Jun;27 Suppl 3:S27-32.
Biological consequences of oxygen desaturation and respiratory effort in an acute animal model of obstructive sleep apnea (OSA).	Nácher M, Farré R, Montserrat JM, Torres M, Navajas D, Bulbena O, Serrano-Mollar A.	Sleep Med. 2009 Sep;10(8):892-7.
Blood pressure as a therapeutic target in stroke.	Armario P, de la Sierra A.	Curr Top Med Chem. 2009;9(14):1278-84.
Cardiovascular morbidity and mortality and left ventricular geometric patterns in hypertensive patients treated in primary care.	Tovillas-Morán FJ, Zabaleta-del-Olmo E, Dalfó-Baqué A, Vilaplana-Coscolluela M, Galcerán JM, Coca A.	Rev Esp Cardiol. 2009 Mar;62(3):246-54

Chronic hepatitis B virus infection in Sjögren's syndrome. Prevalence and clinical significance in 603 patients.	Marcos M, Alvarez F, Brito-Zerón P, Bove A, Perez-De-Lis M, Diaz-Lagares C, Sanchez-Tapias JM, Ramos-Casals M.	Autoimmun Rev. 2009 Jun;8(7):616-20.
Complicaciones perioperatorias del paciente con alcoholismo.	Fernández-Solà J. En: Porcel JM, Casademont J, Capdevila JA, Selva-O'Callaghan A.	Medicina Consultiva: Problemas médicos del paciente quirúrgico. Publicaciones de la Universitat de Lleida 2009.
Control of hypertension in coronary heart disease.	Banegas JR, de la Sierra A, Segura J, Gorostidi M, de la Cruz J, Rodríguez-Artalejo F, Ruilope LM.	Int J Cardiol. 2009 May 15;134(2):245-7.
Cultural challenges and international research integrity.	Bosch X, Titus SL.	Lancet. 2009 Feb 21;373(9664):610-2.
Detección de acontecimientos adversos producidos por medicamentos durante la estancia hospitalaria.	Berga Culleré C, Gorgas Torner MQ, Altimiras Ruiz J, Tuset Creus M, Besalduch Martín M, Capdevila Sunyer M, Torres Gubert M, Casajoana Cortinas MT, Baró Sabaté E, Fernández-Solà J, Moron i Besolí A, Odena Estradé E, Serrais Benavente J, Vitales Farrero MT, Codina Jané C. Een representació del Grupo de Trabajo de la Societat Catalana de Farmàcia Clínica.	Farm Hosp. 2009; 33 (6): 312-323.
Dihydroxylated phenolic acids derived from microbial metabolism reduce lipopolysaccharide-stimulated cytokine secretion by human peripheral blood mononuclear cells.	Monagas M, Khan N, Andrés-Lacueva C, Urpí-Sardà M, Vázquez-Agell M, Lamuela-Raventós RM, Estruch R.	Br J Nutr. 2009 Jul;102(2):201-6.
Discrepancies between office and ambulatory blood pressure: clinical implications.	Banegas JR, Messerli FH, Waeber B, Rodríguez-Artalejo F, de la Sierra A, Segura J, Roca-Cusachs A, Aranda P, Ruilope LM.	Am J Med. 2009 Dec;122(12):1136-41.
Effect of acute and chronic whole-body vibration exercise on serum insulin-like growth factor-1 levels in women with fibromyalgia.	Alentorn-Geli E, Moras G, Padilla J, Fernández-Solà J, Bennett RM, Lázaro-Haro C, Pons S.	J Altern Complement Med. 2009 May;15(5):573-8.
Effect of cocoa powder on the modulation of inflammatory biomarkers in patients at high risk of cardiovascular disease.	Monagas M, Khan N, Andres-Lacueva C, Casas R, Urpí-Sardà M, Llorach R, Lamuela-Raventós RM, Estruch R.	Am J Clin Nutr. 2009 Nov;90(5):1144-50.
Effect of Mediterranean diet on the expression of pro-atherogenic genes in a population at high cardiovascular risk.	Llorente-Cortés V, Estruch R, Mena MP, Ros E, González MA, Fitó M, Lamuela-Raventós RM, Badimon L.	Atherosclerosis. 2009 Aug 8.
Effect of whole-body vibration exercise on serum insulin-like growth factor-1 levels in women with fibromyalgia after 1 week and 6 weeks.	- Alentorn-Geli E, Moras G, Padilla J, Fernández-Solà J, Bennett RM, Lázaro-Haro C, Pons S.	J Altern Compl Med 2009; 15 (4): 573-378.
Effectiveness and tolerability of fixed-dose combination enalapril plus nitrendipine in hypertensive patients: results of the 3-month observational, post-marketing, multicentre, prospective CENIT study.	de la Sierra A, Roca-Cusachs A, Redón J, Marín R, Luque M, de la Figuera M, Garcia-Garcia M, Falkon L; CENIT Study Working Group.	Clin Drug Investig. 2009;29(7):459-69.
Effects of dietary fibre intake on risk factors for cardiovascular disease in subjects at high risk.	Estruch R, Martínez-González MA, Corella D, Basora-Gallisa J, Ruiz-Gutiérrez V, Covas MI, Fiol M, Gómez-Gracia E, López-Sabater MC, Escoda R, Pena MA, Díez-Espino J, Lahoz C, Lapetra J, Sáez G, Ros E; PREDIMED Study Investigators.	J Epidemiol Community Health. 2009 Jul;63(7):582-8.
Endothelial dysfunction is associated with increased levels of biomarkers in essential hypertension.	de la Sierra A, Larrousse M.	J Hum Hypertens. 2009 Nov 26.
Eosinophil count probably not useful at all in postsurgical septic shock patients.	Smithson A, Perelló R, Sobrino J, Nicolas JM.	J Trauma. 2009 Aug;67(2):418.374(9695):1082-8
Epicatechin, procyanidins, and phenolic microbial metabolites after cocoa intake in humans and rats.	Urpí-Sarda M, Monagas M, Khan N, Lamuela-Raventós RM, Santos-Buelga C, Sacanella E, Castell M, Permanyer J, Andres-Lacueva C.	Anal Bioanal Chem. 2009 Jul;394(6):1545-56.
Estudio de los factores que influyen en la seguridad del paciente ingresado en Medicina Interna.	Estrada D, Fernández.Sola J, Mata F.	Todo Hospital 2009;259: 535-538.
EULAR recommendations for the Management of primary small and medium vessel vasculitis.	Mukhtar C, Guillevin L, Cid MC, Dasgupta B, de Groot K, Gross W et al	Ann Rheum Dis 2009; 68: 30-7.

EULAR recommendations for the Management of large vessel vasculitis.	Mukhtar C, Guillevin L, Cid MC, Dasgupta B, de Groot K, Gross W et al	Ann Rheum Dis 2009; 68: 318-23.
Factor XIII-A subunit Val34Leu polymorphism is associated with the risk of thrombosis in patients with antiphospholipid antibodies and high fibrinogen levels.	de la Red G, Tàssies D, Espinosa G, Monteagudo J, Bové A, Plaza J, Cervera R, Reverter JC.	Thromb Haemost. 2009 Feb;101(2):312-6
Genetic and functional mitochondrial assessment of HIV-infected patients developing HAART-related hyperlactatemia.	Garrabou G, Morén C, Gallego-Escuredo JM, Milinkovic A, Villarroya F, Negro E, Giralt M, Vidal F, Pedrol E, Martínez E, Cardellach F, Gatell JM, Miró O.	J Acquir Immune Defic Syndr. 2009 Dec 1;52(4):443-51.
Gota tofácea crónica: localización poco habitual	T. Mariné, Y. León, C. Pitarch, M. Torres.	Reumatol Clin. 2009;5:183-184.
High-density lipoprotein cholesterol and cardiovascular disease in Spanish hypertensive women. The RIMHA study.	Coca A, Cea-Calvo L, Lozano JV, Inaraja V, Fernández-Pérez C, Navarro J, Bonet A, Redón J; Representación del Grupo de los Investigadores del Estudio RIMHA.	Rev Esp Cardiol. 2009 Sep;62(9):1022-31.
Hypertensive status and lipoprotein oxidation in an elderly population at high cardiovascular risk.	Guxens M, Fitó M, Martínez-González MA, Salas-Salvadó J, Estruch R, Vinyoles E, Fiol M, Corella D, Arós F, Gómez-Gracia E, Ruiz-Gutiérrez V, Lapetra J, Ros E, Vila J, Covas MI.	Am J Hypertens. 2009 Jan;22(1):68-73.
Impact of cardiovascular risk factors on oxidative stress and DNA damage in a high risk Mediterranean population.	Fandos M, Corella D, Guillén M, Portolés O, Carrasco P, Iradi A, Martínez-González MA, Estruch R, Covas MI, Lamuela-Raventós RM, Michavilla MT, Cerdá C, Torregrosa R, Redón J, Chaves FF, Tormos MC, Ocete D, Sáez GT.	Free Radic Res. 2009 Dec;43(12):1179-86
Increased expression of the endothelin system in arterial lesions from patients with giant-cell arteritis. Association between elevated endothelin plasma levels and the development of ischemic events.	Lozano E, Segarra M, Corbera-Bellalta M, García-Martínez A, Espígol-Frigolé G, Plà-Campo A, Hernández-Rodríguez J, Cid MC.	Ann Rheum Dis. 2009 Mar 15.
Influence of antipseudomonal agents on Pseudomonas aeruginosa colonization and acquisition of resistance in critically ill medical patients.	Martínez JA, Delgado E, Martí S, Marco F, Vila J, Mensa J, Torres A, Codina C, Trilla A, Soriano A, Alquezar A, Castro P, Nicolás JM.	Intensive Care Med. 2009 Mar;35(3):439-47
Inhibition of circulating immune cell activation: a molecular antiinflammatory effect of the Mediterranean diet.	Mena MP, Sacanella E, Vazquez-Agell M, Morales M, Fitó M, Escoda R, Serrano-Martínez M, Salas-Salvadó J, Benages N, Casas R, Lamuela-Raventós RM, Masanes F, Ros E, Estruch R.	Am J Clin Nutr. 2009 Jan;89(1):248-56
Interstitial lung disease as a presenting manifestation of microscopic polyangiitis successfully treated with mycophenolate mofetil.	Gómez-Puerta JA, Espinosa G, Morlà R, Cid MC, Cervera R.	Clin Exp Rheumatol. 2009 Jan-Feb;27(1):166-7
Is eosinopenia a reliable marker of sepsis? La Sensibilitat Química Múltiple.	Smithson A, Perelló R, Nicolas JM. Fernandez-Solà J	Crit Care. 2009;13(3):409 Biorritmes 2009; 22: 6-10.
Low-fat dairy products and blood pressure: follow-up of 2290 older persons at high cardiovascular risk participating in the PREDIMED study.	Toledo E, Delgado-Rodríguez M, Estruch R, Salas-Salvadó J, Corella D, Gomez-Gracia E, Fiol M, Lamuela-Raventós RM, Schröder H, Arós F, Ros E, Ruiz-Gutiérrez V, Lapetra J, Conde-Herrera M, Sáez G, Vinyoles E, Martínez-González MA.	Br J Nutr. 2009 Jan;101(1):59-67.
Main results and clinical interpretations from the TRANSCEND study.	de la Sierra A.	J Hypertens. 2009 Jun;27 Suppl 2:S22-5.
Mediterranean diet and high dietary acid load associated with mixed nuts: effect on bone metabolism in elderly subjects.	Bulló M, Amigó-Correig P, Márquez-Sandoval F, Babio N, Martínez-González MA, Estruch R, Basora J, Solà R, Salas-Salvadó J.	J Am Geriatr Soc. 2009 Oct;57(10):1789-98.
Mediterranean food pattern and the primary prevention of chronic disease: recent developments.	Martínez-González MA, Bes-Rastrollo M, Serra-Majem L, Lairon D, Estruch R, Trichopoulos A.	Nutr Rev. 2009 May;67 Suppl 1:S111-6.
Mediterranean-style diet effect on the structural properties of the erythrocyte cell membrane of hypertensive patients: the Prevencion con Dieta Mediterranea Study.	Barceló F, Perona JS, Prades J, Funari SS, Gomez-Gracia E, Conde M, Estruch R, Ruiz-Gutiérrez V.	Hypertension. 2009 Nov;54(5):1143-50.
Mitigation of calcium channel blocker-related oedema in hypertension by antagonists of the renin-angiotensin system.	de la Sierra A.	J Hum Hypertens. 2009 Aug;23(8):503-11

Moderate consumption of red wine, but not gin, decreases erythrocyte superoxide dismutase activity: A randomised cross-over trial.	Estruch R, Sacanella E, Mota F, Chiva-Blanch G, Antúnez E, Casals E, Deulofeu R, Rotilio D, Andres-Lacueva C, Lamuela-Raventos RM, de Gaetano G, Urbano-Marquez A.	Nutr Metab Cardiovasc Dis. 2009 Oct 9
Mortality in healthy elderly patients after ICU admission.	Sacanella E, Pérez-Castejón JM, Nicolás JM, Masanés F, Navarro M, Castro P, López-Soto A.	Intensive Care Med. 2009 Mar;35(3):550-5.
Non-invasive ventilation after extubation in hypercapnic patients with chronic respiratory disorders: randomised controlled trial.	Ferrer M, Sellarés J, Valencia M, Carrillo A, Gonzalez G, Badia JR, Nicolas JM, Torres A.	Lancet. 2009 Sep 26;374(9695):1082-8.
Pharmacological versus endoscopic therapy in the prevention of variceal hemorrhage: and the winner is...	Bosch J, Garcia-Tsao G.	Hepatology. 2009 Sep;50(3):674-7.
Polymorphisms cyclooxygenase-2 -765G>C and interleukin-6 -174G>C are associated with serum inflammation markers in a high cardiovascular risk population and do not modify the response to a Mediterranean diet supplemented with virgin olive oil or nuts.	Corella D, González JI, Bulló M, Carrasco P, Portolés O, Díez-Espino J, Covas MI, Ruiz-Gutierrez V, Gómez-Gracia E, Arós F, Fiol M, Herrera MC, Santos JM, Sáez G, Lamuela R, Lahoz C, Vinyoles E, Ros E, Estruch R.	J Nutr. 2009 Jan;139(1):128-34.
Predictors of 3-year mortality in institutionalized nonagenarians: the NonaSantfeliu study.	Formiga F, Riera-Mestre A, Chivite D, Pujol R, Ferrer A, López-Soto A.	J Am Med Dir Assoc. 2009 Jul;10(6):444-6.
Predictors of adherence to a Mediterranean-type diet in the PREDIMED trial.	Zazpe I, Estruch R, Toledo E, Sánchez-Taínta A, Corella D, Bulló M, Fiol M, Iglesias P, Gómez-Gracia E, Arós F, Ros E, Schröder H, Serra-Majem L, Pintó X, Lamuela-Raventós R, Ruiz-Gutiérrez V, Martínez-González MA.	Eur J Nutr. 2009 Sep 4.
Prevalence and factors associated with circadian blood pressure patterns in hypertensive patients.	de la Sierra A, Redon J, Banegas JR, Segura J, Parati G, Gorostidi M, de la Cruz JJ, Sobrino J, Llisterri JL, Alonso J, Vinyoles E, Pallarés V, Sarría A, Aranda P, Ruilope LM; Spanish Society of Hypertension Ambulatory Blood Pressure Monitoring Registry Investigators.	Hypertension. 2009 Mar;53(3):466-72.
Prevalence and factors related to hepatitis B and C in inflammatory bowel disease patients in Spain: a nationwide, multicenter study.	Loras C, Saro C, Gonzalez-Huix F, Mínguez M, Merino O, Gisbert JP, Barrio J, Bernal A, Gutiérrez A, Piqueras M, Calvet X, Andreu M, Abad A, Ginard D, Bujanda L, Panés J, Torres M, Fernández-Bañares F, Viver JM, Esteve M; GETECCu (Grupo Español de Enfermedades de Crohn y Colitis Ulcerosa).	Am J Gastroenterol. 2009 Jan;104(1):57-63. Erratum in: Am J Gastroenterol. 2009 Mar;104(3):801.
Prevalence and vertical transmission of Trypanosoma cruzi infection among pregnant Latin American women attending 2 maternity clinics in Barcelona, Spain.	Muñoz J, Coll O, Juncosa T, Vergés M, del Pino M, Fumado V, Bosch J, Posada EJ, Hernandez S, Fisa R, Bogaña JM, Gállego M, Sanz S, Portús M, Gascón J.	Clin Infect Dis. 2009 Jun 15;48(12):1736-40.
Prevalence of the set-1B and astA genes encoding enterotoxins in uropathogenic Escherichia coli clinical isolates.	Soto SM, Guiral E, Bosch J, Vila J.	Microb Pathog. 2009 Dec;47(6):305-7.
Quick diagnosis units: a potentially useful alternative to conventional hospitalisation.	Bosch X, Aibar J, Capell S, Coca A, López-Soto A.	Med J Aust. 2009 Nov 2;191(9):496-8.
Rapid Folin-Ciocalteu method using microtiter 96-well plate cartridges for solid phase extraction to assess urinary total phenolic compounds, as a biomarker of total polyphenols intake.	Medina-Remón A, Barrionuevo-González A, Zamora-Ros R, Andres-Lacueva C, Estruch R, Martínez-González MA, Díez-Espino J, Lamuela-Raventos RM.	Anal Chim Acta. 2009 Feb 16;634(1):54-60.
Reappraisal of European guidelines on hypertension management: a European Society of Hypertension Task Force document.	Mancia G, Laurent S, Agabiti-Rosei E, Ambrosioni E, Burnier M, Caulfield MJ, Cifkova R, Clément D, Coca A, Dominiczak A, Erdine S, Fagard R, Farsang C, Grassi G, Haller H, Heagerty A, Kjeldsen SE, Kiowski W, Mallion JM, Manolis A, Narkiewicz K, Nilsson P, Olsen MH, Rahn KH, Redon J, Rodicio J, Ruilope L, Schmieder RE, Struijker-Boudier HA, van Zwieten PA, Viigimaa M, Zanchetti A.	J Hypertens. 2009 Oct 15.

Reduction in systemic and VLDL triacylglycerol concentration after a 3-month Mediterranean-style diet in high-cardiovascular-risk subjects.	Perona JS, Covas MI, Fitó M, Cabello-Moruno R, Aros F, Corella D, Ros E, Garcia M, Estruch R, Martínez-González MA, Ruiz-Gutierrez V.	J Nutr Biochem. 2009 Dec 3.
Respuesta de los autores a la carta "¿Quién teme al sistema MIR?"	M. Torres, F. Cardellach, M. Bundó, JA. Capdevila	Med Clin (Barc)2009;133:36-38.
Resveratrol, a new biomarker of moderate wine intake?	Zamora-Ros R, Lamuela-Raventós RM, Estruch R, Andres-Lacueva C.	Br J Nutr. 2009 Jan;101(1):148.
Resveratrol metabolites in urine as a biomarker of wine intake in free-living subjects: The PREDIMED Study.	Zamora-Ros R, Urpi-Sardà M, Lamuela-Raventós RM, Estruch R, Martínez-González MA, Bulló M, Arós F, Cherubini A, Andres-Lacueva C.	Free Radic Biol Med. 2009 Jun 15;46(12):1562-6
Rhabdomyolysis and acute kidney injury.	Bosch X, Poch E, Grau JM.	N Engl J Med. 2009 Jul 2;361(1):62-72.
Serum sterol responses to increasing plant sterol intake from natural foods in the Mediterranean diet.	Escuriol V, Cofán M, Serra M, Bulló M, Basora J, Salas-Salvadó J, Corella D, Zazpe I, Martínez-González MA, Ruiz-Gutiérrez V, Estruch R, Ros E.	Eur J Nutr. 2009 Sep;48(6):373-82.
Severe imported malaria in adults: retrospective study of 20 cases.	González A, Nicolás JM, Muñoz J, Castro P, Mas J, Valls ME, Coma JR, Aibar J, Gascon J.	Am J Trop Med Hyg. 2009 Oct;81(4):595-9.
Small-vessel vasculitis surrounding an uninflamed temporal artery as a diagnostic criterion for polymyalgia rheumatica: comment on the article by Chatelain et al.	Cid MC, Hernández-Rodríguez J, Espigol-Frigolé G, Butjosa M, Prieto-González S, García-Martínez A, Grau JM.	Arthritis Rheum. 2009 Sep;60(9):2853-4.
Superoxide dismutase gene transfer reduces portal pressure in CCl4 cirrhotic rats with portal hypertension.	Laviña B, Gracia-Sancho J, Rodríguez-Vilarrupla A, Chu Y, Heistad DD, Bosch J, García-Pagán JC.	Gut. 2009 Jan;58(1):118-25.
Target organ damage: how to detect it and how to treat it?	Waeber B, de la Sierra A, Ruilope LM.	J Hypertens. 2009 Jun;27 Suppl 3:S13-8.
Targeted metabolic profiling of phenolics in urine and plasma after regular consumption of cocoa by liquid chromatography-tandem mass spectrometry.	Urpi-Sarda M, Monagas M, Khan N, Llorach R, Lamuela-Raventós RM, Jáuregui O, Estruch R, Izquierdo-Pulido M, Andrés-Lacueva C.	J Chromatogr A. 2009 Oct 23;1216(43):7258-67.
Thalidomide decreases gelatinase production by malignant B lymphoid cell lines through disruption of multiple integrin-mediated signaling pathways.	Segarra M, Lozano E, Corbera-Bellalta M, Vilardeñ C, Cibeira MT, Esparza J, Izco N, Bladé J, Cid MC.	Haematologica. 2009 Oct 8.
The ADVANCE trial: clarifying the role of perindopril/indapamide fixed-dose combination in the reduction of cardiovascular and renal events in patients with diabetes mellitus.	Waeber B, de la Sierra A, Ruilope LM.	Am J Cardiovasc Drugs. 2009;9(5):283-91. doi
The geoepidemiology of autoimmune muscle disease.	Prieto S, Grau JM.	Autoimmun Rev. 2009 Nov 10.
The International Cardiovascular and Metabolic Academy Symposium. Foreword.	Parati G, de la Sierra A.	J Hypertens. 2009 Jun;27 Suppl 2:S1-2.
The spectrum of vascular involvement in giant-cell arteritis: clinical consequences of detrimental vascular remodelling at different sites.	Cid MC, Prieto-González S, Arguis P, Espigol-Frigolé G, Butjosa M, Hernández-Rodríguez J, Segarra M, Lozano E, García-Martínez A.	APMIS Suppl. 2009 Jun;(127):10-20.
TORAFIC study protocol: torasemide prolonged release versus furosemide in patients with chronic heart failure.	Diez J, Coca A, de Teresa E, Anguita M, Castro-Beiras A, Conthe P, Cobo E, Fernández E; TORAFIC Investigators Group.	Expert Rev Cardiovasc Ther. 2009 Aug;7(8):897-904.
Treatment of polymyalgia rheumatica: a systematic review.	Hernández-Rodríguez J, Cid MC, López-Soto A, Espigol-Frigolé G, Bosch X.	Arch Intern Med. 2009 Nov 9;169(20):1839-50.
Urinary albumin excretion is associated with true resistant hypertension.	Oliveras A, Armario P, Hernández-Del Rey R, Arroyo JA, Poch E, Larrousse M, Roca-Cusachs A, de la Sierra A.	J Hum Hypertens. 2009 May 7.
Valoració Funcional en Síndrome de Fatiga Crònica i Fibromialgia.	Fernández.Sola J.	Bioritmes 2009; 23: 6-9.

Memòria econòmica 2009

Memòria econòmica 2009

Funcionament Ordinari 2009	
Assignació 2009	60.113,15
Assignació per productivitat (3-11-9)	2.816,72
Total pressupost 2009	62.929,87
Despeses 2009	60.760,60
Saldo positiu (romanent pel 2010)	2.169,27
Despeses 2009	
Beques col·laboració	10.551,00
Biblioteca	125,00
Correu -Missatgeria	360,09
Fotocòpies	2.916,20
Fotografia	256,00
Material Docent Inventariable	38.884,29
Material Docent no Inventariable	3.233,58
Material oficina	2.808,80
Serveis Científics UB	764,29
Software	439,32
Telèfon	422,03
SUMA	60.760,60

