



Departament de Medicina

Memòria 2008

Docència (Pregrau i Doctorat)
Recerca
Economia

Memòria Docent 2008

Memòria docent 2008 del Departament de Medicina

Llicenciatura

(Alumnes del curs 2008-2009)

Assignatures troncales

	Crèdits Teoria	Crèdits Pràctiques	Total	Núm. Alumnes
3er. Curs				
Semiologia general i propedèutica	6	16	22	176
4rt. Curs				
Malalties de l'aparell càrdio-circulatori	2,5	10,5	13	164
Malalties de l'aparell respiratori	2,5	10,5	13	172
Malalties de la sang	2,5	2	4,5	174
Oncologia clínica	2,5	2	4,5	172
Malalties de l'aparell digestiu	2,5	10,5	13	167
Malalties del sistema nerviós	2,5	10,5	13	184
Malalties del sistema endocrí i de la nutrició	4	3	7	169
5è. Curs				
Dermatologia	3	4	7	187
Medicina d'atenció primària	1	7	8	176
Malalties del sistema excretor renal i genital masculí	2,5	10,5	13	176
Malalties infeccioses	3,5	5	8,5	188
Malalties reumatològiques i del sistema immune	2	3	5	176
Total troncales	37	94,5	131,5	2.281 Alumnes

Assignatures optatives

Atenció multidisciplinària en el pacient vell	4,5		4,5	
Elements diagnòstics en medicina interna	4,5		4,5	
Hematologia biològica. Diagnòstic de laboratori	4,5		4,5	
Introducció al diagnòstic i tractament del malalt crític	6		6	
Síndrome d'immunodeficiència adquirida	4,5		4,5	
Noves metodologies diagnòstiques i terap. en pneumologia	4,5		4,5	
Punts claus en l'atenció urgent d'un malalt	6		6	
Fisiopatologia circulatoria	4,5		4,5	
Assignatures optatives com a treball pràctic				
Assistència clínica en zones urbanes socialment deprimides	15	15	30	
Total optatives	54	15	69	

Hospitals i Centres de Salut i Atenció Primària associats al Departament de Medicina

Hospital Clínic i Provincial de Barcelona

Hospital Dos de Maig

Hospital Esperit Sant

Hospital General de Granollers

Hospital General de l'Hospitalet

Hospital Mútua de Terrassa

Hospital Sagrat Cor

CAPSE Rosselló

EAP Casanovas CAPSE

EAP Casc Antic

EAP Dr Carles Ribas

EAP El Clot

EAP Gòtic

EAP La Marina

EAP La Mina

EAP La Pau

EAP Les Corts

EAP Manso 2A Sant Antoni

EAP Manso 2B Via Roma Manso

EAP Poble Nou

EAP Raval Nord Centre Dr. Lluís Sayé

EAP Raval Sud

Doctorat 2008

Tesis aprovades:	Doctor europeu	2
	Per publicacions	18
	Format clàssic	4
Total tesis aprovades		24
Projectes de tesis inscrits al 2008:	Pla RD 185/85	1
	Pla RD 778/98	13
Tesis inscrites pendents de llegir:	Pla RD 185/85	84 (amb suficiència investigadora)
	Pla RD 778/98	40

MEDICINA

Enquestes d'opinió de l'alumnat sobre l'actuació docent del professorat

1r semestre

2n semestre



INFORME AGREGAT DE DEPARTAMENT

MEDICINA

El professorat adscrit al Departament de Medicina ha impartit docència, el 1r semestre del curs 2007-2008, en l'ensenyament de: MEDICINA. Aquest professorat va estar seleccionat prèviament en la planificació tramesa a la IAP.

L'enquesta s'ha realitzat a 27 grups classe i s'han recollit 559 respostes sobre un potencial de 1.983 respostes possibles (equivalents a la suma total dels estudiants matriculats en el conjunt dels grups participants), cosa que representa un 28,19 % de resposta vàlida.

S'han elaborat informes corresponents a l'actuació docent de 27 professors i professores, que han impartit 11 assignatures diferents. Quan el nombre de respostes rebudes ha estat inferior a 10, s'ha procedit a elaborar l'informe corresponent si es donaven simultàniament les condicions següents: que el nombre de matriculats sigui igual o superior a 5 i el nombre de respostes sigui igual o superior a 4; que la participació sigui igual o més gran al 30% dels estudiants matriculats i que l'error mostral se situï al voltant del valor 0.30.

Descripció de l'informe

L'informe s'estructura en els apartats següents:

1. **Síntesi dels principals resultats.**
2. **Informe agregat del departament.** Similar al que presenta cadascun dels professors; inclou l'anàlisi descriptiva de les dades identificadores de l'alumnat participant, la taula d'estadístics descriptius, la taula de freqüències de les respostes, el gràfic de mitjanes i la distribució per intervals de les puntuacions mitjanes del professorat participant.
3. **Agrupació dels ítems per categories.** En aquest cas, els 16 ítems de l'enquesta s'han agrupat en 7 categories segons la definició especificada en el manual d'avaluació. L'agrupació ha estat la següent:
 - ▶ Saber - domini de la matèria (ítems 3 i 4)
 - ▶ Organització i planificació de l'actuació docent (ítems 1, 2 i 6)
 - ▶ L'exposició docent (ítems 5 i 9)
 - ▶ Metodologia i ús dels recursos en el procés d'ensenyament - aprenentatge (ítems 7, 8 i 10)
 - ▶ Actituds del professorat en la interacció amb els estudiants, tant en el context de grup classe com en l'atenció individualitzada (ítems 11, 14 i 15)
 - ▶ Avaluació dels aprenentatges (ítems 12 i 13)
 - ▶ Satisfacció global (ítem 16)

Es presenta, sobre cada categoria, la distribució de mitjanes en els intervals següents: (0 - 2,5), (2,5 - 5), (5 - 7,5) i (7,5 - 10), així com la mitjana màxima, la mitjana mínima i la mitjana global de la categoria.

1. Síntesi dels principals resultats

Caracterització de la mostra

Del total d'alumnat que ha participat en l'enquesta, un 73 % han estat dones. La mitjana d'edat se situa en els 21 anys; l'edat mínima és 19 anys i la màxima 30. Pel que fa a la situació laboral, un 16,99 % manifesta que treballa i un 3,16 % d'aquests ho fa en una jornada de més de 25 hores.

Respecte al tipus d'assignatura, un 93,92 % dels estudiants les ha cursat com a obligatòries i un 0,00 % les ha triat com a optatives. Tanmateix, s'han matriculat per primera vegada el 92,31 % dels estudiants i un 0,89 % ho ha fet dues o més vegades en la mateixa assignatura.

El 79,07 % dels estudiants afirma que ha assistit a classe molt sovint. Pel que fa a l'interès per l'assignatura, un 32,02 % manifesta que té un interès molt alt. Finalment, un 17,17 % considera que ha aprofundit molt en el contingut d'aquesta.

Valoració dels ítems


En una escala de valoració d'entre 0 i 10 (totalment en desacord - totalment d'acord), l'ítem que s'ha valorat millor ha estat l'ítem 4: "Mostra un coneixement adequat de la matèria" amb una mitjana de 8,46. Per contra, l'ítem amb la valoració més baixa ha estat l'ítem 12: "El volum de feina exigida és proporcional als crèdits de l'assignatura" amb una mitjana de 6,89.

L'ítem de satisfacció global ("En general, estic satisfet/a amb la qualitat del treball desenvolupat per/per la professor/a") presenta una mitjana de 8,05 amb una desviació de $\pm 1,89$ en el total de la mostra del departament.

Taula resum de l'agrupació de les preguntes per categories i gràfic de mitjanes

Cat_1. Saber-domini de la matèria (ítems 3 i 4)	8,30
Cat_2. Organització i planificació de l'acte docent (ítems 1, 2 i 6)	7,69
Cat_3. L'exposició docent (ítems 5 i 9)	7,92
Cat_4. Metodologia i ús de recursos ... (ítems 7, 8 i 10)	7,63
Cat_5. Actituds en la interacció amb els estudiants ... (ítems 11, 14 i 15)	8,09
Cat_6. Avaluació (ítems 12 i 13)	7,04
Cat_7. Satisfacció global (ítems. 16)	8,05

Gràfic de les mitjanes globals de cada categoria












Grups participants
27

Curs 2007 - 2008
1r semestre

Alumnat matriculat en els grups participants: **1.983**
Nombre total d'enquestes emplenades: **559**

Percentatge de resposta
28,19%

Anàlisi descriptiva de les dades identificadores de l'alumnat participant



Taula d'estadístics descriptius

	respostes		departament			
	nre.	%	mitjana	desviació	mínim	màxim
1 A l'inici del curs ha explicat amb claredat els objectius, el programa de l'assignatura i els criteris d'avaluació	545	97,5	7,40	2,18	0	10
2 Planifica adequadament el desenvolupament de l'assignatura (sessions, activitats, ritme)	555	99,3	7,79	2,06	0	10
3 Presenta una visió ampla de l'assignatura	556	99,5	8,14	1,85	0	10
4 Mostra un coneixement adequat de la matèria	557	99,6	8,46	1,82	0	10
5 Transmet amb claredat els continguts de l'assignatura	549	98,2	8,06	1,93	0	10
6 Mostra una actitud flexible introduint canvis raonables en el pla del curs, quan és necessari	550	98,4	7,88	1,95	0	10
7 La metodologia desenvolupada en l'assignatura ha estat adequada	551	98,6	7,75	2,02	0	10
8 El material d'estudi i de consulta proposat (bibliografia/documents/recursos didàctics, etc.) ha estat útil per a l'aprenentatge de l'assignatura	548	98,0	7,56	2,04	0	10
9 La seva manera d'explicar aconsegueix motivar l'alumnat	556	99,5	7,78	2,15	0	10
10 El tipus de treball realitzat (lectures, exercicis, estudis, pràctiques ...) ha contribuït a un bon aprenentatge de l'assignatura	547	97,9	7,60	2,13	0	10
11 Fomenta, facilita i crea un bon clima de treball i participació a classe	554	99,1	7,98	2,04	0	10
12 El volum de feina exigit és proporcional als crèdits de l'assignatura	545	97,5	6,89	2,59	0	10
13 El tipus d'avaluació previst (criteris i procediments) s'adequa a l'assignatura	548	98,0	7,19	2,28	0	10
14 Manté un bon clima de comunicació i relació amb els estudiants	554	99,1	8,09	1,98	0	10
15 Mostra interès perquè els alumnes aprenguin	557	99,6	8,20	1,88	0	10
16 En general, estic satisfet/a amb la qualitat del treball desenvolupat pel/per la professor/a	553	98,9	8,05	1,89	0	10


Han participat un total de 27 professors/es diferents amb CODI:

400057	---	---
400208	---	---
400252	---	---
400256	---	---
400333	---	---
400486	---	---
400529	---	---
400694	---	---
400766	---	---
400895	---	---
400970	---	---
600218	---	---
600225	---	---
600228	---	---
600229	---	---
600231	---	---
600234	---	---
600235	---	---
600236	---	---
600237	---	---
600245	---	---
600249	---	---
600255	---	---
600848	---	---
600910	---	---
601601	---	---
601604	---	---
---	---	---
---	---	---
---	---	---
---	---	---
---	---	---


Taula de freqüències de les respostes (%)

		Escala de valoració										Mitjana	Desviació	
		← Totalment en desacord → Totalment d'acord →												
		0	1	2	3	4	5	6	7	8	9			10
1	A l'inici del curs ha explicat amb claredat els objectius, el programa de l'assignatura i els criteris d'avaluació	n 18	5	6	5	7	31	52	94	159	104	64	7,40	2,18
		% 3,2	0,9	1,1	0,9	1,3	5,5	9,3	16,8	28,4	18,6	11,4		
2	Planifica adequadament el desenvolupament de l'assignatura (sessions, activitats, ritme)	n 8	7	7	8	8	19	42	78	145	134	99	7,79	2,06
		% 1,4	1,3	1,3	1,4	1,4	3,4	7,5	14,0	25,9	24,0	17,7		
3	Presenta una visió ampla de l'assignatura	n 7	4	3	3	4	15	34	80	131	144	131	8,14	1,85
		% 1,3	0,7	0,5	0,5	0,7	2,7	6,1	14,3	23,4	25,8	23,4		
4	Mostra un coneixement adequat de la matèria	n 6	6	1	2	4	13	19	59	109	160	178	8,46	1,82
		% 1,1	1,1	0,2	0,4	0,7	2,3	3,4	10,6	19,5	28,6	31,8		
5	Transmet amb claredat els continguts de l'assignatura	n 8	3	4	5	8	14	36	78	125	143	125	8,06	1,93
		% 1,4	0,5	0,7	0,9	1,4	2,5	6,4	14,0	22,4	25,6	22,4		
6	Mostra una actitud flexible introduint canvis raonables en el pla del curs, quan és necessari	n 8	6	5	2	6	18	45	88	139	131	102	7,88	1,95
		% 1,4	1,1	0,9	0,4	1,1	3,2	8,1	15,7	24,9	23,4	18,2		
7	La metodologia desenvolupada en l'assignatura ha estat adequada	n 13	5	0	7	2	27	42	96	146	122	91	7,75	2,02
		% 2,3	0,9	---	1,3	0,4	4,8	7,5	17,2	26,1	21,8	16,3		
8	El material d'estudi i de consulta proposat (bibliografia/documentos/recursos didàctics, etc.) ha estat útil per a l'aprenentatge de l'assignatura	n 13	5	3	3	9	36	37	111	148	108	75	7,56	2,04
		% 2,3	0,9	0,5	0,5	1,6	6,4	6,6	19,9	26,5	19,3	13,4		
9	La seva manera d'explicar aconsegueix motivar l'alumnat	n 12	4	8	7	11	23	35	84	130	135	107	7,78	2,15
		% 2,1	0,7	1,4	1,3	2,0	4,1	6,3	15,0	23,3	24,2	19,1		
10	El tipus de treball realitzat (lectures, exercicis, estudis, pràctiques ...) ha contribuït a un bon aprenentatge de l'assignatura	n 16	3	5	4	7	27	55	94	126	129	81	7,60	2,13
		% 2,9	0,5	0,9	0,7	1,3	4,8	9,8	16,8	22,5	23,1	14,5		
11	Fomenta, facilita i crea un bon clima de treball i participació a classe	n 13	3	3	4	7	23	28	73	135	152	113	7,98	2,04
		% 2,3	0,5	0,5	0,7	1,3	4,1	5,0	13,1	24,2	27,2	20,2		
12	El volum de feina exigida és proporcional als crèdits de l'assignatura	n 31	10	10	8	18	39	53	95	140	78	63	6,89	2,59
		% 5,5	1,8	1,8	1,4	3,2	7,0	9,5	17,0	25,0	14,0	11,3		
13	El tipus d'avaluació previst (criteris i procediments) s'adequa a l'assignatura	n 11	17	6	11	10	38	56	107	125	108	59	7,19	2,28
		% 2,0	3,0	1,1	2,0	1,8	6,8	10,0	19,1	22,4	19,3	10,6		
14	Manté un bon clima de comunicació i relació amb els estudiants	n 9	5	2	5	8	21	28	68	125	155	128	8,09	1,98
		% 1,6	0,9	0,4	0,9	1,4	3,8	5,0	12,2	22,4	27,7	22,9		
15	Mostra interès perquè els alumnes aprenguin	n 7	4	1	3	7	21	35	60	124	151	144	8,20	1,88
		% 1,3	0,7	0,2	0,5	1,3	3,8	6,3	10,7	22,2	27,0	25,8		
16	En general, estic satisfet/a amb la qualitat del treball desenvolupat pel/per la professor/a	n 9	4	1	6	3	20	35	65	148	156	106	8,05	1,89
		% 1,6	0,7	0,2	1,1	0,5	3,6	6,3	11,6	26,5	27,9	19,0		

Gràfic de mitjanes: mitjana del departament i mitjana mínima i màxima del professorat participant en l'enquesta



Distribució per intervals de les puntuacions mitjanes del professorat del departament participant en l'enquesta



Agrupació dels ítems per categories

DEPT:

MEDICINA

Cat_1. Saber-domini de la matèria (ítems 3 i 4)

Inclou el grau de confiança que té l'alumnat respecte del domini de la matèria que té el professor i dels coneixements que transmet a l'hora de donar una visió àmplia de la matèria.

Interval de les mitjanes	3. Presenta una visió àmplia de l'assignatura		4. Mostra un coneixement adequat de la matèria	
	freqüència	percentatge	freqüència	percentatge
(0 - 2,5)	0	0,00%	0	0,00%
(2,5 - 5)	0	0,00%	0	0,00%
(5 - 7,5)	5	18,52%	4	14,81%
(7,5 - 10)	22	81,48%	23	85,19%
Mitjana	MÍNIMA 5,10 MÀXIMA 9,28	GLOBAL 8,14	MÍNIMA 5,20 MÀXIMA 9,51	GLOBAL 8,46
Mitjana GLOBAL de la CATEGORIA			8,30	

Cat_2. Organització i planificació de l'actuació docent (ítems 1, 2 i 6)

Aquesta dimensió no avalua el Pla docent en si mateix (Instrument a disposició de la comunitat universitària) sinó el que se'n deriva de l'aplicació a través de:

- La comunicació a l'alumnat, a l'inici del curs, del marc de referència del professor en relació amb els objectius, els criteris de l'organització i la seqüència de la matèria i el que s'espera de l'alumne i com serà avaluat.

- La capacitat de planificar adequadament el desenvolupament de l'assignatura i incloure-hi com a actitud important la flexibilitat o capacitat d'introduir canvis en el pla de curs inicial, de manera que es respecti el que és substancial a la matèria, segons la conjuntura del grup o altres situacions no previstes.

Interval de les mitjanes	1. A l'inici del curs ha explicat amb claredat els objectius, el programa de l'assignatura i els criteris d'avaluació		2. Planifica adequadament el desenvolupament de l'assignatura (sessions, activitats, ritme)		6. Mostra una actitud flexible introduint canvis raonables en el pla del curs, quan és necessari	
	freqüència	percentatge	freqüència	percentatge	freqüència	percentatge
(0 - 2,5)	0	0,00%	0	0,00%	0	0,00%
(2,5 - 5)	2	7,41%	2	7,41%	2	7,41%
(5 - 7,5)	14	51,85%	9	33,33%	7	25,93%
(7,5 - 10)	11	40,74%	16	59,26%	18	66,67%
Mitjana	MÍNIMA 4,89 MÀXIMA 8,72	GLOBAL 7,40	MÍNIMA 4,83 MÀXIMA 9,36	GLOBAL 7,79	MÍNIMA 4,90 MÀXIMA 9,36	GLOBAL 7,88
Mitjana GLOBAL de la CATEGORIA			7,69			

Cat_3. L'exposició docent (ítems 5 i 9)

Inclou dos aspectes implícits en l'acte docent:

- La claredat de l'exposició, amb independència de la metodologia o del format de classe considerat (magistral, pràctiques, etc.)

- La motivació de l'alumnat o la capacitat de transmetre, a través de l'exposició docent, l'interès per l'assignatura.

Interval de les mitjanes	5. Transmet amb claredat els continguts de l'assignatura		9. La seva manera d'explicar aconsegueix motivar l'alumnat	
	freqüència	percentatge	freqüència	percentatge
(0 - 2,5)	0	0,00%	0	0,00%
(2,5 - 5)	2	7,41%	2	7,41%
(5 - 7,5)	4	14,81%	9	33,33%
(7,5 - 10)	21	77,78%	16	59,26%
Mitjana	MÍNIMA 4,90 MÀXIMA 9,36	GLOBAL 8,06	MÍNIMA 4,45 MÀXIMA 8,94	GLOBAL 7,78
Mitjana GLOBAL de la CATEGORIA			7,92	

Cat_4. Metodologia i ús de recursos en el procés d'ensenyament-aprenentatge (ítems 7, 8 i 10)

Suposa avaluar l'actuació del professor en relació amb:

- L'adequació de la metodologia o de les estratègies d'aprenentatge en el context de la classe o de la situació docent
- La capacitat d'orientar adequadament l'estudiant per desenvolupar les feines mitjançant diferents activitats i treballs
- La qualitat del material d'estudi i dels recursos aportats

Interval de les mitjanes	7. La metodologia desenvolupada en l'assignatura ha estat adequada		8. El material d'estudi i de consulta proposat (bibliografia, documents, recursos didàctics, etc.) ha estat útil per a l'aprenentatge de l'assignatura		10. El tipus de treball realitzat (lectures, exercicis, estudis, pràctiques, etc.) ha contribuït a un bon aprenentatge de l'assignatura	
	freqüència	percentatge	freqüència	percentatge	freqüència	percentatge
(0 - 2,5)	0	0,00%	0	0,00%	0	0,00%
(2,5 - 5)	2	7,41%	2	7,41%	3	11,11%
(5 - 7,5)	7	25,93%	10	37,04%	8	29,63%
(7,5 - 10)	18	66,67%	15	55,56%	16	59,26%
Mitjana	MÍNIMA 4,47 MÀXIMA 9,18	GLOBAL 7,75	MÍNIMA 4,65 MÀXIMA 8,85	GLOBAL 7,56	MÍNIMA 4,50 MÀXIMA 8,79	GLOBAL 7,60
Mitjana GLOBAL de la CATEGORIA			7,63			

Cat_5. Actituds del professorat en la interacció amb els estudiants, tant en el context de grup classe com en l'atenció individualitzada (ítems 11, 14 i 15)

Inclou els següents aspectes:

- Actitud de respecte i de receptivitat vers l'alumnat
- Implicació personal amb el progrés dels estudiants en el procés d'aprenentatge
- Capacitat de promoure un clima de classe participatiu

Interval de les mitjanes	11. Fomenta, facilita i crea un bon clima de treball i participació a classe		14. Manté un bon clima de comunicació i relació amb els estudiants		15. Mostra interès perquè els alumnes aprenguin	
	freqüència	percentatge	freqüència	percentatge	freqüència	percentatge
(0 - 2,5)	0	0,00%	0	0,00%	0	0,00%
(2,5 - 5)	2	7,41%	1	3,70%	0	0,00%
(5 - 7,5)	4	14,81%	6	22,22%	6	22,22%
(7,5 - 10)	21	77,78%	20	74,07%	21	77,78%
Mitjana	MÍNIMA 4,72 MÀXIMA 9,21	GLOBAL 7,98	MÍNIMA 5,00 MÀXIMA 9,34	GLOBAL 8,09	MÍNIMA 5,22 MÀXIMA 9,46	GLOBAL 8,20
Mitjana GLOBAL de la CATEGORIA			8,09			

Cat_6. Avaluació dels aprenentatges (ítems 12 i 13)

Inclou els següents aspectes:

- Coherència de les demandes de treball en relació amb els crèdits de l'assignatura i del treball desenvolupat.
- Adecuació dels criteris i dels procediments d'avaluació previstos a la naturalesa i al desenvolupament de la matèria

Cat_7. Satisfacció global (ítem 16)

Valoració global amb la qualitat de l'actuació docent del professorat

Interval de les mitjanes	12. El volum de feina exigida és proporcional als crèdits de l'assignatura		13. El tipus d'avaluació previst (criteris i procediments) s'adequa a l'assignatura		16. En general, estic satisfet/a amb la qualitat del treball desenvolupat pel/per la professor/professora	
	freqüència	percentatge	freqüència	percentatge	freqüència	percentatge
(0 - 2,5)	0	0,00%	0	0,00%	0	0,00%
(2,5 - 5)	2	7,41%	2	7,41%	1	0,00%
(5 - 7,5)	19	70,37%	18	66,67%	6	22,22%
(7,5 - 10)	6	22,22%	7	25,93%	20	74,07%
Mitjana	MÍNIMA 3,53 MÀXIMA 8,53	GLOBAL 6,89	MÍNIMA 4,22 MÀXIMA 8,59	GLOBAL 7,19	MÍNIMA 4,95 MÀXIMA 9,29	GLOBAL 8,05
Mitjana GLOBAL de la CATEGORIA			7,04		8,05	

L'informe agregat de resultats per departament de l'enquesta d'opinió de l'alumnat sobre l'actuació docent del professorat només s'ha elaborat quan s'ha disposat d'un mínim de 5 professors enquestats que pertanyin al departament, durant el 2n semestre del curs 2007-08. Es considera un mínim imprescindible donada l'estructura de professorat per departaments de la UB.

Memòria de recerca 2008

Grups de recerca consolidats

1. Fisiopatologia, Hemostàsia i Trombosi
2. Fisiopatologia i Tractament de les Malalties Respiratòries
3. Grup de Diabetis Experimental, Investigació Cel.lular i Molecular en illots
4. Grup de recerca muscular
5. Hepatologia Clínica, Bàsica i Experimental
6. Inflamació i tractament de malalties respiratòries
7. Malalties neurològiques
8. Unitat Clínico-biològica per l'Estudi de Linfomes i Síndromes limfoproliferatives
9. Unitat de Recerca de la SIDA

Projectes de recerca finançats en marxa en 2008

Entitats privades (72 Assajos clínics) : 2.664.064,73 €
Entitats públiques (41 projectes): 10.249.4222,59 €

Total subvencions: 12.913,487,32 €

Projectes de recerca finançats per entitats públiques en marxa en 2008

Dermatologia

Herrero Mateu, Carmen - Referència: HH2006-0012 Anys de vigència: 2007-2009
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 8.330,00 €

Malalties de l'aparell cardiocirculatori

Bosch Genover, Xavier -Referència: EC07/90211 Anys de vigència: 2007-2010
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 289.825,25 €

Brugada Terradellas, Josep - Referència: EC07/90106 Anys de vigència: 2007-2009
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 127.050,00 €

Brugada Terradellas, Josep - Referència: RD06/0003/0008 Anys de vigència: 2007-2010
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 220.800,00 €

Brugada Terradellas, Josep - Referència: CNIC-03-2008 Anys de vigència: 2008-2012
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación - Comisión Europea
Import total concedit: 249.780,00 €

Masip Upset, Josep - Referència EC07/90771 Anys de visència 2008-2010
Entitat: FIS - Instituto Carlos III - Proyectos de Investigación Clínica Independiente 2007.
Import total concedit: 50.000,00 €

Malalties de l'aparell digestiu

Gines Gibert, Pere - Referència: EC07/90077 Anys de vigència: 2007-2010
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 666.710,00 €

Bruix Tudo, Jordi - Referència: PI080146 Anys de vigència: 2008-2011
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 105.754,00 €

Malalties de l'aparell respiratori

Barbera Mir, Joan Albert - Referència: EC07/90049 Anys de vigència: 2007-2010
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 332.750 €

Roca Torrent, Josep - Referència: C046225 Anys de vigència: 2007-2009
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 133.778,00 €

Roca Torrent, Josep - Referència: AI07/90027 Anys de vigència: 2007-2009

Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 51.975,00 €

Torres Marti, Antoni - Referència: LILLY_501222 Anys de vigència: 2007-2009
Entitat: Lilly_Premios07
Import total concedit: 150.000,00 €

Torres Marti, Antoni - Referència: LSHM-CT-2005-518226 Anys de vigència: 2007-2011
Entitat: Comisión Europea
Import total concedit: 151.700,00 €

Roca Torrent, Josep - Referència: 225025 Anys de vigència: 2008-2011
Entitat: Comisión Europea
Import total concedit: 2.380.000,00 €

Roca Torrent, Josep - Referència: 225025 Anys de vigència: 2008-2011
Entitat: Comisión Europea
Import total concedit: 454.060,00 €

Torres Marti, Antoni - Referència: 216027 Anys de vigència: 2008-2012
Entitat: Comisión Europea
Import total concedit: 99.999,75 €

Montserrat Canal, Josep M. - Referència: PI080277 Anys de vigència: 2008-2011
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 98.252,00 €

Rodriguez Roisin, Roberto -Referència: PI080311 Anys de vigència: 2008-2011
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 92.202,00 €

Malalties de la sang

Escolar Albaladejo, Gines - Referència: RD06/0009/1003 Anys de vigència: 2008-2010
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 40.133,94 €

Montserrat Costa, Emili - Referència: RD06/0020/0051 Anys de vigència: 2007-2010
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 156.000,00 €

Cervantes Requena, Francisco - Referència: RD06/0020/0004 Anys de vigència: 2007-2010
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 34.800,00 €

Montserrat Costa, Emili - Referència: 08/245 Anys de vigència: 2008-2009
Entitat: CLL Global Res Found
Import total concedit: 57.483,65 €

Malalties del sistema endocrí

Gomis Barbara (de), Ramon - Referència: PIAP-GA-2008-218130 Anys de vigència: 2008-2012
Entitat: Comisión Europea
Import total concedit: 465.597,00 €

Gomis Barbara (de), Ramon - Referència: BB08/0014 Anys de vigència: 2008-2009
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación

Import total concedit: 210.000 €

Gomis Barbara (de), Ramon - Referència: RD06/0015/0000 Anys de vigència: 2007-2008
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 450.000,00 €

Gomis Barbara (de), Ramon - Referència: AI07/90016 Anys de vigència: 2007-2008
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 20.475,00 €

Malalties del sistema nerviós

Chamorro Sanchez, Angel - Referència: EC07/90276 Anys de vigència: 2007-2010
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 174.240,00 €

Marti Domenech, M Josefa - Referència: 60510 Anys de vigència: 2007-2010
Entitat: TV3
Import total concedit: 105.970,00 €

Marti Domenech, M Josefa - Referència: PI080236 Anys de vigència: 2008-2011
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 189.728,00 €

Tolosa Sarro, Eduard - Referència: 061130/31 Anys de vigència: 2007-2010
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 122.845,00 €

Valls Sole, Josep - Referència: PI080266 Anys de vigència: 2008-2011
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 55.418,00 €

Valls Sole, Josep - Referència: 71930 Anys de vigència: 2008-2011
Entitat: TV3
Import total concedit: 121.502,00 €

Malalties del sistema excretor renal i genital masculí

Campistol Plana, Josep M
Referència: RD06/0016/1002 Anys de vigència: 2008-2010
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 22.500,00 €

Malalties infeccioses

Mallolas Masferrer, Jose - Referència: 36702/07 Anys de vigència: 2007-2010
Entitat: FIPSE07
Import total concedit: 3.300,00 €

Gatell Artigas, Josep M. - Referència: FIS_CP06 Anys de vigència: 2007-2010
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 42.068,00 €

Gatell Artigas, Josep M. - Referència: RD06/0006/0000 Anys de vigència: 2007-2010
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 1.061.216,06 €

Gatell Artigas, Josep M. - Referència: RD06/0006/0000 Anys de vigència: 2007-2010

Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 773.800,00 €

Miro Meda, Jose Maria - Referència: EC07/90642 Anys de vigència: 2007-2010
Entitat: FIS - Instituto Carlos III - Ministerio de Ciencia e Innovación
Import total concedit: 219.615,00 €

Gatell Artigas, Josep M. - Referència: LSHP-CT-2006-037570 Anys de vigència: 2007-2012
Entitat: Comisión Europea
Import total concedit: 45.000,00 €

Malalties reumatològiques i del sistema immune

Guañabens Gay, Núria - Referència PI050044 Anys de vigència: 2006-2008
Entitat: FIS - Instituto Carlos III
Import total concedit: 44.030,00 €

Semiologia general i propedèutica clínica

Cid Xutgla, M Cinta - Referència: 60710 Anys de vigència: 2007-2010
Entitat: TV3
Import total concedit: 170.375,00 €

Publicacions del Departament de Medicina al 2008 segons el Pubmed

497 publicaciones indexadas

Dermatologia

[Diagnosis and treatment of livedo reticularis on the legs]	Herrero C, Guilabert A, Mascaró-Galy JM.	Actas Dermosifiliogr. 2008 Oct;99(8):598-607. Spanish.
[Registry of home-based enteral nutrition in Spain for the year 2006 (NADYA-SENPE Group)]	Cuerda C, Chicharro ML, Frías L, García Luna PP, Cardona D, Camarero E, Penacho MA, Calañas A, Parés RM, Martínez Olmos MA, Zapata A, Rabassa Soler A, Gómez Candela C, Pérez de la Cruz A, Lecha M, Luis D, Luengo LM, Wanden-Berghe C, Laborda L, Matia P, Cantón A, Martí E, Irlés JA; grupo NADYA-SENPE.	Nutr Hosp. 2008 Mar-Apr;23(2):95-9. Spanish.
[Topical glycopyrrolate in craniofacial hyperhidrosis]	Callejas MA, Grimalt R.	Med Clin (Barc). 2008 Jun 28;131(4):157. Spanish.
A medical alternative to the treatment of compensatory sweating.	Cladellas E, Callejas MA, Grimalt R.	Dermatol Ther. 2008 Sep-Oct;21(5):406-8.
Childhood-onset mild cutaneous porphyria with compound heterozygotic mutations in the uroporphyrinogen decarboxylase gene.	Remenyik E, Lecha M, Badenas C, Kószó F, Vass V, Herrero C, Varga V, Emri G, Balogh A, Horkay I.	Clin Exp Dermatol. 2008 Aug;33(5):602-5.
Development of a human in vivo method to study the effect of ultraviolet radiation and sunscreens in melanocytic nevi.	Carrera C, Puig S, Llambrich A, Palou J, Lecha M, Massi D, Malvehy J.	Dermatology. 2008;217(2):124-36.
Diagnostic value of duodenal antitissue transglutaminase antibodies in gluten-sensitive enteropathy	Santaolalla R, Fernández-Bañares F, Rodríguez R, Alsina M, Rosinach M, Mariné M, Farré C, Salas A, Forné M, Loras C, Espinós J, Viver JM, Esteve M.	Aliment Pharmacol Ther. 2008 May;27(9):820-9
Erythema induratum of bazin.	Mascaró JM Jr, Baselga E.	Dermatol Clin. 2008 Oct;26(4):439-45, v. Review.
Headspace solid-phase microextraction gas chromatography-mass spectrometry analysis of volatiles in orujo spirits from a defined geographical origin.	Peña RM, Barciela J, Herrero C, García-Martín S.	J Agric Food Chem. 2008 Apr 23;56(8):2788-94.
Imatinib as a potential treatment for sclerodermatous chronic graft-vs-host disease.	Moreno-Romero JA, Fernández-Avilés F, Carreras E, Rovira M, Martínez C, Mascaró JM Jr.	Arch Dermatol. 2008 Sep;144(9):1106-9.
Long-term prognosis of HIV-infected patients with Kaposi sarcoma treated with pegylated liposomal doxorubicin	Martín-Carbonero L, Palacios R, Valencia E, Saballs P, Sirera G, Santos I, Baldobí F, Alegre M, Goyenechea A, Pedreira J, González del Castillo J, Martínez-Lacasa J, Ocampo A, Alsina M, Santos J, Podzamczer D, González-Lahoz J; Caelyx/Kaposi's Sarcoma Spanish Group.	Clin Infect Dis. 2008 Aug 1;47(3):410-7
Old masters as clinical photographers: multifocal breast cancer diagnosed 400 years ago.	Grau JJ, Estrach T.	Breast Cancer Res Treat. 2008 Sep;111(1):11-3.
Pimecrolimus cream 1% in the long-term management of adult atopic dermatitis: prevention of flare progression. A randomized controlled trial	Gollnick H, Kaufmann R, Stough D, Heikkila H, Andriano K, Grinienco A, Jimenez P; Pimecrolimus Cream 1% in (adult) Eczema: Prevention of Progression Multicentre Investigator Study Group.	Br J Dermatol. 2008 May;158(5):1083-93
Primary cutaneous small/medium CD4+ T-cell lymphomas: a heterogeneous group of tumors with different clinicopathologic features and outcome.	García-Herrera A, Colomo L, Camós M, Carreras J, Balague O, Martínez A, López-Guillermo A, Estrach T, Campo E.	J Clin Oncol. 2008 Jul 10;26(20):3364-71.
Sclerodermiform linear lupus erythematosus: A distinct entity or coexistence of two autoimmune diseases?	Julià M, Mascaró JM Jr, Guilabert A, Navarra E, Ferrando J, Herrero C.	J Am Acad Dermatol. 2008 Apr;58(4):665-7.
Urinary porphyrin excretion in children is associated with exposure to organochlorine compounds.	Sunyer J, Alvarez-Pedreros M, To-Figueras J, Ribas-Fitó N, Grimalt JO, Herrero C.	Environ Health Perspect. 2008 Oct;116(10):1407-10.

Malalties de l'Aparell Cardiocirculatori

[Clinical and Preclinical Heart Failure Research Network (REDINSCOR). Instituto de Salud Carlos III Cooperative Special Topic Research Networks]	Alonso-Pulpón L, Borrás X, Brugada J, Cinca J, Fernández Cruz A, González Juanatey JR, Sáenz de la Calzada C, Valdés M, Vázquez R, Pérez Villacastín J; Investigadores de REDINSCOR.	Rev Esp Cardiol. 2008 Jan;61(1):76-81.
[Clinical characteristics of patients with persistent atrial fibrillation referred for cardioversion: Spanish Cardioversion Registry (REVERSE)]	Alegret JM, Viñolas X, Sagristá J, Hernández-Madrid A, Berruezo A, Moya A, Martínez Sande JL, Pastor A; nombre de los investigadores del Estudio REVERSE.	Rev Esp Cardiol. 2008 Jun;61(6):630-4. Spanish.
[Evaluation and management of hypertension in Spain. A consensus guide]	de la Sierra A, Gorostidi M, Marín R, Redón J, Banegas JR, Armario P, García Puig J, Zarco J, Llisterri JL, Sanchís C, Abarca B, Palomo V, Gomis R, Otero A, Villar F, Honorato J, Tamargo J, Lobos JM, Macías-Núñez J, Sarría A, Aranda P, Ruilope LM.	Med Clin (Barc). 2008 Jun 21;131(3):104-16.
[Guidelines for the diagnosis and management of acute pulmonary embolism]	Grupo de Trabajo para el Diagnóstico y Manejo del Tromboembolismo Pulmonar Agudo de Sociedad Europea de Cardiología (ESC). Torbicki A, Perrier A, Konstantinides S, Agnelli G, Galie N, Pruszczyk P, Bengel F, Brady AJ, Ferreira D, Janssens U, Klepetko W, Mayer E, Remy-Jardin M, Bassand JP.	Rev Esp Cardiol. 2008 Dec;61(12):1330.e1-52. Spanish.
[Influence of cardiopathy etiology on responses to cardiac resynchronization therapy]	Vidal B, Sitges M, Delgado V, Mont L, Díaz-Infante E, Azqueta M, Paré C, Tolosana JM, Berruezo A, Tamborero D, Roig E, Brugada J.	Rev Esp Cardiol. 2007 Dec;60(12):1264-71.
[Influence of cardiopathy etiology on responses to cardiac resynchronization therapy]	Vidal B, Sitges M, Delgado V, Mont L, Díaz-Infante E, Azqueta M, Paré C, Tolosana JM, Berruezo A, Tamborero D, Roig E, Brugada J.	Rev Esp Cardiol. 2007 Dec;60(12):1264-71. Spanish.
[Intensive insulin therapy in non-diabetic patients with myocardial infarction and hyperglycemia. INSUCOR study]	Benito B, Conget I, Bosch X, Heras M, Ordóñez J, Sionis A, Díaz G, Esmatjes E.	Med Clin (Barc). 2008 May 3;130(16):601-5. Spanish.
[Late amniotic fluid embolism among the differential diagnosis of acute respiratory failure in the postpartum: case report and review.]	Calvo N, Loma-Osorio P, Sionis A, Bosch X.	Med Intensiva. 2008 Nov;32(8):404-5.
[Myocardial infarction and normal coronary arteries. From the other side of the mirror]	Bosch X, Loma-Osorio Ricón P.	Med Clin (Barc). 2007 Nov 17;129(18):699-701.
[Post cocaine intravenous syndrome described from the observation in a drug consumption supervised room]	Delás J, Priore AG, Pigem A, Aguas M.	Med Clin (Barc). 2008 Jan 19;130(1):35. Spanish.
A mutation in the sodium channel is responsible for the association of long QT syndrome and familial atrial fibrillation	Benito B, Brugada R, Perich RM, Lizotte E, Cinca J, Mont L, Berruezo A, Tolosana JM, Freixa X, Brugada P, Brugada J.	Heart Rhythm. 2008 Oct;5(10):1434-40.
Application of a clinical magnet over implantable cardioverter defibrillators: is it safe and useful?	Porres JM, Laviñeta E, Reviejo C, Brugada J.	Pacing Clin Electrophysiol. 2008 Dec;31(12):1641-4
Assessment of left ventricular dyssynchrony by real-time three-dimensional echocardiography	Delgado V, Sitges M, Vidal B, Silva E, Azqueta M, Tolosana JM, Mont L, Paré C, Brugada J.	Rev Esp Cardiol. 2008 Aug;61(8):825-34.
Assessment of left ventricular dyssynchrony by real-time three-dimensional echocardiography.	Delgado V, Sitges M, Vidal B, Silva E, Azqueta M, Tolosana JM, Mont L, Paré C, Brugada J.	Rev Esp Cardiol. 2008 Aug;61(8):825-34. English, Spanish.
Atypical cardiac manifestation of hypereosinophilic syndrome and reversible cardiotoxicity to imatinib.	García-Alvarez A, Sitges M, García-Albeniz X, Sionis A, Loma-Osorio P, Bosch X.	Int J Cardiol. 2008 Dec 2.
Betablockers: is the reduction of sudden death related to pure electrophysiologic effects?	Berruezo A, Brugada J.	Cardiovasc Drugs Ther. 2008 Jun;22(3):163-4.
Blood pressure in the initial phase of acute ischaemic stroke: evolution and its role as an independent prognosis factor at discharge and after 3 months	Armario P, Martín-Baranera M, Miguel Ceresuela L, Hernández Del Rey R, Iribarnegaray E, Pintado S, Avila A, Bello J, Luis Tovar J, Alvarez-Sabin J.	Blood Press. 2008;17(5-6):284-90.

of follow-up.		
Brugada syndrome	Benito B, Brugada R, Brugada J, Brugada P.	Prog Cardiovasc Dis. 2008 Jul-Aug;51(1):1-22. Review.
Causes of ineligibility in randomized controlled trials and long-term mortality in patients with non-ST-segment elevation acute coronary syndromes.	Bosch X, Delgado V, Verbal F, Bórquez E, Loma-Orsorio P, Díez-Aja S, Miranda-Guardiola F, Sanchís J.	Int J Cardiol. 2008 Feb 20;124(1):86-91.
Characterization of focal right atrial appendage tachycardia Predictors of arrhythmia recurrence in patients with lone atrial fibrillation.	Arriagada G, Berruezo A, Mont L, Tamborero D, Molina I, Coll-Vinent B, Vidal B, Sitges M, Berne P, Brugada J; GIRAFA (Grup Integrat de Recerca en Fibril·lació Auricular) Investigators.	Europace. 2008 Jan;10(1):9-14..
Characterization of focal right atrial appendage tachycardia	Freixa X, Berruezo A, Mont L, Magnani S, Benito B, Tolosana JM, Perafan P, Tamborero D, Brugada J.	Europace. 2008 Jan;10(1):105-9.
Clinical heterogeneity in sodium channelopathies. What is the meaning of carrying a genetic mutation?	Oliva A, Bjerregaard P, Hong K, Evans S, Vernooij K, McCormack J, Brugada J, Brugada P, Pascali VL, Brugada R.	Cardiology. 2008;110(2):116-22. Epub 2007 Oct 31.
Combination of clinical risk profile, early exercise testing and circulating biomarkers for evaluation of patients with acute chest pain without ST-segment deviation or troponin elevation.	Sanchís J, Bosch X, Bodí V, Bellera N, Núñez J, Benito B, Ordóñez J, Consuegra L, Heras M, Llècer A.	Heart. 2008 Mar;94(3):311-5.
Comparison of benefits and mortality in cardiac resynchronization therapy in patients with atrial fibrillation versus patients in sinus rhythm (Results of the Spanish Atrial Fibrillation and Resynchronization [SPARE] Study).	Tolosana JM, Hernandez Madrid A, Brugada J, Sitges M, Garcia Bolao I, Fernandez Lozano I, Martinez Ferrer J, Quesada A, Macias A, Marin W, Escudier JM, Gomez AA, Gimenez Alcala M, Tamborero D, Berruezo A, Mont L; SPARE Investigators	Am J Cardiol. 2008 Aug 15;102(4):444-9.
Cooled-tip vs. 8 mm-tip catheter for circumferential pulmonary vein ablation: comparison of efficacy, safety, and lesion extension.	Matiello M, Mont L, Tamborero D, Berruezo A, Benito B, Gonzalez E, Brugada J.	Europace. 2008 Aug;10(8):955-60.
Design and Rationale of the URGENT Dyspnea Study: An International, Multi-Center, Prospective Study	P. Pang, A. Mebazaa, S. Collins, J Cleland, J Hollander, M Nieminen, Ch Miller, DM Courtney, J Masip, A Parkhomenko, C Macarie, W Peacock, J Spinar, R Nowak, D Raev, A Storrow, V Spisak, JD Kirk, A Hamdy, M Tavares, M Gheorghide on behalf of the URGENT Investigators.	American Journal of Therapeutics 2008;15:299-303
Differences in 12-lead electrocardiogram between symptomatic and asymptomatic Brugada syndrome patients	Junttila MJ, Brugada P, Hong K, Lizotte E, DE Zutter M, Sarkozy A, Brugada J, Benito B, Perkiomaki JS, Mäkikallio TH, Huikuri HV, Brugada R.	J Cardiovasc Electrophysiol. 2008 Apr;19(4):380-3.
Effect of a quality improvement strategy on several haemodialysis outcomes.	Parra E, Ramos R, Betriu A, Paniagua J, Belart M, Martínez T.	Nephrol Dial Transplant. 2008 Sep;23(9):2943-7.
Facilitated PCI in patients with ST-elevation myocardial infarction.	Ellis SG, Tendera M, de Belder MA, van Boven AJ, Widimsky P, Janssens L, Andersen HR, Betriu A, Savonitto S, Adamus J, Peruga JZ, Kosmider M, Katz O, Neunteufl T, Jorgova J, Dorobantu M, Grinfeld L, Armstrong P, Brodie BR, Herrmann HC, Montalescot G, Neumann FJ, Efron MB, Barnathan ES, Topol EJ; FINESSE Investigators.	N Engl J Med. 2008 May 22;358(21):2205-17.
Fate of left atrial function as determined by real-time three-dimensional echocardiography study after radiofrequency catheter ablation for the treatment of atrial fibrillation	Delgado V, Vidal B, Sitges M, Tamborero D, Mont L, Berruezo A, Azqueta M, Paré C, Brugada J.	Am J Cardiol. 2008 May 1;101(9):1285-90. Epub 2008 Mar 7.
Fate of left atrial function as determined by real-time three-dimensional echocardiography study after radiofrequency catheter ablation for the treatment of atrial fibrillation.	Delgado V, Vidal B, Sitges M, Tamborero D, Mont L, Berruezo A, Azqueta M, Paré C, Brugada J.	Am J Cardiol. 2008 May 1;101(9):1285-90.
Gender differences in clinical manifestations of Brugada syndrome	Benito B, Sarkozy A, Mont L, Henkens S, Berruezo A, Tamborero D, Arzamendi D, Berne P, Brugada R, Brugada P, Brugada J.	J Am Coll Cardiol. 2008 Nov 4;52(19):1567-73.

Genetic basis of ventricular arrhythmias	Boussy T, Paparella G, de Asmundis C, Sarkozy A, Chierchia GB, Brugada J, Brugada R, Brugada P.	Cardiol Clin. 2008 Aug;26(3):335-53, v. Review.
Genetic variation in the KCNMA1 potassium channel alpha subunit as risk factor for severe essential hypertension and myocardial infarction.	Tomás M, Vázquez E, Fernández-Fernández JM, Subirana I, Plata C, Heras M, Vila J, Marrugat J, Valverde MA, Sentí M.	J Hypertens. 2008 Nov;26(11):2147-53.
HRS/EHRA expert consensus on the monitoring of cardiovascular implantable electronic devices (CIEDs): description of techniques, indications, personnel, frequency and ethical considerations	Wilkoff BL, Auricchio A, Brugada J, Cowie M, Ellenbogen KA, Gillis AM, Hayes DL, Howlett JG, Kautzner J, Love CJ, Morgan JM, Priori SG, Reynolds DW, Schoenfeld MH, Vardas PE; Heart Rhythm Society; European Heart Rhythm Association; American College of Cardiology; American Heart Association; European Society of Cardiology; Heart Failure Association of ESC; Heart Failure Society of America.	Heart Rhythm. 2008 Jun;5(6):907-25. Review.
HRS/EHRA Expert Consensus on the Monitoring of Cardiovascular Implantable Electronic Devices (CIEDs): description of techniques, indications, personnel, frequency and ethical considerations: developed in partnership with the Heart Rhythm Society (HRS) and	Wilkoff BL, Auricchio A, Brugada J, Cowie M, Ellenbogen KA, Gillis AM, Hayes DL, Howlett JG, Kautzner J, Love CJ, Morgan JM, Priori SG, Reynolds DW, Schoenfeld MH, Vardas PE; Heart Rhythm Society (HRS); European Heart Rhythm Association (EHRA); American College of Cardiology (ACC); American Heart Association (AHA); European Society of Cardiology (ESC); Heart Failure Association of ESC (HFA); Heart Failure Society of America (HFSA).	Europace. 2008 Jun;10(6):707-25.
Impact of anti-tachycardia pacing on atrial fibrillation burden when added on top of preventive pacing algorithms: results of the prevention or termination (POT) trial.	Mont L, Ruiz-Granell R, Martínez JG, Carmona JR, Fidalgo M, Cobo E, Riera M, Navarro X; Prevention or Termination (POT) Study Investigators.	Europace. 2008 Jan;10(1):28-34.
Improving the results of cardiac resynchronization therapy: the role of imaging techniques.	Mont L, Sitges M.	Rev Esp Cardiol. 2008 Sep;61(9):914-6. English, Spanish.
Induced Brugada-type electrocardiogram, a sign for imminent malignant arrhythmias	Junttila MJ, Gonzalez M, Lizotte E, Benito B, Vernoooy K, Sarkozy A, Huikuri HV, Brugada P, Brugada J, Brugada R.	Circulation. 2008 Apr 8;117(14):1890-3. Review.
Left atrial contractility is preserved after successful circumferential pulmonary vein ablation in patients with atrial fibrillation.	Perea RJ, Tamborero D, Mont L, De Caralt TM, Ortiz JT, Berruezo A, Matiello M, Sitges M, Vidal B, Sanchez M, Brugada J.	J Cardiovasc Electrophysiol. 2008 Apr;19(4):374-9.
Left ventricular function and visual phase analysis with equilibrium radionuclide angiography in patients with biventricular device.	Muxí A, Paredes P, Mont L, Setoain FJ, Duch J, Fuertes S, Ortín J, Diaz-Infante E, Pons F.	Eur J Nucl Med Mol Imaging. 2008 May;35(5):912-21.
Limitations of clinical history for evaluation of patients with acute chest pain, non-diagnostic electrocardiogram, and normal troponin.	Sanchis J, Bodí V, Núñez J, Bosch X, Loma-Osorio P, Mainar L, Santas E, Miñana G, Robles R, Llàcer A.	Am J Cardiol. 2008 Mar 1;101(5):613-7. Epub 2007 Dec 21.
Long-term endurance sport practice increases the incidence of lone atrial fibrillation in men: a follow-up study.	Molina L, Mont L, Marrugat J, Berruezo A, Brugada J, Bruguera J, Rebato C, Elosua R.	Europace. 2008 May;10(5):618-23.
Magnetic resonance imaging in individuals with cardiovascular implantable electronic devices	Roguin A, Schwitter J, Vahlhaus C, Lombardi M, Brugada J, Vardas P, Auricchio A, Priori S, Sommer T.	Europace. 2008 Mar;10(3):336-46. Review.
Magnetic resonance reveals long-term sequelae of apical ballooning syndrome.	Gotarda MN, Ortiz JT, Caralt MT, Pérez-Rodon J, Mercader J, Fernández-Gómez C, Paré C, Heras M.	Int J Cardiol. 2008 Sep 18.
Management of acute myocardial infarction in patients presenting with persistent ST-segment elevation: the Task Force on the Management of ST-Segment Elevation Acute Myocardial Infarction of the European Society of Cardiology.	Van de Werf F, Bax J, Betriu A, Blomstrom-Lundqvist C, Crea F, Falk V, Filippatos G, Fox K, Huber K, Kastrati A, Rosengren A, Steg PG, Tubaro M, Verheugt F, Weidinger F, Weis M; ESC Committee for Practice Guidelines (CPG), Vahanian A, Camm J, De Caterina R, Dean V, Dickstein K, Filippatos G, Funck-Brentano C, Hellmans I, Kristensen SD, McGregor	Eur Heart J. 2008 Dec;29(23):2909-45.

	K, Sechtem U, Silber S, Tendera M, Widimsky P, Zamorano JL, Silber S, Aguirre FV, Al-Attar N, Alegria E, Andreotti F, Benzer W, Breithardt O, Danchin N, Di Mario C, Dudek D, Gulba D, Halvorsen S, Kaufmann P, Kornowski R, Lip GY, Rutten F.	
MASCARA (Manejo del Síndrome Coronario Agudo. Registro Actualizado) study. General findings.	Ferreira-González I, Permanyer-Miralda G, Marrugat J, Heras M, Cuñat J, Civeira E, Arós F, Rodríguez JJ, Sánchez PL, Bueno H; MASCARA study research team.	Rev Esp Cardiol. 2008 Aug;61(8):803-16. English, Spanish. Erratum in: Rev Esp Cardiol. 2008 Nov;61(11):1228.
New insights in the management of cardiogenic shock complicating myocardial infarction: role of urgent heart transplantation.	Arzamendi D, Garcia-Alvarez A, Roig E, Benito B, Kiamco R, Perez-Villa F, Loma-Orsorio P, Bosch X, Pomar JL, Cartaña R, Castilla M, Massotti M, Betriu A.	J Heart Lung Transplant. 2008 Sep;27(9):984-9.
NIPSV for acute cardiogenic pulmonary oedema does not increase the risk of myocardial infarction compared to CPAP.	J.Masip.	Aust J Physiother. 2008;54:142
Noninvasive ventilation improved dyspnea but did not reduce short-term mortality in acute cardiogenic pulmonary edema.	Filippatos G, Mebazaa A, Masip J.	ACP J Club 2008;149(6):9
Noninvasive ventilation in acute cardiogenic pulmonary edema.	J. Masip, A. Mebazaa, G. Filippatos	N Engl J Med 2008;359:2068-9
Noninvasive ventilation in acute cardiogenic pulmonary edema.	J.Masip.	Curr Opin Crit Care 2008;14:531-535
Practical Recommendations For Pre-Hospital and Early In-Hospital Management of Patients Presenting with Acute Heart Failure Syndromes.	A. Mebazaa, M. Gheorghide, I. Piña, V-P. Harjola, S. Hollenberg, F. Follath, A. Rhodes, P. Plaisance, E. Roland, M. Nieminen, M. Khomajda, A. Parkhomenko, J. Masip, F. Zannad., G. Filippatos.	Crit Care Med 2008; 36[Suppl.]: S129-S139
Patterns of use and effectiveness of early invasive strategy in non-ST-segment elevation acute coronary syndromes: an assessment by propensity score.	Ferreira-González I, Permanyer-Miralda G, Heras M, Cuñat J, Civeira E, Arós F, Rodríguez JJ, Sánchez PL, Marsal JR, Ribera A, Marrugat J, Bueno H; MASCARA study group.	Am Heart J. 2008 Nov;156(5):946-53, 953.e2.
Physical activity, height, and left atrial size are independent risk factors for lone atrial fibrillation in middle-aged healthy individuals	Mont L, Tamborero D, Elosua R, Molina I, Coll-Vinent B, Sitges M, Vidal B, Scalise A, Tejeira A, Berrueto A, Brugada J; GIRAFA (Grup Integrat de Recerca en Fibril·lació Auricular) Investigators.	Europace. 2008 Jan;10(1):15-20.
Predictors of arrhythmia recurrence in patients with lone atrial fibrillation	Arriagada G, Berrueto A, Mont L, Tamborero D, Molina I, Coll-Vinent B, Vidal B, Sitges M, Berne P, Brugada J; GIRAFA (Grup Integrat de Recerca en Fibril·lació Auricular) Investigators.	Europace. 2008 Jan;10(1):9-14.
Prevalence and Clinical Relevance of Autoimmune Neutropenia in Patients with Primary Sjögren's Syndrome	Brito-Zerón P, Soria N, Muñoz S, Bové A, Akasbi M, Belenguer R, Sisó A, Ramos-Casals M.	Semin Arthritis Rheum. 2008 Mar 29.
Relationship between intraventricular cardiac asynchrony and degree of systolic dysfunction.	Pérez de Isla L, Porro R, Paré JC, de la Morena G, Macaya C, Zamorano J.	J Am Soc Echocardiogr. 2008 Mar;21(3):214-8.
Shoshin Beriberi Mimicking a High-risk Non-ST-Segment Elevation Acute Coronary Syndrome with Cardiogenic Shock: When the Arteries are Not Guilty.	Loma-Orsorio P, Peñafiel P, Doltra A, Sionis A, Bosch X.	J Emerg Med. 2008 Oct 17.
The MINERVA study design and rationale: a controlled randomized trial to assess the clinical benefit of minimizing ventricular pacing in pacemaker patients with atrial tachyarrhythmias.	Funck RC, Boriani G, Manolis AS, Püererfellner H, Mont L, Tukkie R, Pisapia A, Israel CW, Grovale N, Grammatico A, Padeletti L; MINERVA Study Group.	Am Heart J. 2008 Sep;156(3):445-51.

Malalties de l'Aparell Digestiu

Accreditation of processes in	Clemente G, Pérez-Lázaro JJ, Tejedor	Gastroenterol Hepatol.
-------------------------------	--------------------------------------	------------------------

hepatology]	M, Planas R, De la Mata M, Córdoba J, Jara P, Herrero JI, Prieto M, Suárez G, Arroyo V.	2008 Aug-Sep;31(7):427-32.
[Adrenal insufficiency in cirrhosis.]	Fernández J, Fernández-Balsells M, Acevedo J, Arroyo V.	Gastroenterol Hepatol. 2008 Nov;31(9):606-11.
[Clinical practice guideline on the management of rectal bleeding (update 2007)]	Alonso-Coello P, Marzo-Castillejo M, Mascort JJ, Hervás AJ, Viña LM, Ferrús JA, Ferrándiz J, López-Rivas L, Rigau D, Solà I, Bonfill X, Piqué JM.	Gastroenterol Hepatol. 2008 Dec;31(10):652-67. Review. Spanish.
[Clinical practice guideline on the treatment of hemorrhoids and anal fissure (update 2007)]	Alonso-Coello P, Marzo-Castillejo M, Mascort JJ, Hervás AJ, Viña LM, Ferrús JA, Ferrándiz J, López-Rivas L, Rigau D, Solà I, Bonfill X, Piqué JM.	Gastroenterol Hepatol. 2008 Dec;31(10):668-81. Spanish.
[Consensus document of the Spanish Society of Liver Transplantation]	Sociedad Española de Trasplante Hepático.	Gastroenterol Hepatol. 2008 Feb;31(2):82-91. Spanish.
[Dilutional hyponatremia, hepatorenal syndrome and liver transplantation]	Cárdenas A, Ginès P.	Gastroenterol Hepatol. 2008 Jan;31(1):29-36. Review. Spanish.
[Hepatotoxicity induced by herbs and medicines used to induce weight loss]	Herrera S, Bruguera M.	Gastroenterol Hepatol. 2008 Aug-Sep;31(7):447-53. Review.
[How can we find, design, evaluate and use clinical practice guidelines?]	Gisbert JP, Alonso-Coello P, Piqué JM.	Gastroenterol Hepatol. 2008 Apr;31(4):239-57. Review. Spanish.
[Implementation of clinical management in hospital organization]	Font D, Piqué JM, Guerra F, Rodés J.	Med Clin (Barc). 2008 Mar 15;130(9):351-6. Spanish.
[Liver injury induced by "natural remedies": an analysis of cases submitted to the Spanish Liver Toxicity Registry]	García-Cortés M, Borraz Y, Lucena MI, Peláez G, Salmerón J, Diago M, Martínez-Sierra MC, Navarro JM, Planas R, Soria MJ, Bruguera M, Andrade RJ.	Rev Esp Enferm Dig. 2008 Nov;100(11):688-95.
[Medical personnel's careers. A useful incentive system as long as we adhere to its application principles]	Salmerón JM, Benarroch G, Piqué JM, Rodés J.	Med Clin (Barc). 2008 Mar 22;130(10):393-8. Spanish.
[Organization and functioning model of biomedical research structures. Situation and future challenges]	Font D, Gomis R, Trilla A, Bigorra J, Piqué JM, Rodés J.	Med Clin (Barc). 2008 Apr 12;130(13):510-6. Review. Spanish.
[Questions and answers in gastroenterology]	Gisbert JP, Santander C, Piqué JM.	Gastroenterol Hepatol. 2008 Jun-Jul;31(6):388-9. Spanish.
[Scientific and technical advances in biomedicine: reflection on clinical management]	Rodés J, Font D, Trilla A, Piqué JM, Gomis R.	Med Clin (Barc). 2008 Apr 19;130(14):553-6. Spanish.
[The Euro-Wilson project: a European project for the study of Wilson's disease]	Vergara M, Jara P, Bruguera M.	Gastroenterol Hepatol. 2008 Mar;31(3):117-9.
[The Spanish System of Accreditation of Professional Competencies in Hepatology. A proposal of the Spanish Association for the Study of the Liver]	Clemente Ricote G, Pérez-Lázaro JJ, Tejedor M, Planas R, de la Mata M, Córdoba J, Jara P, Herrero JI, Prieto M, Suárez G, Arroyo V.	Gastroenterol Hepatol. 2008 Oct;31(8):530-5.
[Whipple's disease. Analysis of 6 cases]	Reyes R, Peris P, Feu F, Martínez-Ferrer A, Quera A, Guañabens N.	Med Clin (Barc). 2008 Feb 23;130(6):219-22. Review.
A multicenter, randomized, double-blind trial of everolimus versus azathioprine and placebo to maintain steroid-induced remission in patients with moderate-to-severe active Crohn's disease.	Reinisch W, Panés J, Lémann M, Schreiber S, Feagan B, Schmidt S, Sturniolo GC, Mikhailova T, Alexeeva O, Sanna L, Haas T, Korom S, Mayer H.	Am J Gastroenterol. 2008 Sep;103(9):2284-92.
A new scoring system for prognostic stratification of patients with alcoholic hepatitis.	Dominguez M, Rincón D, Abalde JG, Miquel R, Colmenero J, Bellot P, García-Pagán JC, Fernández R, Moreno M, Bañares R, Arroyo V, Caballería J, Ginès P, Bataller R.	Am J Gastroenterol. 2008 Nov;103(11):2747-56.
Antiphospholipid syndrome during pegylated interferon alpha-2a therapy for chronic hepatitis C.	Balderramo DC, García O, Colmenero J, Espinosa G, Fornis X, Ginès P.	Dig Liver Dis. 2008 Jan 31.
Are Angiotensin II receptor antagonists useful strategies in steatotic and non-steatotic livers in conditions of partial hepatectomy under ischemia-reperfusion?	Ramalho FS, Alfany-Fernandez I, Casillas-Ramirez A, Massip-Salcedo M, Serafin A, Rimola A, Arroyo V, Rodes J, Rosello-Catafau J, Peralta C.	J Pharmacol Exp Ther. 2008 Dec 30.
Are we giving biologics too late? The	Ricart E, García-Bosch O, Ordás I,	World J Gastroenterol.

case for early versus late use.	Panés J.	2008 Sep 28;14(36):5523-7. Review.
Clinical trial: a multicentre, randomized, double-blind, placebo-controlled, dose-finding, phase II study of subcutaneous interferon-beta-1a in moderately active ulcerative colitis.	Pena-Rossi C, Schreiber S, Golubovic G, Mertz-Nielsen A, Panes J, Rachmilewitz D, Shieh MJ, Simanenkov VI, Stanton D, Graffner H.	Aliment Pharmacol Ther. 2008 Jun 21.
Complications of cirrhosis.	Ginès P.	Semin Liver Dis. 2008 Feb;28(1):1.
Declining prevalence of hepatitis B virus infection in Catalonia (Spain) 12 years after the introduction of universal vaccination	Salleras L, Domínguez A, Bruguera M, Plans P, Costa J, Cardenosa N, Batalla J, Plasència A.	Vaccine. 2007 Dec 17;25(52):8726-31.
Design and endpoints of clinical trials in hepatocellular carcinoma	Llovet JM, Di Bisceglie AM, Bruix J, Kramer BS, Lencioni R, Zhu AX, Sherman M, Schwartz M, Lotze M, Talwalkar J, Gores GJ; Panel of Experts in HCC-Design Clinical Trials	J Natl Cancer Inst. 2008 May 21;100(10):698-711
Diagnosis of hepatic nodules 20 mm or smaller in cirrhosis: Prospective validation of the noninvasive diagnostic criteria for hepatocellular carcinoma	Forner A, Vilana R, Ayuso C, Bianchi L, Solé M, Ayuso JR, Boix L, Sala M, Varela M, Llovet JM, Brú C, Bruix J.	Hepatology. 2008 Jan;47(1):97-104. Erratum in: Hepatology. 2008 Feb;47(2):769
Effects of satavaptan, a selective vasopressin V(2) receptor antagonist, on ascites and serum sodium in cirrhosis with hyponatremia: a randomized trial.	Ginès P, Wong F, Watson H, Milutinovic S, del Arbol LR, Olteanu D; HypoCAT Study Investigators.	Hepatology. 2008 Jul;48(1):204-13.
Electronic clinical challenges and images in GI. Image 2: Peristomal ulcer after colectomy.	Zabalza M, Feu F, Panés J.	Gastroenterology. 2008 Nov;135(5):e3-4.
Endoscopic requirements of colorectal cancer screening programs in average-risk population. Estimation according to a Markov model.	Rodríguez-Moranta F, Trapero-Bertran M, Castells A, Mas-Canal X, Balaguer F, Pellisé M, Gonzalo V, Ocaña T, Trilla A, Piqué JM.	Gastroenterol Hepatol. 2008 Aug-Sep;31(7):405-12.
Eradication of Helicobacter pylori for the prevention of peptic ulcer rebleeding.	Gisbert JP, Calvet X, Feu F, Bory F, Cosme A, Almela P, Santolaria S, Azntuláez R, Castro-Fernández M, Fernández N, García-Grávalos R, Cañete N, Benages A, Montoro M, Borda F, Pérez-Aisa A, Piqué JM.	Aliment Pharmacol Ther. 2008 Aug 15;28(4):499-500; author reply 500-1.
Evaluation of naranjo adverse drug reactions probability scale in causality assessment of drug-induced liver injury	García-Cortés M, Lucena MI, Pachkoria K, Borrás Y, Hidalgo R, Andrade RJ; Spanish Group for the Study of Drug-induced Liver Disease (grupo de Estudio para las Hepatopatías Asociadas a Medicamentos, Geham).	Aliment Pharmacol Ther. 2008 May;27(9):780-9.
Focal gains of VEGFA and molecular classification of hepatocellular carcinoma	Chiang DY, Villanueva A, Hoshida Y, Peix J, Newell P, Minguez B, LeBlanc AC, Donovan DJ, Thung SN, Solé M, Tovar V, Alsinet C, Ramos AH, Barretina J, Roayaie S, Schwartz M, Waxman S, Bruix J, Mazzaferro V, Ligon AH, Najfeld V, Friedman SL, Sellers WR, Meyerson M, Llovet JM.	Cancer Res. 2008 Aug 15;68(16):6779-88.
Gene expression in fixed tissues and outcome in hepatocellular carcinoma	Hoshida Y, Villanueva A, Kobayashi M, Peix J, Chiang DY, Camargo A, Gupta S, Moore J, Wrobel MJ, Lerner J, Reich M, Chan JA, Glickman JN, Ikeda K, Hashimoto M, Watanabe G, Daidone MG, Roayaie S, Schwartz M, Thung S, Salvesen HB, Gabriel S, Mazzaferro V, Bruix J, Friedman SL, Kumada H, Llovet JM, Golub TR.	N Engl J Med. 2008 Nov 359(19):1995-2004
Health-related quality of life in inflammatory bowel disease patients: the role of psychopathology and personality.	Vidal A, Gómez-Gil E, Sans M, Portella MJ, Salameiro M, Piqué JM, Panés J.	Inflamm Bowel Dis. 2008 Jul;14(7):977-83.
Hospital admission is a relevant source of hepatitis C virus acquisition in Spain.	Martínez-Bauer E, Fornis X, Armelles M, Planas R, Solà R, Vergara M, Fàbregas S, Vega R, Salmerón J, Diago M, Sánchez-Tapias JM, Bruguera M; Spanish Acute HCV Study Group.	J Hepatol. 2008 Jan;48(1):20-7.
How accurately and how early can we	Navasa M, Fornis X.	Liver Transpl. 2008

predict rapid fibrosis progression in hepatitis C virus-infected patients after liver transplantation?		Sep;14(9):1237-9.
Hyponatremia in cirrhosis: pathogenesis, clinical significance, and management.	Ginès P, Guevara M.	Hepatology. 2008 Sep;48(3):1002-10. Review.
Immune reconstitution syndrome after voriconazole treatment for cryptococcal meningitis in a liver transplant recipient.	Crespo G, Cervera C, Michelena J, Marco F, Moreno A, Navasa M.	Liver Transpl. 2008 Nov;14(11):1671-4.
Impact and effectiveness of a mass hepatitis A vaccination programme of preadolescents seven years after introduction	Domínguez A, Oviedo M, Carmona G, Batalla J, Bruguera M, Salleras L, Plasència A.	Vaccine. 2008 Mar 25;26(14):1737-41.
Impact of wide-angle, high-definition endoscopy in the diagnosis of colorectal neoplasia: a randomized controlled trial.	Pellisé M, Fernández-Esparrach G, Cárdenas A, Sendino O, Ricart E, Vaquero E, Gimeno-García AZ, de Miguel CR, Zabalza M, Ginès A, Piqué JM, Llach J, Castells A.	Gastroenterology. 2008 Oct;135(4):1062-8.
Inhibition of angiotensin II action protects rat steatotic livers against ischemia-reperfusion injury.	Casillas-Ramirez A, Amine-Zaouali M, Massip-Salcedo M, Padriisa-Altés S, Bintanel-Morcillo M, Ramalho F, Serafín A, Rimola A, Arroyo V, Rodés J, Roselló-Catafau J, Peralta C.	Crit Care Med. 2008 Apr;36(4):1256-66.
Liver cancer: An evolving challenge reaching research maturity	Bruix J.	Hepatology. 2008 Apr;47(4):1103-4.
Locoregional treatment for hepatocellular carcinoma: From clinical exploration to robust clinical data, changing standards of care	Fornier A, Bruix J.	Hepatology. 2008 Jan;47(1):5-7
Molecular adsorbents recirculating system (MARS) and the failing liver: a negative editorial for a positive trial?	Arroyo V, Fernandez J, Mas A, Escorsell A.	Hepatology. 2008 Jun;47(6):2143-4.
Molecular targeted therapies in hepatocellular carcinoma	Llovet JM, Bruix J.	Hepatology. 2008 Oct;48(4):1312-27. Review.
MR elastography to assess liver fibrosis.	Carrión JA, Navasa M, Forn X.	Radiology. 2008 May;247(2):591; author reply 591-2.
Novel advancements in the management of hepatocellular carcinoma in 2008 ¹	Llovet JM, Bruix J.	J Hepatol. 2008;48 Suppl 1:S20-37.Review.
Optimization of liver grafts in liver retransplantation: a European single-center experience.	Martí J, Charco R, Ferrer J, Calatayud D, Rimola A, Navasa M, Fondevila C, Fuster J, García-Valdecasas JC.	Surgery. 2008 Nov;144(5):762-9.
Pathogenesis and treatment of hepatorenal syndrome.	Arroyo V, Fernandez J, Ginès P.	Semin Liver Dis. 2008 Feb;28(1):81-95
Pathogenesis and treatment of hepatorenal syndrome.	Arroyo V, Fernandez J, Ginès P.	Semin Liver Dis. 2008 Feb;28(1):81-95. Review.
Pivotal role of mTOR signaling in hepatocellular carcinoma	Villanueva A, Chiang DY, Newell P, Peix J, Thung S, Alsinet C, Tovar V, Roayaie S, Minguez B, Sole M, Battiston C, Van Laarhoven S, Fiel MI, Di Feo A, Hoshida Y, Yea S, Toffanin S, Ramos A, Martignetti JA, Mazzaferro V, Bruix J, Waxman S, Schwartz M, Meyerson M, Friedman SL, Llovet JM.	Gastroenterology. 2008 Dec;135(6):1972-83, 1983.e1-11.
Portal hypertension and its complications.	Sanyal AJ, Bosch J, Blei A, Arroyo V.	Gastroenterology. 2008 May;134(6):1715-28.
Positive VEGF immunostaining independently predicts poor prognosis in curatively resected gastric cancer patients: results of a study assessing a panel of angiogenic markers.	Vidal O, Soriano-Izquierdo A, Pera M, Elizalde JI, Palacín A, Castells A, Piqué JM, Volant A, Metges JP.	J Gastrointest Surg. 2008 Jun;12(6):1005-14.
Predicting mortality in cirrhosis--serum sodium helps.	Cárdenas A, Ginès P.	N Engl J Med. 2008 Sep 4;359(10):1060-2.
Regression of fibrosis after chronic stimulation of cannabinoid CB2 receptor in cirrhotic rats.	Muñoz-Luque J, Ros J, Fernández-Varo G, Tugues S, Morales-Ruiz M, Alvarez CE, Friedman SL, Arroyo V, Jiménez W.	J Pharmacol Exp Ther. 2008 Feb;324(2):475-83.
Regulatory effects of arachidonate 5-lipoxygenase on hepatic microsomal TG transfer protein activity and VLDL-triglyceride and apoB secretion in obese mice.	López-Parra M, Titos E, Horrillo R, Ferré N, González-Pérez A, Martínez-Clemente M, Planagumà A, Masferrer J, Arroyo V, Clària J.	J Lipid Res. 2008 Dec;49(12):2513-23.

Reliability and validity of the Gastrointestinal Symptom Rating Scale (GSRS) and Quality of Life in Reflux and Dyspepsia (QOLRAD) questionnaire in dyspepsia: a six-country study.	Kulich KR, Madisch A, Pacini F, Piqué JM, Regula J, Van Rensburg CJ, Ujszászy L, Carlsson J, Halling K, Wiklund IK.	Health Qual Life Outcomes. 2008 Jan 31;6:12.
Risk of upper gastrointestinal bleeding and the degree of serotonin reuptake inhibition by antidepressants: a case-control study.	Vidal X, Ibáñez L, Vendrell L, Conforti A, Laporte JR; Spanish-Italian Collaborative Group for the Epidemiology of Gastrointestinal Bleeding.	Drug Saf. 2008;31(2):159-68.
Sorafenib in advanced hepatocellular carcinoma	Llovet JM, Ricci S, Mazzaferro V, Hilgard P, Gane E, Blanc JF, de Oliveira AC, Santoro A, Raoul JL, Forner A, Schwartz M, Porta C, Zeuzem S, Bolondi L, Greten TF, Galle PR, Seitz JF, Borbath I, Häussinger D, Giannaris T, Shan M, Moscovici M, Voliotis D, Bruix J; SHARP Investigators Study Group	N Engl J Med. 2008 Jul 24;359(4):378-90
Steroid-refractory ulcerative colitis: predictive factors of response to cyclosporine and validation in an independent cohort.	Aceituno M, García-Planella E, Heredia C, Zabana Y, Feu F, Domènech E, Gassull MA, Panés J.	Inflamm Bowel Dis. 2008 Mar;14(3):347-52.
Terlipressin and albumin vs albumin in patients with cirrhosis and hepatorenal syndrome: a randomized study.	Martín-Llahí M, Pépin MN, Guevara M, Díaz F, Torre A, Monescillo A, Soriano G, Terra C, Fábrega E, Arroyo V, Rodés J, Ginès P; TAHRS Investigators.	Gastroenterology. 2008 May;134(5):1352-9.
The hepatic apelin system: a new therapeutic target for liver disease.	Principe A, Melgar-Lesmes P, Fernández-Varo G, del Arbol LR, Ros J, Morales-Ruiz M, Bernardi M, Arroyo V, Jiménez W.	Hepatology. 2008 Oct;48(4):1193-201.
The long-term results of a randomized clinical trial of laparoscopy-assisted versus open surgery for colon cancer.	Lacy AM, Delgado S, Castells A, Prins HA, Arroyo V, Ibarzabal A, Pique JM.	Ann Surg. 2008 Jul;248(1):1-7.
The management of ascites and hyponatremia in cirrhosis.	Ginès P, Cárdenas A.	Semin Liver Dis. 2008 Feb;28(1):43-58. Review.
Time course of anti-inflammatory effect of low-dose radiotherapy: correlation with TGF-beta(1) expression.	Arenas M, Gil F, Gironella M, Hernández V, Biete A, Piqué JM, Panés J.	Radiother Oncol. 2008 Mar;86(3):399-406.
Transarterial chemoembolization for patients with hepatocellular carcinoma	Forner A, Real MI, Varela M, Bruix J.	Hepatology. 2007 Sep;37 Suppl 2:S230-7
Use of acid-suppressing drugs and the risk of bacterial gastroenteritis.	García Rodríguez LA, Ruigómez A, Panés J.	Clin Gastroenterol Hepatol. 2007 Dec;5(12):1418-23.
Using transcriptional profiling to develop a diagnostic test of operational tolerance in liver transplant recipients.	Martínez-Llordella M, Lozano JJ, Puig-Pey I, Orlando G, Tisone G, Lerut J, Benítez C, Pons JA, Parrilla P, Ramírez P, Bruguera M, Rimola A, Sánchez-Fueyo A.	J Clin Invest. 2008 Aug;118(8):2845-57
What's new in the treatment of ascites and spontaneous bacterial peritonitis.	Cárdenas A, Ginès P.	Curr Gastroenterol Rep. 2008 Feb;10(1):7-14. Review.

Malalties de l'Aparell Respiratori

[A new cover for the new year]	Casan P, Xaubet A, García Río F, Barreiro E; por el Comité de Archivos de Bronconeumología.	Arch Bronconeumol. 2008 Dec;44(12):655-6. Spanish.
[Analysis of cancer incidence, survival and mortality according to the main tumoral localizations, 1985-2019: prostate cancer]	Borràs J, Marcos-Gragera R, Torres A, Espinàs JA.	Med Clin (Barc). 2008 Oct;131 Suppl 1:63-6. Spanish.
[Assessment of patient satisfaction and preferences with inhalers in asthma with the FSI-10 Questionnaire]	Perpiñá Tordera M, Viejo JL, Sanchis J, Badia X, Cobos N, Picado C, Sobradillo V, Martínez González del Río J, Duce F, Muñoz Cabrera L.	Arch Bronconeumol. 2008 Jul;44(7):346-52. Spanish.
[Assessment of the simplified versions of the Asthma Control Questionnaire]	Badiola C, Badia X, Sastre J, Olaguibel JM, López-Viña A, Vega JM, Picado C; COVALAIR researchers study group.	Med Clin (Barc). 2008 Sep 20;131(9):326-32. Spanish.
[Desquamative interstitial pneumonia and respiratory bronchiolitis-]	Baloira A, Xaubet A, Rodríguez Becerra E, Romero AD, Casanova A, Ancochea	Arch Bronconeumol. 2008 Sep;44(9):499-

associated interstitial lung disease: data from the Spanish patient registry]	J.	503. Spanish.
[Hemoglobinopathy Newcastle: use of chromatography and first case reported in Spain]	Mañú Pereira MM, Coll Sibina MT, García Mateos E, Vives Corrons JL.	Med Clin (Barc). 2008 Apr 5;130(12):455-8. Spanish.
[Hepatopulmonary syndrome]	Rodríguez-Roisin R, Gómez F.	Med Clin (Barc). 2008 Sep 6;131(7):278; author reply 278. Spanish.
[Management according to the Global Initiative for Asthma guidelines of patients with near-fatal asthma reduces morbidity and mortality]	Rodríguez-Trigo G, Plaza V, Picado C, Sanchis J.	Arch Bronconeumol. 2008 Apr;44(4):192-6. Spanish.
[Sleep apnea year 2006: review of publications in Archivos de Bronconeumologia]	Masa Jiménez JF, Corral Peñafiel J, García Ledesma E, Montserrat JM.	Arch Bronconeumol. 2008 Nov;44(11):611-20. Review. Spanish.
[Transbronchial needle aspiration in the study of mediastinal lymph nodes: yield and cost-effectiveness]	Martínez-Olondris P, Molina-Molina M, Xaubet A, Marrades RM, Luburich P, Ramírez J, Torres A, Agustí C.	Arch Bronconeumol. 2008 Jun;44(6):290-4. Spanish.
[Treatment of chronic obstructive pulmonary disease in 5 Latin American cities: the PLATINO study]	López Varela MV, Muiño A, Pérez Padilla R, Jardim JR, Tálamo C, Montes de Oca M, Valdivia G, Pertuzé J, Halbert R, Menezes AM; PLATINO Group.	Arch Bronconeumol. 2008 Feb;44(2):58-64. Spanish.
[Triamcinolone acetonide in the treatment of corticosteroid-resistant asthma: risks and benefits]	Picado C, Vennera Mdel C.	Arch Bronconeumol. 2008 Jun;44(6):324-7. Review. Spanish.
2007 American College of Critical Care Medicine clinical practice parameters for hemodynamic support of pediatric and neonatal septic shock	Brierley J, Choong K, Cornell T, Decaen A, Deymann A, Doctor A, Davis A, Duff J, Dugas MA, Duncan A, Evans B, Feldman J, Felmet K, Fisher G, Frankel L, Jeffries H, Greenwald B, Gutierrez J, Han K, Hanson J, Hazelzet J, Hernan L, Kiff J, Kissoon N, Kon A, Irazusta J, Lin J, Lorts A, Mariscalco M, Mehta R, Nadel S, Nguyen T, Nicholson C, Peters M, Okhuysen-Cawley R, Poulton T, Relves M, Rodriguez A, Rozenfeld R, Schnitzler E, Shanley T, Skache S, Skippen P, Torres A, von Dessauer Chile B, Weingarten J, Zaritsky A, Stojadinovic B, Zimmerman J, Zuckerberg A.	Crit Care Med. 2008 Nov 28.
Adenosine 5'-monophosphate in asthma: gas exchange and sputum cellular responses.	Manrique HA, Gómez FP, Muñoz PA, Peña AM, Barberà JA, Roca J, Rodríguez-Roisin R.	Eur Respir J. 2008 Jun;31(6):1205-12.
An intranasal selective antisense oligonucleotide impairs lung cyclooxygenase-2 production and improves inflammation, but worsens airway function, in house dust mite sensitive mice.	Torres R, Herreras A, Serra-Pagès M, Roca-Ferrer J, Pujols L, Marco A, Picado C, de Mora F.	Respir Res. 2008 Nov 12;9:72.
Angiotensin converting enzyme-2 is protective but downregulated in human and experimental lung fibrosis.	Li X, Molina-Molina M, Abdul-Hafez A, Uhal V, Xaubet A, Uhal BD.	Am J Physiol Lung Cell Mol Physiol. 2008 Jul;295(1):L178-85.
Angiotensinogen gene G-6A polymorphism influences idiopathic pulmonary fibrosis disease progression.	Molina-Molina M, Xaubet A, Li X, Abdul-Hafez A, Friderici K, Jernigan K, Fu W, Ding Q, Pereda J, Serrano-Mollar A, Casanova A, Rodríguez-Becerra E, Morell F, Ancochea J, Picado C, Uhal BD.	Eur Respir J. 2008 Oct;32(4):1004-8.
Assessment of upper airway mechanics during sleep.	Farré R, Montserrat JM, Navajas D.	Respir Physiol Neurobiol. 2008 Nov 30;163(1-3):74-81. Review.
Cardiac function after CPAP therapy in patients with chronic heart failure and sleep apnea: a multicenter study.	Egea CJ, Aizpuru F, Pinto JA, Ayuela JM, Ballester E, Zamarrón C, Sojo A, Montserrat JM, Barbe F, Alonso-Gomez AM, Rubio R, Lobo JL, Duran-Cantolla J, Zorrilla V, Nuñez R, Cortés J, Jiménez A, Cifrián J, Ortega M, Carpizo R, Sánchez A, Terán J, Iglesias L, Fernández C, Alonso ML, Cordero J, Roig E, Pérez F, Muxi A, Gude F, Amaro A, Calvo U, Masa JF, Utrabo I, Porras Y, Lanchas I, Sánchez E; Spanish Group of Sleep Breathing Disorders.	Sleep Med. 2008 Aug;9(6):660-6.
Cell counter-based parameters and	Juncà J, Mañú-Pereira M, Radó-Trilla N,	Am J Clin Pathol. 2008

formulas in detection of beta-thalassemia trait.	Vives-Corróns JL.	Jul;130(1):147-8; author reply 148.
Chronic obstructive pulmonary disease with lung cancer and/or cardiovascular disease.	Rodríguez-Roisin R, Soriano JB.	Proc Am Thorac Soc. 2008 Dec 1;5(8):842-7. Review.
Continuous positive airway pressure (CPAP) induces early nasal inflammation.	Almendros I, Acerbi I, Vilaseca I, Montserrat JM, Navajas D, Farré R.	Sleep. 2008 Jan 1;31(1):127-31.
Corticosteroid therapy increases membrane-tethered while decreases secreted mucin expression in nasal polyps.	Martínez-Antón A, de Bolós C, Alobid I, Benítez P, Roca-Ferrer J, Picado C, Mullol J.	Allergy. 2008 Oct;63(10):1368-76.
Expression of BK(Ca) channels in human pulmonary arteries: relationship with remodeling and hypoxic pulmonary vasoconstriction.	Peinado VI, París R, Ramírez J, Roca J, Rodríguez-Roisin R, Barberà JA.	Vascul Pharmacol. 2008 Oct-Dec;49(4-6):178-84.
Genetic variants of microsomal epoxide hydrolase and glutamate-cysteine ligase in COPD.	Chappell S, Daly L, Morgan K, Guetta-Baranes T, Roca J, Rabinovich R, Lotya J, Millar AB, Donnelly SC, Keatings V, MacNee W, Stolk J, Hiemstra PS, Miniati M, Monti S, O'Connor CM, Kalsheker N.	Eur Respir J. 2008 Oct;32(4):931-7.
Hepatopulmonary syndrome--a liver-induced lung vascular disorder.	Rodríguez-Roisin R, Krowka MJ.	N Engl J Med. 2008 May 29;358(22):2378-87. Review.
ICSH Guideline for worldwide point-of-care testing in haematology with special reference to the complete blood count.	Briggs C, Carter J, Lee SH, Sandhaus L, Simon-Lopez R, Vives Corróns JL; International Council for Standardization in Haematology (ICSH).	Int J Lab Hematol. 2008 Apr;30(2):105-16.
Management of sleep apnea: concordance between nonreference and reference centers.	Hernández L, Torrella M, Roger N, Llunell A, Ballester E, Quinto L, Serrano M, Masa F, Montserrat JM.	Chest. 2007 Dec;132(6):1853-7.
Morbidity due to obstructive sleep apnea: insights from animal models.	Farré R, Montserrat JM, Navajas D.	Curr Opin Pulm Med. 2008 Nov;14(6):530-6. Review.
New evidence of risk factors for community-acquired pneumonia: a population-based study.	Almirall J, Bolívar I, Serra-Prat M, Roig J, Hospital I, Carandell E, Agustí M, Ayuso P, Estela A, Torres A; Community-Acquired Pneumonia in Catalan Countries (PACAP) Study Group.	Eur Respir J. 2008 Jun;31(6):1274-84.
Occupational asthma and rhinoconjunctivitis caused by cricket allergy.	Bartra J, Carnés J, Muñoz-Cano R, Bissinger I, Picado C, Valero AL.	J Investig Allergol Clin Immunol. 2008;18(2):141-2.
Positive pressure therapy: a perspective on evidence-based outcomes and methods of application.	Sanders MH, Montserrat JM, Farré R, Givelber RJ.	Proc Am Thorac Soc. 2008 Feb 15;5(2):161-72. Review.
Pulmonary gas exchange response to exercise- and mannitol-induced bronchoconstriction in mild asthma.	Muñoz PA, Gómez FP, Manrique HA, Roca J, Barberà JA, Young IH, Anderson SD, Rodríguez-Roisin R.	J Appl Physiol. 2008 Nov;105(5):1477-85.
Regulation of glucocorticoid receptor in nasal polyps by systemic and intranasal glucocorticoids.	Pujols L, Alobid I, Benítez P, Martínez-Antón A, Roca-Ferrer J, Fokkens WJ, Mullol J, Picado C.	Allergy. 2008 Oct;63(10):1377-86.
Rényi entropy and Lempel-Ziv complexity of mechanomyographic recordings of diaphragm muscle as indexes of respiratory effort.	Torres A, Fiz JA, Jane R, Laciari E, Galdiz JB, Gea J, Morera J.	Conf Proc IEEE Eng Med Biol Soc. 2008;2008:2112-5.
Rupatadine in allergic rhinitis and chronic urticaria.	Mullol J, Bousquet J, Bachert C, Canonica WG, Gimenez-Arnau A, Kowalski ML, Martí-Guadaño E, Maurer M, Picado C, Scadding G, Van Cauwenberge P.	Allergy. 2008 Apr;63 Suppl 87:5-28. Review.
Safety of long-acting beta-agonists in stable COPD: a systematic review.	Rodrigo GJ, Nannini LJ, Rodríguez-Roisin R.	Chest. 2008 May;133(5):1079-87. Review.
Safety of triflusal (antiplatelet drug) in patients with aspirin-exacerbated respiratory diseases.	Fraj J, Valero A, Vives R, Pérez I, Borja J, Izquierdo I, Picado C.	Allergy. 2008 Jan;63(1):112-5.
The role of external and matrix pH in mitochondrial reactive oxygen species generation.	Selivanov VA, Zeak JA, Roca J, Cascante M, Trucco M, Votyakova TV.	J Biol Chem. 2008 Oct 24;283(43):29292-300.
Upper airway collapse and reopening induce inflammation in a sleep apnoea model.	Almendros I, Carreras A, Ramírez J, Montserrat JM, Navajas D, Farré R.	Eur Respir J. 2008 Aug;32(2):399-404.
Validation of the Spanish version of the Asthma Control Questionnaire.	Picado C, Badiola C, Perulero N, Sastre J, Olaguibel JM, López Viña A, Vega	Clin Ther. 2008 Oct;30(10):1918-31.

	JM; Covalair Investigator Group.	
--	----------------------------------	--

Malalties del sistema endocrí i de la nutrició

[Intensive insulin therapy in non-diabetic patients with myocardial infarction and hyperglycemia. INSUCOR study]	Benito B, Conget I, Bosch X, Heras M, Ordóñez J, Sionis A, Díaz G, Esmatjes E.	Med Clin (Barc). 2008 May 3;130(16):601-5. Spanish.
[Organization and functioning model of biomedical research structures. Situation and future challenges]	Font D, Gomis R, Trilla A, Bigorra J, Piqué JM, Rodés J.	Med Clin (Barc). 2008 Apr 12;130(13):510-6. Review. Spanish.
[Prediction of glucose and insulin resistance disorders by using anthropometric parameters of central adiposity: PRED-IR study]	Brotos C, de la Figuera M, Franch J, Aristegui I, Rodríguez Azeredo R, García M, Gomis R; Investigation group of PRED-IR Study.	Med Clin (Barc). 2008 Sep 27;131(10):366-70. Spanish.
[Scientific and technical advances in biomedicine: reflection on clinical management]	Rodés J, Font D, Trilla A, Piqué JM, Gomis R.	Med Clin (Barc). 2008 Apr 19;130(14):553-6. Spanish.
[Scientific and technical advances in biomedicine: reflection on clinical management]	Rodés J, Font D, Trilla A, Piqué JM, Gomis R.	Med Clin (Barc). 2008 Apr 19;130(14):553-6. Spanish.
A short acute octreotide test for response prediction of long-term treatment with somatostatin analogues in acromegalic patients.	Halperin I, Nicolau J, Casamitjana R, Sesnilo G, Serra-Prat M, Palomera E, Puig-Domingo M.	Horm Metab Res. 2008 Jun;40(6):422-6.
Application of electrophoretic mobility shift assay and chromatin immunoprecipitation in the study of transcription in adipose cells.	Musri MM, Gomis R, Parrizas M.	Methods Mol Biol. 2008;456:231-47.
Calcium elevation in mouse pancreatic beta cells evoked by extracellular human islet amyloid polypeptide involves activation of the mechanosensitive ion channel TRPV4.	Casas S, Novials A, Reimann F, Gomis R, Gribble FM.	Diabetologia. 2008 Dec;51(12):2252-62. Epub 2008 Aug 28.
Circulating peptide YY, weight loss, and glucose homeostasis after gastric bypass surgery in morbidly obese subjects.	Morínigo R, Vidal J, Lacy AM, Delgado S, Casamitjana R, Gomis R.	Ann Surg. 2008 Feb;247(2):270-5.
Cost of severe hypoglycaemia in patients with type 1 diabetes in Spain and the cost-effectiveness of insulin lispro compared with regular human insulin in preventing severe hypoglycaemia.	Reviriego J, Gomis R, Marañés JP, Ricart W, Hudson P, Sacristán JA.	Int J Clin Pract. 2008 Jul;62(7):1026-32.
Cyclin-dependent kinase 4 hyperactivity promotes autoreactivity in the immune system but protects pancreatic cell mass from autoimmune destruction in the nonobese diabetic mouse model.	Marzo N, Ortega S, Stratmann T, García A, Ríos M, Giménez A, Gomis R, Mora C.	J Immunol. 2008 Jan 15;180(2):1189-98.
Effect of the addition of rosiglitazone to metformin or sulfonylureas versus metformin/sulfonylurea combination therapy on ambulatory blood pressure in people with type 2 diabetes: a randomized controlled trial (the RECORD study).	Komajda M, Curtis P, Hanefeld M, Beck-Nielsen H, Pocock SJ, Zambanini A, Jones NP, Gomis R, Home PD; RECORD Study Group.	Cardiovasc Diabetol. 2008 Apr 24;7:10.
Glucose abnormalities in the siblings of people with schizophrenia.	Fernandez-Egea E, Bernardo M, Parellada E, Justicia A, Garcia-Rizo C, Esmatjes E, Conget I, Kirkpatrick B.	Schizophr Res. 2008 Aug;103(1-3):110-3.
Human pancreatic islets express the purinergic P2Y11 and P2Y12 receptors.	Lugo-García L, Nadal B, Gomis R, Petit P, Gross R, Lajoix AD.	Horm Metab Res. 2008 Nov;40(11):827-30.
Identification of the bHLH factor Math6 as a novel component of the embryonic pancreas transcriptional network.	Lynn FC, Sanchez L, Gomis R, German MS, Gasa R.	PLoS ONE. 2008 Jun 18;3(6):e2430.
Initiation of insulin glargine therapy in type 2 diabetes subjects suboptimally controlled on oral antidiabetic agents: results from the AT.LANTUS trial.	Davies M, Lavalley-González F, Storms F, Gomis R; AT.LANTUS Study Group.	Diabetes Obes Metab. 2008 May;10(5):387-99.
Neonatal diabetes with end-stage	Esmatjes E, Jimenez A, Diaz G, Mora	Diabetes Care. 2008

nephropathy: pancreas transplantation decision.	M, Casamitjana R, Pérez de Nanclares G, Castaño L, José Ricart M.	Nov;31(11):2116-7.
Prevalence of cardiovascular risk factors in patients with type 1 diabetes in end-stage renal disease: changes in the trend from 1999 to 2006.	Rueda SF, Fernández C, Nicolau J, Ricart MJ, Esmatjes E.	J Diabetes Complications. 2008 M
Salicylates increase insulin secretion in healthy obese subjects.	Fernández-Real JM, López-Bermejo A, Ropero AB, Piquer S, Nadal A, Bassols J, Casamitjana R, Gomis R, Arnaiz E, Pérez I, Ricart W.	J Clin Endocrinol Metab. 2008 Jul;93(7):2523-30.
Successful treatment of vitamin D unresponsive hypoparathyroidism with multipulse subcutaneous infusion of teriparatide.	Puig-Domingo M, Díaz G, Nicolau J, Fernández C, Rueda S, Halperin I.	Eur J Endocrinol. 2008 Nov;159(5):653-7.
The effect of the availability of inhaled insulin on glycaemic control in patients with Type 2 diabetes failing on oral therapy: the evaluation of Exubera as a therapeutic option on insulin initiation and improvement in glycaemic control in clinical pract	Del Prato S, Blonde L, Martinez L, Göke B, Woo V, Millward A, Gomis R, Canovatchel B, Strack T, Lawrence D, Freemantle N; EXPERIENCE Trial Team.	Diabet Med. 2008 Jun;25(6):662-70. Epub 2008 Apr 23.

Malalties de la sang

[Chronic myeloid leukemia 2008]	Cervantes F.	Med Clin (Barc). 2008 Nov 15;131(17):658-9. Review.
[Myelodysplastic syndromes: therapeutic advances and promising future]	Nomdedeu B.	Med Clin (Barc). 2008 Oct 18;131(13):500-2. Spanish.
A new prognostic scoring system for primary myelofibrosis based on a study of the International Working Group for Myelofibrosis Research and Treatment	Cervantes F, Dupriez B, Pereira A, Passamonti F, Réilly JT, Morra E, Vannucchi AM, Mesa RA, Demory JL, Barosi G, Rumi E, Tefferi A.	Blood. 2008 Nov 6
A prospective PETHEMA study of tandem autologous transplantation versus autograft followed by reduced-intensity conditioning allogeneic transplantation in newly diagnosed multiple myeloma.	Rosiñol L, Pérez-Simón JA, Sureda A, de la Rubia J, de Arriba F, Lahuerta JJ, González JD, Díaz-Mediavilla J, Hernández B, García-Frade J, Carrera D, León A, Hernández M, Abellán PF, Bergua JM, San Miguel J, Bladé J; Programa para el Estudio y la Terapéutica de las Hemopatías Malignas y Grupo Español de Mieloma (PETHEMA/GEM).	Blood. 2008 Nov 1;112(9):3591-3.
Advances in therapy of multiple myeloma.	Bladé J, Rosiñol L.	Curr Opin Oncol. 2008 Nov;20(6):697-704.
ALK- anaplastic large-cell lymphoma is clinically and immunophenotypically different from both ALK+ ALCL and peripheral T-cell lymphoma, not otherwise specified: report from the International Peripheral T-Cell Lymphoma Project.	Savage KJ, Harris NL, Vose JM, Ullrich F, Jaffe ES, Connors JM, Rimsza L, Pileri SA, Chhanabhai M, Gascoyne RD, Armitage JO, Weisenburger DD; International Peripheral T-Cell Lymphoma Project.	Blood. 2008 Jun 15;111(12):5496-504.
Anemia associated with impaired erythropoietin secretion after allogeneic stem cell transplantation: incidence, risk factors, and response to treatment.	Gaya A, Urbano-Ispizua A, Fernández-Avilés F, Salamero O, Roncero JM, Rovira M, Martínez C, Talarñ C, Granell M, Carreras E, Montserrat E.	Biol Blood Marrow Transplant. 2008 Aug;14(8):880-7.
Apigenin inhibits platelet adhesion and thrombus formation and synergizes with aspirin in the suppression of the arachidonic acid pathway.	Navarro-Núñez L, Lozano ML, Palomo M, Martínez C, Vicente V, Castillo J, Benavente-García O, Diaz-Ricart M, Escolar G, Rivera J.	J Agric Food Chem. 2008 May 14;56(9):2970-6.
BCL-2 phosphorylation modulates sensitivity to the BH3 mimetic GX15-070 (Obatoclox) and reduces its synergistic interaction with bortezomib in chronic lymphocytic leukemia cells.	Pérez-Galán P, Roué G, López-Guerra M, Nguyen M, Villamor N, Montserrat E, Shore GC, Campo E, Colomer D.	Leukemia. 2008 Sep;22(9):1712-20.
Bendamustine is effective in p53-deficient B-cell neoplasms and requires oxidative stress and caspase-independent signaling.	Roué G, López-Guerra M, Milpied P, Pérez-Galán P, Villamor N, Montserrat E, Campo E, Colomer D.	Clin Cancer Res. 2008 Nov 1;14(21):6907-15.

Bortezomib plus melphalan and prednisone for initial treatment of multiple myeloma.	San Miguel JF, Schlag R, Khuageva NK, Dimopoulos MA, Shpilberg O, Kropff M, Spicka I, Petrucci MT, Palumbo A, Samoilova OS, Dmoszynska A, Abdulkadyrov KM, Schots R, Jiang B, Mateos MV, Anderson KC, Esseltine DL, Liu K, Cakana A, van de Velde H, Richardson PG; VISTA Trial Investigators.	N Engl J Med. 2008 Aug 28;359(9):906-17.
Bortezomib plus melphalan and prednisone in elderly untreated patients with multiple myeloma: updated time-to-events results and prognostic factors for time to progression.	Mateos MV, Hernández JM, Hernández MT, Gutiérrez NC, Palomera L, Fuertes M, García-Sánchez P, Lahuerta JJ, de la Rubia J, Terol MJ, Sureda A, Bargay J, Ribas P, Alegre A, de Arriba F, Oriol A, Carrera D, García-Laraña J, García-Sanz R, Bladé J, Prósper F, Mateo G, Esseltine DL, van de Velde H, San Miguel JF.	Haematologica. 2008 Apr;93(4):560-5.
Characterisation of haematological profiles and low risk of thromboembolic events with bortezomib in patients with relapsed multiple myeloma.	Lonial S, Richardson PG, San Miguel J, Sonneveld P, Schuster MW, Bladé J, Cavenagh J, Rajkumar SV, Jakubowiak AJ, Esseltine DL, Anderson KC, Harousseau JL.	Br J Haematol. 2008 Oct;143(2):222-9.
Combined pegylated liposomal doxorubicin and bortezomib is highly effective in patients with recurrent or refractory multiple myeloma who received prior thalidomide/lenalidomide therapy.	Sonneveld P, Hajek R, Nagler A, Spencer A, Bladé J, Robak T, Zhuang SH, Harousseau JL, Orłowski RZ; DOXIL-MMY-3001 Study Investigators.	Cancer. 2008 Apr 1;112(7):1529-37.
Common variants in NLRP2 and NLRP3 genes are strong prognostic factors for the outcome of HLA-identical sibling allogeneic stem cell transplantation.	Granel M, Urbano-Ispizua A, Pons A, Aróstegui JI, Gel B, Navarro A, Jansa S, Artells R, Gaya A, Talarn C, Fernández-Avilés F, Martínez C, Rovira M, Carreras E, Rozman C, Juan M, Yagüe J, Montserrat E, Monzó M.	Blood. 2008 Nov 15;112(10):4337-42.
Dasatinib induces durable cytogenetic responses in patients with chronic myelogenous leukemia in chronic phase with resistance or intolerance to imatinib	Hochhaus A, Baccarani M, Deininger M, Apperley JF, Lipton JH, Goldberg SL, Corm S, Shah NP, Cervantes F, Silver RT, Niederwieser D, Stone RM, Dombret H, Larson RA, Roy L, Hughes T, Müller MC, Ezzeddine R, Countouriotis AM, Kantarjian HM.	Leukemia. 2008 Jun;22(6):1200-6
Differential expression of proteins from cultured endothelial cells exposed to uremic versus normal serum.	Carbó C, Arderiu G, Escolar G, Fusté B, Cases A, Carrascal M, Abián J, Díaz-Ricart M.	Am J Kidney Dis. 2008 Apr;51(4):603-12.
Efficacy and safety of bortezomib in patients with renal impairment: results from the APEX phase 3 study.	San-Miguel JF, Richardson PG, Sonneveld P, Schuster MW, Irwin D, Stadtmauer EA, Facon T, Harousseau JL, Ben-Yehuda D, Lonial S, Goldschmidt H, Reece D, Bladé J, Boccadoro M, Cavenagh JD, Neuwirth R, Boral AL, Esseltine DL, Anderson KC.	Leukemia. 2008 Apr;22(4):842-9.
Epidemiology of aplastic anemia: a prospective multicenter study.	Montané E, Ibáñez L, Vidal X, Ballarín E, Puig R, García N, Laporte JR; Catalan Group for Study of Agranulocytosis and Aplastic Anemia.	Haematologica. 2008 Apr;93(4):518-23.
Evaluation of ion release, cytotoxicity, and platelet adhesion of electrochemical anodized 316 L stainless steel cardiovascular stents.	Díaz M, Sevilla P, Galán AM, Escolar G, Engel E, Gil FJ.	J Biomed Mater Res B Appl Biomater. 2008 Nov;87(2):555-61.
External calcium facilitates signalling, contractile and secretory mechanisms induced after activation of platelets by collagen.	Arderiu G, Pérez-Pujol S, Escolar G, White JG, Díaz-Ricart M.	Platelets. 2008 May;19(3):172-81.
Fludarabine, cyclophosphamide, and mitoxantrone as initial therapy of chronic lymphocytic leukemia: high response rate and disease eradication.	Bosch F, Ferrer A, Villamor N, González M, Briones J, González-Barca E, Abella E, Gardella S, Escoda L, Pérez-Ceballos E, Asensi A, Sayas MJ, Font L, Altés A, Muntañola A, Bertazzoni P, Rozman M, Aymerich M, Giné E, Montserrat E.	Clin Cancer Res. 2008 Jan 1;14(1):155-61.
Further progress in CLL therapy.	Montserrat E.	Blood. 2008 Aug 15;112(4):924-5.
Gene expression profile and genomic changes in disease progression of early-stage chronic lymphocytic leukemia.	Fernández V, Jares P, Salaverria I, Giné E, Beà S, Aymerich M, Colomer D, Villamor N, Bosch F, Montserrat E, Campo E.	Haematologica. 2008 Jan;93(1):132-6.

Genetic variants in apoptosis and immunoregulation-related genes are associated with risk of chronic lymphocytic leukemia.	Enjuanes A, Benavente Y, Bosch F, Martín-Guerrero I, Colomer D, Pérez-Alvarez S, Reina O, Ardanaz MT, Jares P, García-Orad A, Pujana MA, Montserrat E, de Sanjosé S, Campo E.	Cancer Res. 2008 Dec 15;68(24):10178-86.
Guidelines for the diagnosis and treatment of chronic lymphocytic leukemia: a report from the International Workshop on Chronic Lymphocytic Leukemia updating the National Cancer Institute-Working Group 1996 guidelines.	Hallek M, Cheson BD, Catovsky D, Caligaris-Cappio F, Dighiero G, Döhner H, Hillmen P, Keating MJ, Montserrat E, Rai KR, Kipps TJ; International Workshop on Chronic Lymphocytic Leukemia.	Blood. 2008 Jun 15;111(12):5446-56. Erratum in: Blood. 2008 Dec 15;112(13):5259.
High clinical and molecular response rates with fludarabine, cyclophosphamide and mitoxantrone in previously untreated patients with advanced stage follicular lymphoma.	Montoto S, Moreno C, Domingo-Doménech E, Estany C, Oriol A, Altés A, Besalduch J, Pedro C, Gardella S, Escoda L, Asensio A, Vivancos P, Galán P, de Sevilla AF, Ribera JM, Briones J, Colomer D, Campo E, Montserrat E, López-Guillermo A; Grup per l'Estudi dels Limfomes de Catalunya I Balears (GELCAB) Spain.	Haematologica. 2008 Feb;93(2):207-14.
Identification of TIGAR in the equilibrative nucleoside transporter 2-mediated response to fludarabine in chronic lymphocytic leukemia cells.	López-Guerra M, Trigueros-Motos L, Molina-Arcas M, Villamor N, Casado FJ, Montserrat E, Campo E, Colomer D, Pastor-Anglada M.	Haematologica. 2008 Dec;93(12):1843-51.
Imatinib pharmacokinetics and its correlation with response and safety in chronic-phase chronic myeloid leukemia: a subanalysis of the IRIS study	Larson RA, Druker BJ, Guilhot F, O'Brien SG, Riviere GJ, Krahnke T, Gathmann I, Wang Y; IRIS (International Randomized Interferon vs STI571) Study Group	Blood. 2008 Apr 15;111(8):4022-8
Impact of prior imatinib mesylate on the outcome of hematopoietic cell transplantation for chronic myeloid leukemia	Lee SJ, Kukreja M, Wang T, Giralt SA, Szer J, Arora M, Woolfrey AE, Cervantes F, Champlin RE, Gale RP, Halter J, Keating A, Marks DI, McCarthy PL, Olavarria E, Stadtmauer EA, Abecasis M, Gupta V, Khoury HJ, George B, Hale GA, Liesveld JL, Rizzieri DA, Antin JH, Bolwell BJ, Carabasi MH, Copelan E, Ilhan O, Litzow MR, Schouten HC, Zander AR, Horowitz MM, Maziarz RT.	Blood. 2008 Oct 15;112(8):3500-7
Increased serum tumor markers (CA125 and CA15.3) in primary plasma cell leukemia: a case report and review of the literature.	de Larrea CF, Cibeira MT, Vallansot R, Colomo L, Bladé J.	Clin Lymphoma Myeloma. 2008 Oct;8(5):312-4.
Induction of histone H1.2 cytosolic release in chronic lymphocytic leukemia cells after genotoxic and non-genotoxic treatment.	Giné E, Crespo M, Muntañola A, Calpe E, Baptista MJ, Villamor N, Montserrat E, Bosch F.	Haematologica. 2008 Jan;93(1):75-82.
Influence of pre- and post-transplantation responses on outcome of patients with multiple myeloma: sequential improvement of response and achievement of complete response are associated with longer survival.	Lahuerta JJ, Mateos MV, Martínez-López J, Rosiñol L, Sureda A, de la Rubia J, García-Laraña J, Martínez-Martínez R, Hernández-García MT, Carrera D, Besalduch J, de Arriba F, Ribera JM, Escoda L, Hernández-Ruiz B, García-Frade J, Rivas-González C, Alegre A, Bladé J, San Miguel JF.	J Clin Oncol. 2008 Dec 10;26(35):5775-82.
Intensive chemotherapy (high-dose CHOP/ESHAP regimen) followed by autologous stem-cell transplantation in previously untreated patients with peripheral T-cell lymphoma.	Mercadal S, Briones J, Xicoy B, Pedro C, Escoda L, Estany C, Camós M, Colomo L, Espinosa I, Martínez S, Ribera JM, Martino R, Gutiérrez-García G, Montserrat E, López-Guillermo A; Grup per l'Estudi dels Limfomes de Catalunya I Balears (GELCAB).	Ann Oncol. 2008 May;19(5):958-63.
Internalization of tissue factor by platelets.	Escolar G, Lopez-Vilchez I, Diaz-Ricart M, White JG, Galan AM.	Thromb Res. 2008;122 Suppl 1:S37-41. Review.
International Myeloma Working Group guidelines for serum-free light chain analysis in multiple myeloma and related disorders.	Dispenzieri A, Kyle R, Merlini G, Miguel JS, Ludwig H, Hajek R, Palumbo A, Jagannath S, Bladé J, Lonial S, Dimopoulos M, Comenzo R, Einsele H, Barlogie B, Anderson K, Gertz M, Harousseau JL, Attal M, Tosi P, Sonneveld P, Boccadoro M, Morgan G, Richardson P, Sezer O, Mateos MV, Cavo M, Joshua D, Turesson I, Chen W, Shimizu K, Powles R, Rajkumar SV,	Leukemia. 2008 Nov 20.

	Durie BG.	
Life expectancy and prognostic factors in the classic BCR/ABL-negative myeloproliferative disorders	Cervantes F, Passamonti F, Barosi G.	Leukemia. 2008 May;22(5):905-14. Review
MicroRNA expression profiling in classic Hodgkin lymphoma.	Navarro A, Gaya A, Martinez A, Urbano-Ispizua A, Pons A, Balagué O, Gel B, Abrisqueta P, Lopez-Guillermo A, Artells R, Montserrat E, Monzo M.	Blood. 2008 Mar 1;111(5):2825-32.
Multicenter, randomized, double-blind, placebo-controlled study of thalidomide plus dexamethasone compared with dexamethasone as initial therapy for newly diagnosed multiple myeloma.	Rajkumar SV, Rosiñol L, Hussein M, Catalano J, Jedrzejczak W, Lucy L, Olesnyckyj M, Yu Z, Knight R, Zeldis JB, Bladé J.	J Clin Oncol. 2008 May 1;26(13):2171-7.
Multiparameter flow cytometric remission is the most relevant prognostic factor for multiple myeloma patients who undergo autologous stem cell transplantation.	Paiva B, Vidriales MB, Cerveró J, Mateo G, Pérez JJ, Montalbán MA, Sureda A, Montejano L, Gutiérrez NC, García de Coca A, de Las Heras N, Mateos MV, López-Berges MC, García-Boyeró R, Galende J, Hernández J, Palomera L, Carrera D, Martínez R, de la Rubia J, Martín A, Bladé J, Lahuerta JJ, Orfao A, San Miguel JF; GEM (Grupo Español de MM)/PETHEMA (Programa para el Estudio de la Terapéutica en Hemopatías Malignas) Cooperative Study Groups.	Blood. 2008 Nov 15;112(10):4017-23.
Myeloma in patients younger than age 50 years presents with more favorable features and shows better survival: an analysis of 10 549 patients from the International Myeloma Working Group.	Ludwig H, Durie BG, Bolejack V, Turesson I, Kyle RA, Blade J, Fonseca R, Dimopoulos M, Shimizu K, San Miguel J, Westin J, Harousseau JL, Beksac M, Boccadoro M, Palumbo A, Barlogie B, Shustik C, Cavo M, Greipp PR, Joshua D, Attal M, Sonneveld P, Crowley J.	Blood. 2008 Apr 15;111(8):4039-47.
New prognostic markers in chronic lymphocytic leukemia.	Moreno C, Montserrat E.	Blood Rev. 2008 Jul;22(4):211-9. Review.
Pathogenesis and progression of monoclonal gammopathy of undetermined significance.	Bladé J, Rosiñol L, Cibeira MT, de Larrea CF.	Leukemia. 2008 Sep;22(9):1651-7.
Pathogenesis and treatment of renal failure in multiple myeloma.	Dimopoulos MA, Kastritis E, Rosinol L, Bladé J, Ludwig H.	Leukemia. 2008 Aug;22(8):1485-93.
Pegylated liposomal doxorubicin plus bortezomib in relapsed or refractory multiple myeloma: efficacy and safety in patients with renal function impairment.	Bladé J, Sonneveld P, San Miguel JF, Sutherland HJ, Hajek R, Nagler A, Spencer A, Robak T, Cibeira MT, Zhuang SH, Harousseau JL, Orłowski RZ; DOXIL-MMY-3001 Study Investigators.	Clin Lymphoma Myeloma. 2008 Dec;8(6):352-5.
Platelets interact with tissue factor immobilized on surfaces: effects of shear rate.	Tonda R, Lopez-Vilchez I, Navalon F, Pino M, Hernandez MR, Escolar G, Galan AM.	Eur J Clin Invest. 2008 Jan;38(1):34-42.
Prevention of thalidomide- and lenalidomide-associated thrombosis in myeloma.	Palumbo A, Rajkumar SV, Dimopoulos MA, Richardson PG, San Miguel J, Barlogie B, Harousseau J, Zonder JA, Cavo M, Zangari M, Attal M, Belch A, Knop S, Joshua D, Sezer O, Ludwig H, Vesole D, Bladé J, Kyle R, Westin J, Weber D, Bringhen S, Niesvizky R, Waage A, von Lilienfeld-Toal M, Lonial S, Morgan GJ, Orłowski RZ, Shimizu K, Anderson KC, Boccadoro M, Durie BG, Sonneveld P, Hussein MA; International Myeloma Working Group.	Leukemia. 2008 Feb;22(2):414-23.
Prognostic factors for multiple myeloma in the era of novel agents.	Bladé J, Rosiñol L, Cibeira MT.	Ann Oncol. 2008 Sep;19 Suppl 7:viii117-20.
Prognostic value of immunophenotyping in multiple myeloma: a study by the PETHEMA/GEM cooperative study groups on patients uniformly treated with high-dose therapy.	Mateo G, Montalbán MA, Vidriales MB, Lahuerta JJ, Mateos MV, Gutiérrez N, Rosiñol L, Montejano L, Bladé J, Martínez R, de la Rubia J, Diaz-Mediavilla J, Sureda A, Ribera JM, Ojanguren JM, de Arriba F, Palomera L, Terol MJ, Orfao A, San Miguel JF; PETHEMA Study Group; GEM Study Group.	J Clin Oncol. 2008 Jun 1;26(16):2737-44.
Re: When you look matters: the effect of assessment schedule on	Richardson PG, Niesvizky R, Anderson KC, Bladé J.	J Natl Cancer Inst. 2008 Mar 5;100(5):373.

progression-free survival.		
Results of syngeneic hematopoietic stem cell transplantation for acute leukemia: risk factors for outcomes of adults transplanted in first complete remission.	Fouillard L, Labopin M, Gratwohl A, Gluckman E, Frassoni F, Beelen DW, Willemze R, Montserrat E, Blaise D, Aienza AI, Sierra J, Santos M, Gorin NC, Rocha V; Acute Leukemia Working Party of the European Group for Blood and Marrow Transplantation.	Haematologica. 2008 Jun;93(6):834-41.
Spontaneous rupture of the spleen as immediate complication in autologous transplantation for primary systemic amyloidosis.	Fernández de Larrea C, Cibeira MT, Rovira M, Rosiñol L, Esteve J, Bladé J.	Eur J Haematol. 2008 Feb;80(2):182-4.
Stromal gene signatures in large-B-cell lymphomas.	Lenz G, Wright G, Dave SS, Xiao W, Powell J, Zhao H, Xu W, Tan B, Goldschmidt N, Iqbal J, Vose J, Bast M, Fu K, Weisenburger DD, Greiner TC, Armitage JO, Kyle A, May L, Gascoyne RD, Connors JM, Troen G, Holte H, Kvaloy S, Dierickx D, Verhoef G, Delabie J, Smeland EB, Jares P, Martinez A, Lopez-Guillermo A, Montserrat E, Campo E, Braziel RM, Miller TP, Rimsza LM, Cook JR, Pohlman B, Sweetenham J, Tubbs RR, Fisher RI, Hartmann E, Rosenwald A, Ott G, Muller-Hermelink HK, Wrench D, Lister TA, Jaffe ES, Wilson WH, Chan WC, Staudt LM; Lymphoma/Leukemia Molecular Profiling Project.	N Engl J Med. 2008 Nov 27;359(22):2313-23.
Thalidomide for treatment of multiple myeloma: 10 years later.	Palumbo A, Facon T, Sonneveld P, Bladé J, Offidani M, Gay F, Moreau P, Waage A, Spencer A, Ludwig H, Boccadoro M, Harousseau JL.	Blood. 2008 Apr 15;111(8):3968-77. Epub 2008 Feb 1.
The presence of DRB1 allele in multiple myeloma patients is associated with an indolent disease.	Alcoceba M, Marín L, Balanzategui A, Sarasquete ME, Martín-Jiménez P, Chillón MC, Corral R, Pérez-Persona E, Fernández-Calvo FJ, Hernández JM, Bladé J, Lahuerta JJ, González M, San Miguel JF, García-Sanz R.	Tissue Antigens. 2008 Jun;71(6):548-51.
The relationship between quality of response and clinical benefit for patients treated on the bortezomib arm of the international, randomized, phase 3 APEX trial in relapsed multiple myeloma.	Niesvizky R, Richardson PG, Rajkumar SV, Coleman M, Rosiñol L, Sonneveld P, Schuster MW, Irwin D, Stadtmauer EA, Facon T, Harousseau JL, Boral AL, Esseltine DL, Anderson KC, Bladé J.	Br J Haematol. 2008 Sep;143(1):46-53.
The role of vertebral augmentation in multiple myeloma: International Myeloma Working Group Consensus Statement.	Hussein MA, Vrionis FD, Allison R, Berenson J, Berven S, Erdem E, Giralt S, Jagannath S, Kyle RA, LeGrand S, Pflugmacher R, Raje N, Rajkumar SV, Randall RL, Roodman D, Siegel D, Vescio R, Zonder J, Durie BG; International Myeloma Working Group.	Leukemia. 2008 Aug;22(8):1479-84.
Use of granulocyte colony-stimulating factor (G-CSF) and outcome in patients with non-chemotherapy agranulocytosis.	Ibáñez L, Sabaté M, Ballarín E, Puig R, Vidal X, Laporte JR; Agranulocytosis and Aplastic Anaemia Study Group of Barcelona.	Pharmacoepidemiol Drug Saf. 2008 Mar;17(3):224-8.

Malalties del sistema nerviós

[Amoxicillin-clavulanic acid therapy as cause of intrahepatic cholestasis]	Rodríguez-Cuellar E, Valeiras Domínguez E, Chamorro A.	Cir Esp. 2008 Jul;84(1):53-4
[Clinical outcome 6 years after autologous hematopoietic stem cell transplantation in multiple sclerosis]	Saiz A, Blanco Y, Berenguer J, Gómez-Choco M, Carreras E, Arbizu T, Graus F.	Neurologia. 2008 Sep;23(7):405-7. Spanish.
[Clinical study of 14 patients with pontine hemorrhage]	Arboix A.	Med Clin (Barc). 2008 Mar 15;130(9):339-41.
[Copper deficiency myelopathy]	Navarro J, Llufrí S, Valldeoriola F, Graus F.	Neurologia. 2008 Nov;23(9):612-3. Spanish.
[Impaired fasting glucose as a risk factor for atherothrombotic or lacunar cerebral infarction. A case-control]	Baena-Díez J, Arboix A, Merino-Audi M, Tomás-Pelegrina F, Ellacuría-Torres A, García-Lareo M, Liste-Salvador V.	Neurologia. 2008 Nov 6. [Epub ahead of print] Spanish.

study.]		
[Registry of cerebrovascular diseases]	Arboix A.	Med Clin (Barc). 2008 May 3;130(16):623-5.
[Validation of the Essen risk scale and its adaptation to the Spanish population. Modified Essen risk scale]	Alvarez-Sabin J, Quintana M, Rodríguez M, Arboix A, Ramírez JM, Fuentes B.	Neurologia. 2008 May;23(4):209-14.
[Validation of the Essen risk scale and its adaptation to the Spanish population. Modified Essen risk scale.]	Alvarez Sabin J, Quintana Luque M, Rodríguez M, Arboix A, Ramirez-Moreno J, Fuentes B.	Neurologia. 2008 Jan 2.
A randomized, double-blind, placebo-controlled, delayed start study to assess rasagiline as a disease modifying therapy in Parkinson's disease (the ADAGIO study): rationale, design, and baseline characteristics.	Olanow CW, Hauser RA, Jankovic J, Langston W, Lang A, Poewe W, Tolosa E, Stocchi F, Melamed E, Eyal E, Rascol O.	Mov Disord. 2008 Nov 15;23(15):2194-201.
Analysis of antibodies to neuronal surface antigens in adult opsoclonus-myoclonus.	Sabater L, Xifró X, Saiz A, Alberch J, Graus F.	J Neuroimmunol. 2008 May 30;196(1-2):188-91.
Anti-Ri-associated paraneoplastic cerebellar degeneration and breast cancer: an autopsy case study.	Brieva-Ruiz L, Diaz-Hurtado M, Matias-Guiu X, Márquez-Medina D, Tarragona J, Graus F.	Clin Neurol Neurosurg. 2008 Dec;110(10):1044-6.
Brain magnetic resonance imaging findings in acute relapses of neuromyelitis optica spectrum disorders.	Cabrera-Gómez J, Saiz-Hinarejos A, Graus F, González-Quevedo A, Rodríguez-Rojas R, Quevedo-Sotolongo L, Real-González Y, Grass-Fernández D, Cristófol-Corominas M, Rodríguez-Cordero M, Robinson-Agramonte M, Infante-Velázquez E, Cabrera-Núñez A, Ugarte-Sánchez C, Jordán-González J, González de la Nuez J, García-Lahera J, Tellez R, Baez-Martín M, Romero-García K.	Mult Scler. 2008 Mar;14(2):248-51.
Brain response to complex visual stimuli in Parkinson's patients with hallucinations: a functional magnetic resonance imaging study.	Ramírez-Ruiz B, Martí MJ, Tolosa E, Falcón C, Bargalló N, Valldeoriola F, Junqué C.	Mov Disord. 2008 Dec 15;23(16):2335-43.
Cannabis use in Spanish patients with multiple sclerosis: fulfilment of patients' expectations?	Martínez-Rodríguez JE, Munteis E, Carreño M, Blanco Y, Roquer J, Abanades S, Graus F, Saiz A.	J Neurol Sci. 2008 Oct 15;273(1-2):103-7.
Central nervous system involvement in mantle cell lymphoma.	Ferrer A, Bosch F, Villamor N, Rozman M, Graus F, Gutiérrez G, Mercadal S, Campo E, Rozman C, López-Guillermo A, Montserrat E.	Ann Oncol. 2008 Jan;19(1):135-41.
Clinical and pathological heterogeneity of neuronal intermediate filament inclusion disease.	Molina-Porcel L, Lladó A, Rey MJ, Molinuevo JL, Martínez-Lage M, Esteve FX, Ferrer I, Tolosa E, Blesa R.	Arch Neurol. 2008 Feb;65(2):272-5.
Clinicopathological and genetic correlates of frontotemporal lobar degeneration and corticobasal degeneration.	Lladó A, Sánchez-Valle R, Rey MJ, Ezquerra M, Tolosa E, Ferrer I, Molinuevo JL; Catalan collaborative Study Group for FTL D.	J Neurol. 2008 Apr;255(4):488-94.
CNS Hodgkin lymphoma.	Gerstner ER, Abrey LE, Schiff D, Ferreri AJ, Lister A, Montoto S, Tsang R, Thiel E, Graus F, Behringer D, Illerhaus G, Weaver S, Wen P, Voloschin A, Harris NL, Batchelor TT.	Blood. 2008 Sep 1;112(5):1658-61.
Diagnosis and management of Parkinson's disease dementia.	Poewe W, Gauthier S, Aarsland D, Leverenz JB, Barone P, Weintraub D, Tolosa E, Dubois B.	Int J Clin Pract. 2008 Oct;62(10):1581-7.
Fatal worsening of late-onset cerebellar ataxia with neuronal intranuclear inclusions due to superimposed meningeal Rosai-Dorfman disease.	Fortea J, Compta Y, Valldeoriola F, Tolosa E, Rey MJ, Gastón F, Ribalta T.	Mov Disord. 2008 Jul 30;23(10):1488-90. ov Disord. 2008 Dec 15;23(16):2432-3. Compta, Yaroslau [removed]; Ribalta, Teresa [removed].
Gender differences in office and ambulatory control of hypertension.	Banegas JR, Segura J, de la Sierra A, Gorostidi M, Rodríguez-Artalejo F, Sobrino J, de la Cruz JJ, Vinyolés E, del Rey RH, Graciani A, Ruilope LM; Spanish Society of Hypertension ABPM Registry Investigators.	Am J Med. 2008 Dec;121(12):1078-84.
Guidelines for management of ischaemic stroke and transient ischaemic attack 2008	European Stroke Organisation (ESO) Executive Committee; ESO Writing Committee	Cerebrovasc Dis. 2008;25(5):457-507
Heparin in acute ischemic stroke	Chamorro A.	Rev Neurol (Paris).

revisited		2008 Oct;164(10):815-8. Review.
Hippocampal head atrophy predominance in Parkinson's disease with hallucinations and with dementia.	Ibarretxe-Bilbao N, Ramírez-Ruiz B, Tolosa E, Martí MJ, Valldeoriola F, Bargalló N, Junqué C.	J Neurol. 2008 Sep;255(9):1324-31.
Human cytomegalovirus infection interferes with major histocompatibility complex type II maturation and endocytic proteases in dendritic cells at multiple levels.	Kessler T, Reich M, Jahn G, Tolosa E, Beck A, Kalbacher H, Overkleeft H, Schempp S, Driessen C.	J Gen Virol. 2008 Oct;89(Pt 10):2427-36.
Identification and management of polyvascular disease in patients with noncardioembolic ischaemic stroke	Carolei A, Chamorro A, Laloux P, Leys D, Röther J, Sander D, Štansby G, Weimar C.	Int J Stroke. 2008 Nov;3(4):237-48. Review.
Importance of cardiovascular risk profile for in-hospital mortality due to cerebral infarction.	Arboix A, García-Eroles L, Comes E, Oliveres M, Targa C, Balcells M, Pujadas R, Massons J.	Rev Esp Cardiol. 2008 Oct;61(10):1020-9.
Lack of association of APOE and tau polymorphisms with dementia in Parkinson's disease.	Ezquerria M, Campdelacreu J, Gaig C, Compta Y, Muñoz E, Martí MJ, Valldeoriola F, Tolosa E.	Neurosci Lett. 2008 Dec 19;448(1):20-3.
Lack of effects of pramipexole on REM sleep behavior disorder in Parkinson disease.	Kumru H, Iranzo A, Carrasco E, Valldeoriola F, Martí MJ, Santamaria J, Tolosa E.	Sleep. 2008 Oct 1;31(10):1418-21.
Limbic encephalitis: an expanding concept.	Graus F, Saiz A.	Neurology. 2008 Feb 12;70(7):500-1.
Midbrain lesions and paroxysmal dysarthria in multiple sclerosis.	Blanco Y, Compta Y, Graus F, Saiz A.	Mult Scler. 2008 Jun;14(5):694-7.
Mitral annular calcification as a marker of complex aortic atheroma in patients with stroke of uncertain etiology.	Pujadas R, Arboix A, Anguera N, Rafel J, Sagués F, Casañas R.	Echocardiography. 2008 Feb;25(2):124-32.
Neurological picture. Familial Sneddon's syndrome with microbleeds in MRI	Llufriu S, Cervera A, Capurro S, Chamorro A.	J Neurol Neurosurg Psychiatry. 2008 Aug;79(8):962
Neuronal surface antigen antibodies in limbic encephalitis: clinical-immunologic associations.	Graus F, Saiz A, Lai M, Bruna J, López F, Sabater L, Blanco Y, Rey MJ, Ribalta T, Dalmau J.	Neurology. 2008 Sep 16;71(12):930-6.
Pathological description of a non-motor variant of multiple system atrophy.	Gaig C, Iranzo A, Tolosa E, Vilaseca I, Rey MJ, Santamaria J.	J Neurol Neurosurg Psychiatry. 2008 Dec;79(12):1399-400.
Phenotype, genotype, and worldwide genetic penetrance of LRRK2-associated Parkinson's disease: a case-control study.	Healy DG, Falchi M, O'Sullivan SS, Bonifati V, Durr A, Bressman S, Brice A, Aasly J, Zabetian CP, Goldwurm S, Ferreira JJ, Tolosa E, Kay DM, Klein C, Williams DR, Marras C, Lang AE, Wszolek ZK, Berciano J, Schapira AH, Lynch T, Bhatia KP, Gasser T, Lees AJ, Wood NW; International LRRK2 Consortium.	Lancet Neurol. 2008 Jul;7(7):583-90.
Primary CNS lymphoma with intraocular involvement: International PCNSL Collaborative Group Report.	Grimm SA, McCannel CA, Omuro AM, Ferreri AJ, Blay JY, Neuwelt EA, Siegal T, Batchelor T, Jahnke K, Shenkier TN, Hall AJ, Graus F, Herrlinger U, Schiff D, Raizer J, Rubenstein J, Laperriere N, Thiel E, Doolittle N, Iwamoto FM, Abrey LE.	Neurology. 2008 Oct 21;71(17):1355-60.
Quantification of electromyographic activity during REM sleep in multiple muscles in REM sleep behavior disorder.	Frauscher B, Iranzo A, Högl B, Casanova-Molla J, Salamero M, Gschliesser V, Tolosa E, Poewe W, Santamaria J; SINBAR (Sleep Innsbruck Barcelona group).	Sleep. 2008 May 1;31(5):724-31.
Red flags for multiple system atrophy.	Köllensperger M, Geser F, Seppi K, Stampfer-Kountchev M, Sawires M, Scherfler C, Boesch S, Mueller J, Koukouni V, Quinn N, Pellicchia MT, Barone P, Schimke N, Dodel R, Oertel W, Dupont E, Østergaard K, Daniels C, Deuschl G, Gurevich T, Giladi N, Coelho M, Sampaio C, Nilsson C, Widner H, Sorbo FD, Albanese A, Cardozo A, Tolosa E, Abele M, Klockgether T, Kamm C, Gasser T, Djaldetti R, Colosimo C, Meo G, Schrag A, Poewe W, Wenning GK; European MSA Study Group.	Mov Disord. 2008 Jun 15;23(8):1093-9.
Relative effects of statin therapy on	Goldstein LB, Amarenco P, Lamonte M,	Stroke. 2008

stroke and cardiovascular events in men and women: secondary analysis of the Stroke Prevention by Aggressive Reduction in Cholesterol Levels (SPARCL) Study	Gilbert S, Messig M, Callahan A, Hennerici M, Sillesen H, Welch KM; SPARCL Investigators	Sep;39(9):2444-8
Screening for the LRRK2 G2019S and codon-1441 mutations in a pathological series of parkinsonian syndromes and frontotemporal lobar degeneration.	Gaig C, Ezquerro M, Martí MJ, Valdeoriola F, Muñoz E, Lladó A, Rey MJ, Cardozo A, Molinuevo JL, Tolosa E.	J Neurol Sci. 2008 Jul 15;270(1-2):94-8.
SOX1 antibodies are markers of paraneoplastic Lambert-Eaton myasthenic syndrome.	Sabater L, Titulaer M, Saiz A, Verschuuren J, Güre AO, Graus F.	Neurology. 2008 Mar 18;70(12):924-8.
Spectrum of neurological syndromes associated with glutamic acid decarboxylase antibodies: diagnostic clues for this association.	Saiz A, Blanco Y, Sabater L, González F, Bataller L, Casamitjana R, Ramió-Torrentà L, Graus F.	Brain. 2008 Oct;131(Pt 10):2553-63.
Tesofensine (NS 2330), a monoamine reuptake inhibitor, in patients with advanced Parkinson disease and motor fluctuations: the ADVANS Study.	Rascol O, Poewe W, Lees A, Aristin M, Salin L, Juhel N, Waldhauser L, Schindler T; ADVANS Study Group.	Arch Neurol. 2008 May;65(5):577-83.
The response to IV rt-PA in very old stroke patients	Gómez-Choco M, Obach V, Urra X, Amaro S, Cervera A, Vargas M, Chamorro A.	Eur J Neurol. 2008 Mar;15(3):253-6
Thrombolysis with alteplase 3 to 4.5 hours after acute ischemic stroke	Hacke W, Kaste M, Bluhmki E, Brozman M, Dávalos A, Guidetti D, Larrue V, Lees KR, Medeghri Z, Machnig T, Schneider D, von Kummer R, Wahlgren N, Toni D; ECASS Investigators	N Engl J Med. 2008 Sep 25;359(13):1317-29
Trends in risk factors, stroke subtypes and outcome. Nineteen-year data from the Sagrat Cor Hospital of Barcelona stroke registry.	Arboix A, Cendrós V, Besa M, García-Eroles L, Oliveres M, Targa C, Balcells M, Comes E, Massons J.	Cerebrovasc Dis. 2008;26(5):509-16.
Uric acid administration in patients with acute stroke: a novel approach to neuroprotection	Amaro S, Planas AM, Chamorro A.	Expert Rev Neurother. 2008 Feb;8(2):259-70. Review
Validation of the "QUICK" questionnaire--a tool for diagnosis of "wearing-off" in patients with Parkinson's disease.	Martinez-Martin P, Tolosa E, Hernandez B, Badia X; ValidQUICK Study Group.	Mov Disord. 2008 Apr 30;23(6):830-6.
Weight loss in Huntington disease increases with higher CAG repeat number.	Aziz NA, van der Burg JM, Landwehrmeyer GB, Brundin P, Stijnen T; EHDI Study Group, Roos RA.	Neurology. 2008 Nov 4;71(19):1506-13.
ZIC antibodies in paraneoplastic cerebellar degeneration and small cell lung cancer.	Sabater L, Bataller L, Suárez-Calvet M, Saiz A, Dalmau J, Graus F.	J Neuroimmunol. 2008 Sep 15;201-202:163-5.

Malalties del sistema excretor renal i genital masculí

[Control of hypertension refractory to medical management by means of short daily hemodialysis]	Maduell F, Serra N, Arias M, Vera M, Bergadà E, Cases A.	Nefrologia. 2008;28(1):99-101
[How much should dialysis time be increased when catheters are used?]	Maduell F, Vera M, Arias M, Fontseré N, Blasco M, Serra N, Bergadà E, Cases A, Campistol JM.	Nefrologia. 2008;28(6):633-6.
[How much should dialysis time be increased when catheters are used?]	Maduell F, Vera M, Arias M, Fontseré N, Blasco M, Serra N, Bergadà E, Cases A, Campistol JM.	Nefrologia. 2008;28(6):633-6
[Kt as control and follow-up of the dose at a hemodialysis unit]	Maduell F, Vera M, Serra N, Collado S, Carrera M, Fernández A, Arias M, Blasco M, Bergadà E, Cases A, Campistol JM.	Nefrologia. 2008;28(1):43-7
Chronic hypotension in hemodialysis patients: role of functional vascular changes and vasodilator agents	Coll E, Larrousse M, de la Sierra A, Collado S, Jiménez W, Cases A.	Clin Nephrol. 2008 Feb;69(2):114-20
Differential expression of proteins from cultured endothelial cells exposed to uremic versus normal serum	Carbó C, Arderiu G, Escolar G, Fusté B, Cases A, Carrascal M, Abián J, Díaz-Ricart M.	Am J Kidney Dis. 2008 Apr;51(4):603-12
Effect of cinacalcet on hypercalcemia and bone mineral density in renal transplanted patients with secondary hyperparathyroidism	Bergua C, Torregrosa JV, Fuster D, Gutierrez-Dalmau A, Oppenheimer F, Campistol JM.	Transplantation. 2008 Aug 15;86(3):413-7

Effect of mTOR inhibitor on body weight: from an experimental rat model to human transplant patients	Rovira J, Marcelo Arellano E, Burke JT, Brault Y, Moya-Rull D, Bañón-Maneus E, Ramírez-Bajo MJ, Gutiérrez-Dalmau A, Revuelta I, Quintana LF, Campistol JM, Diekmann F.	Transpl Int. 2008 Oct;21(10):992-8
Factor Deficiency in the Anemia of Renal Transplant Patients With Grade III-IV Chronic Kidney Disease: Baseline Results of the ARES Study	Gentil MA, Pérez-Valdivia MA, López-Mendoza M, Ortega F, Arias M, Gómez-Alamillo C, Campistol JM; ARES Study Group	Transplant Proc. 2008 Nov;40(9):2922-4
Improved renal function, with similar proteinuria, after two years of early tacrolimus withdrawal from a regimen of sirolimus plus tacrolimus	Morales JM, Grinyó JM, Campistol JM, García-Martínez J, Arias M, Paul J, Sánchez-Fructuoso A, Brunet M, Granados E, Muñoz-Robles JA.	Transplantation. 2008 Aug 27;86(4):620-2
Influence of the ionic dialysance monitor on Kt measurement in hemodialysis	Maduell F, Vera M, Arias M, Serra N, Blasco M, Bergada E, Fontseré N, Cases A, Campistol JM.	Am J Kidney Dis. 2008 Jul;52(1):85-92
Intravenous C.E.R.A. maintains stable haemoglobin levels in patients on dialysis previously treated with darbepoetin alfa: results from STRIATA, a randomized phase III study	Canaud B, Mingardi G, Braun J, Aljama P, Kerr PG, Locatelli F, Villa G, Van Vlem B, McMahon AW, Kerloëguen C, Beyer U; STRIATA Study Investigators	Nephrol Dial Transplant. 2008 Nov;23(11):3654-61
Localising imaging in secondary hyperparathyroidism	Fuster D, Torregrosa JV, Setoain X, Doménech B, Campistol JM, Rubello D, Pons F.	Minerva Endocrinol. 2008 Sep;33(3):203-12. Review.
Maintenance of target hemoglobin level in stable hemodialysis patients constitutes a theoretical task: a historical prospective study	Portolés JM, de Francisco AL, Górriz JL, Martínez-Castelao A, López-Gómez JM, Arias M, de la Cruz JJ, Cases A, Fernández E, Aljama P.	Kidney Int Suppl. 2008 Dec;(111):S82-7
Polymicrobial peritonitis in a patient with mixed cryoglobulinemia	Vera M, Serra N, Blasco M, Maduell F, Bergada E, Cases A, Campistol JM.	Perit Dial Int. 2008 Jan-Feb;28(1):99-100
Prevalence and clinical characteristics of HIV type 1-infected patients receiving dialysis in Spain: results of a Spanish survey in 2006: GESIDA 48/05 study	Trullàs JC, Barril G, Cofán F, Moreno A, Cases A, Fernández-Lucas M, Martínez-Ara J, Ceballos M, García-de-Diego J, Muñoz ML, Molina J, Martínez-Castelao A, González-García J, Miró JM; and the Spanish HIV Infection in Dialysis Study Group	AIDS Res Hum Retroviruses. 2008 Oct;24(10):1229-35
Renal transplantation in the modern immunosuppressive era in Spain: four-year results from a multicenter database focus on post-transplant cardiovascular disease	Morales JM, Marcén R, Andrés A, Molina MG, Castillo DD, Cabello M, Capdevila L, Campistol JM, Oppenheimer F, Serón D, Vernet SG, Lampreave I, Valdés F, Anaya F, Escuin F, Arias M, Pallardó L, Bustamante J.	Kidney Int Suppl. 2008 Dec;(111):S94-9.
Risk factors for infection with extended-spectrum and AmpC beta-lactamase-producing gram-negative rods in renal transplantation	Linares L, Cervera C, Cofán F, Lizaso D, Marco F, Ricart MJ, Esforzado N, Oppenheimer F, Campistol JM, Moreno A.	Am J Transplant. 2008 May;8(5):1000-5
The latest advances in kidney diseases and related disorders	Cases A.	Drug News Perspect. 2007 Dec;20(10):647-54
Total hip arthroplasty in hemodialysis and renal transplant patients	García-Ramiro S, Cofán F, Esteban PL, Riba J, Gallart X, Oppenheimer F, Campistol JM, Suso S.	Hip Int. 2008 Jan-Mar;18(1):51-7
Unmasking glucose metabolism alterations in stable renal transplant recipients: a multicenter study	Delgado P, Diaz JM, Silva I, Osorio JM, Osuna A, Bayés B, Lauzurica R, Arellano E, Campistol JM, Dominguez R, Gómez-Alamillo C, Ibernón M, Moreso F, Benítez R, Lampreave I, Porrini E, Torres A.	Clin J Am Soc Nephrol. 2008 May;3(3):808-13

Malalties infeccioses

[2008 prevention of opportunistic infections in HIV-infected adolescents and adults guidelines. Recommendations of GESIDA/National AIDS Plan AIDS Study Group (GESIDA) and National AIDS Plan]	Panel de expertos de Grupo de Estudio del Sida; Plan Nacional sobre el Sida.	Enferm Infecc Microbiol Clin. 2008 Aug-Sep;26(7):437-64. Spanish.
[Conclusions]	Mallolas J.	Enferm Infecc Microbiol Clin. 2008

		Jun;26 Suppl 8:62-4. Spanish.
[Consensus document of the Spanish Society of Liver Transplantation]	Sociedad Española de Trasplante Hepático.	Gastroenterol Hepatol. 2008 Feb;31(2):82-91. Spanish.
[Cryptogenic organizing pneumonia in an HIV-patient with good immunological status]	Marcos M, Navarro J, Miró JM, Moreno A.	Enferm Infecc Microbiol Clin. 2008 Oct;26(8):531. Spanish.
[Guadalupe Declaration: for the recognition of the Infectious Diseases specialty in Spain]	Muñoz Sanz A, Pachón J; Grupo Promotor de la especialidad de Enfermedades Infecciosas en España.	Enferm Infecc Microbiol Clin. 2008 Dec;26 Suppl 15:65-6. Spanish.
[Infections associated with prosthetic heart valves, vascular prostheses, and cardiac pacemakers and defibrillators]	Almirante B, Miró JM.	Enferm Infecc Microbiol Clin. 2008 Dec;26(10):647-64. Spanish.
[Infectious diseases in europe and america]	Rodríguez-Baño J, Arrizabalaga J, Berenguer J, Garau J, Gatell JM.	Enferm Infecc Microbiol Clin. 2008 Dec;26 Suppl 15:15-22. Spanish.
[Infectious diseases research]	Carratalà J, Alcamí J, Cordero E, Miró JM, Ramos JM.	Enferm Infecc Microbiol Clin. 2008 Dec;26 Suppl 15:40-50. Review. Spanish.
[Inflammatory response in elderly patients with bacteremia]	Martí L, Cervera C, Filella X, Marín JL, Almela M, Gatell JM, Moreno A.	Enferm Infecc Microbiol Clin. 2008 Mar;26(3):146-9. Spanish.
[Introduction]	Mallolas J.	Enferm Infecc Microbiol Clin. 2008 Jun;26 Suppl 8:1. Spanish.
[Toward modernization of the editorial process in Enfermedades Infecciosas y Microbiología Clínica]	Almirante B, Alonso J, Martínez-Martínez L, Miró JM, Pascual A.	Enferm Infecc Microbiol Clin. 2008 Dec;26(10):605-6. Spanish.
[Treatment of opportunistic infections in adolescent and adult patients infected with the human immunodeficiency virus during the era of highly active antiretroviral therapy. AIDS Study Group (GESIDA) and National AIDS Plan Expert Committee]	Panel de expertos de GESIDA; Plan Nacional sobre el Sida.	Enferm Infecc Microbiol Clin. 2008 Jun-Jul;26(6):356-79. Spanish.
Abacavir does not influence the rate of virological response in HIV-HCV-coinfected patients treated with pegylated interferon and weight-adjusted ribavirin.	Laufer N, Laguno M, Perez I, Cifuentes C, Murillas J, Vidal F, Bonet L, Veloso S, Gatell JM, Mallolas J.	Antivir Ther. 2008;13(7):953-7.
Acute meningoencephalitis due to human immunodeficiency virus type 1 infection in 13 patients: clinical description and follow-up.	Villar Del Saz S, Sued O, Falco V, Agüero F, Crespo M, Pumarola T, Curran A, Gatell J, Pahissa A, Miro J, Ribera E.	J Neurovirol. 2008 Nov 26:1-6.
Candida infective endocarditis.	Baddley JW, Benjamin DK Jr, Patel M, Miró J, Athan E, Barsic B, Bouza E, Clara L, Elliott T, Kanafani Z, Klein J, Lerakis S, Levine D, Spelman D, Rubinstein E, Tornos P, Morris AJ, Pappas P, Fowler VG Jr, Chu VH, Cabell C; International Collaboration on Endocarditis-Prospective Cohort Study Group (ICE-PCS).	Eur J Clin Microbiol Infect Dis. 2008 Jul;27(7):519-29.
Changes over time in risk factors for cardiovascular disease and use of lipid-lowering drugs in HIV-infected individuals and impact on myocardial infarction.	Data Collection on Adverse Events of Anti-HIV Drugs Study Group, Sabin CA, d'Arminio Monforte A, Friis-Moller N, Weber R, El-Sadr WM, Reiss P, Kirk O, Mercie P, Law MG, De Wit S, Pradier C, Phillips AN, Lundgren JD.	Clin Infect Dis. 2008 Apr 1;46(7):1101-10.
Cidofovir in addition to antiretroviral treatment is not effective for AIDS-associated progressive multifocal leukoencephalopathy: a multicohort analysis.	De Luca A, Ammassari A, Pezzotti P, Cinque P, Gagnault J, Berenguer J, Di Giambenedetto S, Cingolani A, Taoufik Y, Miralles P, Marra CM, Antinori A; Gesida 9/99, IRINA, ACTG 363 Study Groups.	AIDS. 2008 Sep 12;22(14):1759-67.
Current features of infective endocarditis in elderly patients: results	Durante-Mangoni E, Bradley S, Selton-Suty C, Tripodi MF, Barsic B, Bouza E,	Arch Intern Med. 2008 Oct 27;168(19):2095-

of the International Collaboration on Endocarditis Prospective Cohort Study.	Cabell CH, Ramos AI, Fowler V Jr, Hoen B, Konecny P, Moreno A, Murdoch D, Pappas P, Sexton DJ, Spelman D, Tattevin P, Miró JM, van der Meer JT, Utili R; International Collaboration on Endocarditis Prospective Cohort Study Group.	103.
Daptomycin is effective in treatment of experimental endocarditis due to methicillin-resistant and glycopeptide-intermediate Staphylococcus aureus.	Marco F, de la Mária CG, Armero Y, Amat E, Soy D, Moreno A, del Río A, Almela M, Mestres CA, Gatell JM, Jiménez de Anta MT, Miró JM; Hospital Clinic Experimental Endocarditis Study Group.	Antimicrob Agents Chemother. 2008 Jul;52(7):2538-43.
Detection of HIV drug resistance during antiretroviral treatment and clinical progression in a large European cohort study.	Cozzi-Lepri A, Phillips AN, Clotet B, Mocroft A, Ruiz L, Kirk O, Lazzarin A, Wiercinska-Drapalo A, Karlsson A, Lundgren JD; EuroSIDA Study Group.	AIDS. 2008 Oct 18;22(16):2187-98.
Determinants of HIV progression and assessment of the optimal time to initiate highly active antiretroviral therapy: PISCIS Cohort (Spain)	Jaén A, Esteve A, Miró JM, Tural C, Montoliu A, Ferrer E, Riera M, Segura F, Force L, Sued O, Vilaró J, Garcia I, Masabeu A, Altès J, Collet B, Podzamczek D, Murillas J, Navarro G, Gatell JM, Casabona J; PISCIS Study Group.	J Acquir Immune Defic Syndr. 2008 Feb 1;47(2):212-20.
Determination of the underlying cause of death in three multicenter international HIV clinical trials.	Lifson AR; INSIGHT Cause of Death Writing Group, Belloso WH, Carey C, Davey RT, Duprez D, El-Sadr WM, Gatell JM, Gey DC, Hoy JF, Krum EA, Nelson R, Nixon DE, Paton N, Pedersen C, Perez G, Price RW, Prineas RJ, Rhame FS, Sampson J, Worley J.	HIV Clin Trials. 2008 May-Jun;9(3):177-85.
Does less frequent routine monitoring of patients on a stable, fully suppressed cART regimen lead to an increased risk of treatment failure?	Reekie J, Mocroft A, Sambatakou H, Machala L, Chiesi A, van Lunzen J, Clumeck N, Kirk O, Gazzard B, Lundgren JD; EuroSIDA Study Group.	AIDS. 2008 Nov 12;22(17):2381-90.
Does short-term virologic failure translate to clinical events in antiretroviral-naïve patients initiating antiretroviral therapy in clinical practice?	Antiretroviral Therapy Cohort Collaboration (ART-CC), Mugavero MJ, May M, Harris R, Saag MS, Costagliola D, Egger M, Phillips A, Günthard HF, Dabis F, Hogg R, de Wolf F, Fatkenheuer G, Gill MJ, Justice A, D'Arminio Monforte A, Lampe F, Miró JM, Staszewski S, Sterne JA.	AIDS. 2008 Nov 30;22(18):2481-92.
Effects of boosted tipranavir and lopinavir on body composition, insulin sensitivity and adipocytokines in antiretroviral-naïve adults.	Carr A, Ritzhaupt A, Zhang W, Zajdenverg R, Workman C, Gatell JM, Cahn P, Chaves R.	AIDS. 2008 Nov 12;22(17):2313-21.
Emergence of coagulase-negative staphylococci as a cause of native valve endocarditis.	Chu VH, Woods CW, Miro JM, Hoen B, Cabell CH, Pappas PA, Federspiel J, Athan E, Stryjewski ME, Nacinovich F, Marco F, Levine DP, Elliott TS, Fortes CQ, Tornos P, Gordon DL, Utili R, Delahaye F, Corey GR, Fowler VG Jr; International Collaboration on Endocarditis-Prospective Cohort Study Group.	Clin Infect Dis. 2008 Jan 15;46(2):232-42.
Enzymatic and extraenzymatic role of adenosine deaminase 1 in T-cell-dendritic cell contacts and in alterations of the immune function.	Franco R, Pacheco R, Gatell JM, Gallart T, Lluís C.	Crit Rev Immunol. 2007;27(6):495-509. Review.
Fungal infection as a risk factor for HIV disease progression among patients with a CD4 count above 200/microl in the era of cART.	Podlekareva D, Mocroft A, Kirk O, Reiss P, Aldins P, Katlama C, Kovari H, Stellbrink HJ, D'Arminio Monforte A, Lundgren JD; EuroSIDA Study Group.	Scand J Infect Dis. 2008;40(11-12):908-13.
Genotypic diversity of coagulase-negative staphylococci causing endocarditis: a global perspective.	Petti CA, Simmon KE, Miro JM, Hoen B, Marco F, Chu VH, Athan E, Bukovski S, Bouza E, Bradley S, Fowler VG, Giannitsioti E, Gordon D, Reinbott P, Korman T, Lang S, Garcia-de-la-Maria C, Raglio A, Morris AJ, Plesiat P, Ryan S, Doco-Lecompte T, Tripodi F, Utili R, Wray D, Federspiel JJ, Boisson K, Reller LB, Murdoch DR, Woods CW; International Collaboration on Endocarditis-Microbiology Investigators.	J Clin Microbiol. 2008 May;46(5):1780-4.
Hepatotoxicity of nevirapine in virologically suppressed patients	De Lazzari E, León A, Arnaiz JA, Martínez E, Knobel H, Negro E,	HIV Med. 2008 Apr;9(4):221-6.

according to gender and CD4 cell counts.	Clotet B, Montaner J, Storfer S, Asenjo MA, Mallolas J, Miró JM, Gatell JM.	
HIV-1 infected patients older than 50 years. PISCIS cohort study.	Navarro G, Noguerras MM, Segura F, Casabona J, Miro JM, Murillas J, Tural C, Ferrer E, Jaén A, Force L, Vilaró J, García I, Masabeu A, Altés J, Esteve A, Sued O, Riera M, Clotet B, Podzamczar D, Gatell JM; PISCIS Study Group.	J Infect. 2008 Jul;57(1):64-71.
HIV-induced immunodeficiency and mortality from AIDS-defining and non-AIDS-defining malignancies.	Monforte A, Abrams D, Pradier C, Weber R, Reiss P, Bonnet F, Kirk O, Law M, De Wit S, Friis-Møller N, Phillips AN, Sabin CA, Lundgren JD; Data Collection on Adverse Events of Anti-HIV Drugs (D:A:D) Study Group.	AIDS. 2008 Oct 18;22(16):2143-53.
Immunization with an HIV-1 immunogen induces CD4+ and CD8+ HIV-1-specific polyfunctional responses in patients with chronic HIV-1 infection receiving antiretroviral therapy.	Valor L, Navarro J, Carbone J, Rodríguez-Sáinz C, Gil J, López F, Fernández-Cruz E; STIR-2102 Team.	Vaccine. 2008 May 23;26(22):2738-45.
Induction therapy with trizivir plus efavirenz or lopinavir/ritonavir followed by trizivir alone in naive HIV-1-infected adults.	Mallolas J, Pich J, Peñaranda M, Domingo P, Knobel H, Pedrol E, Gutiérrez F, Barrufet P, Peraire J, Asenjo MA, Vidal F, Gatell JM.	AIDS. 2008 Jan 30;22(3):377-84.
Induction therapy with trizivir plus efavirenz or lopinavir/ritonavir followed by trizivir alone in naive HIV-1-infected adults.	Mallolas J, Pich J, Peñaranda M, Domingo P, Knobel H, Pedrol E, Gutiérrez F, Barrufet P, Peraire J, Asenjo MA, Vidal F, Gatell JM.	AIDS. 2008 Jan 30;22(3):377-84
Leptotrichia endocarditis: report of two cases from the International Collaboration on Endocarditis (ICE) database and review of previous cases.	Caram LB, Linefsky JP, Read KM, Murdoch DR, Lalani T, Woods CW, Reller LB, Kanj SS, Premru MM, Ryan S, Al-Hegelan M, Donnio PY, Orezzi C, Paiva MG, Tribouilloy C, Watkin R, Harris O, Eisen DP, Corey GR, Cabell CH, Petti CA; International Collaboration on Endocarditis Investigator Group.	Eur J Clin Microbiol Infect Dis. 2008 Feb;27(2):139-43.Review.
Loss to follow-up in an international, multicentre observational study.	Mocroft A, Kirk O, Aldins P, Chies A, Blaxhult A, Chentsova N, Vetter N, Dabis F, Gatell J, Lundgren JD; EuroSIDA study group.	HIV Med. 2008 May;9(5):261-9.
Low rate of adverse hepatic events associated with fosamprenavir/ritonavir-based antiretroviral regimens.	Pineda JA, Pérez-Eliás MJ, Peña JM, Luque I, Rodríguez-Alcantara F; Fosamprenavir Expanded Access Program Group.	HIV Clin Trials. 2008 Sep-Oct;9(5):309-13.
Major clinical outcomes in antiretroviral therapy (ART)-naive participants and in those not receiving ART at baseline in the SMART study.	Strategies for Management of Antiretroviral Therapy (SMART) Study Group, Emery S, Neuhaus JA, Phillips AN, Babiker A, Cohen CJ, Gatell JM, Girard PM, Grund B, Law M, Losso MH, Palfreeman A, Wood R.	J Infect Dis. 2008 Apr 15;197(8):1133-44.
Noninvasive diagnosis of hepatic fibrosis in HIV/HCV-coinfected patients.	Larrousse M, Laguno M, Segarra M, De Lazzari E, Martinez E, Blanco JL, León A, Deulofeu R, Miquel R, Milinkovic A, Lonca M, Miró JM, Biglia A, Murillas J, Gatell JM, Mallolas J.	J Acquir Immune Defic Syndr. 2007 Nov 1;46(3):304-11.
Patients presenting with AIDS in the HAART era: a collaborative cohort analysis.	Mussini C, Manzardo C, Johnson M, Monforte A, Uberti-Foppa C, Antinori A, Gill MJ, Sighinolfi L, Borghi V, Lazzarin A, Miró JM, Sabin C; Late Presenter Investigators.	AIDS. 2008 Nov 30;22(18):2461-9.
Pegylated IFN-alpha2b plus ribavirin for treatment-naïve patients coinfecting with HCV and HIV.	Mallolas J, Laguno M.	Expert Rev Anti Infect Ther. 2008 Jun;6(3):281-9. Review.
Phylogenetic analysis of viridans group streptococci causing endocarditis.	Simmon KE, Hall L, Woods CW, Marco F, Miro JM, Cabell C, Hoen B, Marin M, Utili R, Giannitsioti E, Doco-Lecompte T, Bradley S, Mirrett S, Tambic A, Ryan S, Gordon D, Jones P, Korman T, Wray D, Reller LB, Tripodi MF, Plesiat P, Morris AJ, Lang S, Murdoch DR, Petti CA; International Collaboration on Endocarditis Microbiology Investigators.	J Clin Microbiol. 2008 Sep;46(9):3087-90.
Pilot Study Assessing HIV Vaccine Trial Readiness Among Female Sex	Etcheverry MF, de Lazzari E, Fuchs JD, Meroño M, Sierra E, Romero JD, Evans	AIDS Behav. 2008 Nov 27. [Epub ahead of

Workers, Injection and Non-injection Drug Users, and Men Who Have Sex with Men in Spain.	JL, Mendez-Arancibia E, Jacques C, Rojas D, Segú M, Gatell JM, Joseph J.	print]
Pneumocystis jirovecii pneumonia in Spanish HIV-infected patients in the combined antiretroviral therapy era: prevalence of dihydropteroate synthase mutations and prognostic factors of mortality.	Alvarez-Martínez MJ, Moreno A, Miró JM, Valls ME, Rivas PV, de Lazzari E, Sued O, Benito N, Domingo P, Ribera E, Santín M, Sirera G, Segura F, Vidal F, Rodríguez F, Riera M, Cordero ME, Arribas JR, Jiménez de Anta MT, Gatell JM, Wilson PE, Meshnick SR; Spanish PCP Working Group.	Diagn Microbiol Infect Dis. 2008 Sep;62(1):34-43. Epub 2008 Jun 12.
Pneumocystis jirovecii pneumonia in Spanish HIV-infected patients in the combined antiretroviral therapy era: prevalence of dihydropteroate synthase mutations and prognostic factors of mortality.	Alvarez-Martínez MJ, Moreno A, Miró JM, Valls ME, Rivas PV, de Lazzari E, Sued O, Benito N, Domingo P, Ribera E, Santín M, Sirera G, Segura F, Vidal F, Rodríguez F, Riera M, Cordero ME, Arribas JR, Jiménez de Anta MT, Gatell JM, Wilson PE, Meshnick SR; Spanish PCP Working Group.	Diagn Microbiol Infect Dis. 2008 Sep;62(1):34-43.
Pneumonia in HIV-infected persons: increased risk with cigarette smoking and treatment interruption.	Gordin FM, Roediger MP, Girard PM, Lundgren JD, Miró JM, Palfreeman A, Rodriguez-Barradas MC, Wolff MJ, Easterbrook PJ, Clezy K, Slater LN.	Am J Respir Crit Care Med. 2008 Sep 15;178(6):630-6.
Prevalence and clinical characteristics of HIV type 1-infected patients receiving dialysis in Spain: results of a Spanish survey in 2006: GESIDA 48/05 study.	Trullàs JC, Barril G, Cofan F, Moreno A, Cases A, Fernandez-Lucas M, Martinez-Ara J, Ceballos M, Garcia-de-Diego J, Muñoz ML, Molina J, Martínez-Castelao A, González-García J, Miró JM; and the Spanish HIV Infection in Dialysis Study Group.	AIDS Res Hum Retroviruses. 2008 Oct;24(10):1229-35.
Prevalence and clinical characteristics of HIV type 1-infected patients receiving dialysis in Spain: results of a Spanish survey in 2006: GESIDA 48/05 study.	Trullàs JC, Barril G, Cofan F, Moreno A, Cases A, Fernandez-Lucas M, Martinez-Ara J, Ceballos M, Garcia-de-Diego J, Muñoz ML, Molina J, Martínez-Castelao A, González-García J, Miró JM; and the Spanish HIV Infection in Dialysis Study Group.	AIDS Res Hum Retroviruses. 2008 Oct;24(10):1229-35.
Prevalence and clinical relevance of occult hepatitis B in the fibrosis progression and antiviral response to INF therapy in HIV-HCV-coinfected patients.	Laguno M, Larrousse M, Blanco JL, Leon A, Milinkovic A, Martínez-Rebozler M, Loncá M, Martínez E, Sanchez-Tapias JM, de Lazzari E, Gatell JM, Costa J, Mallolas J.	AIDS Res Hum Retroviruses. 2008 Apr;24(4):547-53.
Raltegravir with optimized background therapy for resistant HIV-1 infection.	Steigbigel RT, Cooper DA, Kumar PN, Eron JE, Schechter M, Markowitz M, Loutfy MR, Lennox JL, Gatell JM, Rockstroh JK, Katlama C, Yeni P, Lazzarin A, Clotet B, Zhao J, Chen J, Ryan DM, Rhodes RR, Killar JA, Gilde LR, Strohmaier KM, Meibohm AR, Miller MD, Hazuda DJ, Nessly ML, DiNubile MJ, Isaacs RD, Nguyen BY, Teppler H; BENCHMRK Study Teams.	N Engl J Med. 2008 Jul 24;359(4):339-54.
Relationship between adherence level, type of the antiretroviral regimen, and plasma HIV type 1 RNA viral load: a prospective cohort study.	Martin M, Del Cacho E, Codina C, Tuset M, De Lazzari E, Mallolas J, Miró JM, Gatell JM, Ribas J.	AIDS Res Hum Retroviruses. 2008 Oct;24(10):1263-8.
Response to combination antiretroviral therapy: variation by age.	Collaboration of Observational HIV Epidemiological Research Europe (COHERE) Study Group.	AIDS. 2008 Jul 31;22(12):1463-73.
Risk factors for infection with extended-spectrum and AmpC beta-lactamase-producing gram-negative rods in renal transplantation	Linares L, Cervera C, Cofán F, Lizaso D, Marco F, Ricart MJ, Esforzado N, Oppenheimer F, Campistol JM, Moreno A.	Am J Transplant. 2008 May;8(5):1000-5
Role of the eosinophil count in discriminating the severity of community-acquired pneumonia in HIV-infected patients.	Perelló R, Miró O, Miró JM, Moreno A.	Crit Care. 2008;12(4):425; author reply 425.
Short Communication: Natural killer cells and expression of KIR receptors in chronic HIV type 1-infected patients after different strategies of structured therapy interruption.	Mestre G, Garcia F, Martinez E, Milinkovic A, Lopez A, León A, Mora B, Argelich R, Lozano JM, Peña J, Gatell JM, Plana M.	AIDS Res Hum Retroviruses. 2008 Dec;24(12):1485-95.
Spontaneous viral clearance, viral load, and genotype distribution of hepatitis C virus (HCV) in HIV-infected patients with anti-HCV antibodies in	Soriano V, Mocroft A, Rockstroh J, Ledergerber B, Knysz B, Chaplinskis S, Peters L, Karlsson A, Katlama C, Toro C, Kupfer B, Vogel M, Lundgren J;	J Infect Dis. 2008 Nov 1;198(9):1337-44.

Europe. Subgroup and resistance analyses of raltegravir for resistant HIV-1 infection.	EuroSIDA Study Group. Cooper DA, Steigbigel RT, Gatell JM, Rockstroh JK, Katlama C, Yeni P, Lazzarin A, Clotet B, Kumar PN, Eron JE, Schechter M, Markowitz M, Loutfy MR, Lennox JL, Zhao J, Chen J, Ryan DM, Rhodes RR, Killar JA, Gilde LR, Strohmaier KM, Meibohm AR, Miller MD, Hazuda DJ, Nessly ML, DiNubile MJ, Isaacs RD, Teppler H, Nguyen BY; BENCHMRK Study Teams.	N Engl J Med. 2008 Jul 24;359(4):355-65.
Success of ampicillin plus ceftriaxone rescue therapy for a relapse of Enterococcus faecalis native-valve endocarditis and in vitro data on double beta-lactam activity.	Miro JM, Cervera C, Garcia-de-la-Maria C, Del Rio A, Armero Y, Mestres CA, Grau JM, Marco F, Moreno A.	Scand J Infect Dis. 2008;40(11-12):968-72.
The EuroSIDA study: Regional differences in the HIV-1 epidemic and treatment response to antiretroviral therapy among HIV-infected patients across Europe--a review of published results.	Podlekareva D, Bannister W, Mocroft A, Abrosimova L, Karpov I, Lundgren JD, Kirk O; EuroSIDA Study Group.	Cent Eur J Public Health. 2008 Sep;16(3):99-105. Review.
The Trichoplax genome and the nature of placozoans.	Srivastava M, Begovic E, Chapman J, Putnam NH, Hellsten U, Kawashima T, Kuo A, Mitros T, Salamov A, Carpenter ML, Signorovitch AY, Moreno MA, Kamm K, Grimwood J, Schmutz J, Shapiro H, Grigoriev IV, Buss LW, Schierwater B, Dellaporta SL, Rokhsar DS.	Nature. 2008 Aug 21;454(7207):955-60.
Transmitted drug resistant HIV-1 and association with virologic and CD4 cell count response to combination antiretroviral therapy in the EuroSIDA Study.	Bannister WP, Cozzi-Lepri A, Clotet B, Mocroft A, Kjaer J, Reiss P, von Wyl V, Lazzarin A, Katlama C, Phillips AN, Ruiz L, Lundgren JD; EuroSIDA study group.	J Acquir Immune Defic Syndr. 2008 Jul 1;48(3):324-33.
Use of nucleoside reverse transcriptase inhibitors and risk of myocardial infarction in HIV-infected patients enrolled in the D:A:D study: a multi-cohort collaboration.	D:A:D Study Group, Sabin CA, Worm SW, Weber R, Reiss P, El-Sadr W, Dabis F, De Wit S, Law M, D'Arminio Monforte A, Friis-Møller N, Kirk O, Pradier C, Weller I, Phillips AN, Lundgren JD.	Lancet. 2008 Apr 26;371(9622):1417-26.
Use of nucleoside reverse transcriptase inhibitors and risk of myocardial infarction in HIV-infected patients enrolled in the D:A:D study: a multi-cohort collaboration.	D:A:D Study Group, Sabin CA, Worm SW, Weber R, Reiss P, El-Sadr W, Dabis F, De Wit S, Law M, D'Arminio Monforte A, Friis-Møller N, Kirk O, Pradier C, Weller I, Phillips AN, Lundgren JD.	Lancet. 2008 Apr 26;371(9622):1417-26. Erratum in: Lancet. 2008 Jul 26;372(9635):292.

Malalties reumatològiques i del sistema immune

[Comité de Redacción en representación del Comité de Expertos de la SEIOMM para la elaboración de las Guías]	Gonzalez-Macias J, Guañabens N, Gómez Alonso C, del Río L, Muñoz-Torres M, Delgado L, Perez Edo J, Díaz BJ, Jódar E, Hawkins F	Revista Clínica Española 2008;208 (Supl 1):1-24.
[Intake of calcium, magnesium and sodium through water: health implications]	Martínez-Ferrer A, Peris P, Reyes R, Guañabens N.	Med Clin (Barc). 2008 Nov 15;131(17):641-6. Spanish.
[Whipple's disease. Analysis of 6 cases]	Reyes R, Peris P, Feu F, Martínez-Ferrer A, Quera A, Guañabens N.	Med Clin (Barc). 2008 Feb 23;130(6):219-22. Review. Spanish.
Aetiology and clinical characteristics of male osteoporosis. Have they changed in the last few years?	Peris P, Martínez-Ferrer A, Monegal A, Martínez de Osaba MJ, Alvarez L, Ros I, Muxí A, Reyes R, Guañabens N.	Clin Exp Rheumatol. 2008 Jul-Aug;26(4):582-8.
Amputation of digits or limbs in patients with antiphospholipid syndrome	Asherson RA, Cervera R, Klumb E, Stojanovic L, Sarzi-Puttini P, Yin H, Bucciarelli S, Espinosa G, Levy R, Shoenfeld Y.	Semin Arthritis Rheum. 2008 Oct;38(2):124-31
Anti-chromatin (anti-nucleosome) antibodies: diagnostic and clinical value	Gómez-Puerta JA, Burlingame RW, Cervera R.	Autoimmun Rev. 2008 Sep;7(8):606-11
Anti-cofactor autoantibodies in systemic lupus erythematosus: prevalence, clinical and HLA class II	Sebastiani GD, Morozzi G, Bellisai F, Fineschi I, Bacarelli MR, Simpatico A, Font J, Cervera R, Houssiau F,	Immunol Invest. 2008;37(4):375-85

associations	Fernandez-Nebro A, De Ramon Garrido E, De Pità O, Smolen J, Galeazzi M; ECAISLE.	
Antiphospholipid antibodies and the antiphospholipid syndrome: clinical significance and treatment	Asherson RA, Cervera R, Merrill JT, Erkan D.	Semin Thromb Hemost. 2008 Apr;34(3):256-66. Review.
Antiphospholipid syndrome	Espinosa G, Cervera R.	Arthritis Res Ther. 2008;10(6):230
Antiphospholipid syndrome dilemmas still to be solved: 2008 status	Shoenfeld Y, Meroni PL, Cervera R.	Ann Rheum Dis. 2008 Apr;67(4):438-42. Review.
Asherson's syndrome of the catastrophic antiphospholipid antibodies	Shoenfeld Y, Cervera R.	J Rheumatol. 2008 Oct;35(10):2066-8
Bidirectional effects on autoimmunity and reproduction	Cervera R, Balasch J.	Hum Reprod Update. 2008 Jul-Aug;14(4):359-66
Catastrophic antiphospholipid (Asherson's) syndrome	Cervera R, Asherson RA.	Br J Hosp Med (Lond). 2008 Jul;69(7):384-7
Catastrophic Antiphospholipid Syndrome: Treatment, Prognosis, and the Risk of Relapse	Bucciarelli S, Erkan D, Espinosa G, Cervera R.	Clin Rev Allergy Immunol. 2008 Dec 2
Commentary: somatic cell nuclear transfer--progress and promise	Cervera RP, Stojkovic M.	Stem Cells. 2008 Feb;26(2):494-5
Delayed lupus nephritis	Varela DC, Quintana G, Somers EC, Rojas-Villarraga A, Espinosa G, Hincapie ME, McCune WJ, Cervera R, Anaya JM.	Ann Rheum Dis. 2008 Jul;67(7):1044-6
Development of aortic aneurysm/dilatation during the followup of patients with giant cell arteritis: a cross-sectional screening of fifty-four prospectively followed patients.	García-Martínez A, Hernández-Rodríguez J, Arguis P, Paredes P, Segarra M, Lozano E, Nicolau C, Ramírez J, Lomeña F, Josa M, Pons F, Cid MC.	Arthritis Rheum. 2008 Mar 15;59(3):422-30.
EULAR recommendations for points to consider in conducting clinical trials in systemic lupus erythematosus (SLE)	Gordon C, Bertias GK, Ioannidis JP, Boletis J, Bombardieri S, Cervera R, Dostál C, Font G, Gilboe IM, Houssiau F, Huizinga TW, Isenberg D, Kallenberg CG, Khamashta MA, Piette JC, Schneider M, Smolen JS, Sturfelt G, Tincani A, Van Vollenhoven R, Boumpas DT.	Ann Rheum Dis. 2008 Apr 3
Evidence for selection of end-points for clinical trials in systemic lupus erythematosus (SLE): a systematic literature review. Report of a Task Force of the EULAR Standing Committee for International Clinical Studies Including Therapeutics (ESCSIT)	Bertias GK, Ioannidis JP, Boletis J, Bombardieri S, Cervera R, Dostál C, Font J, Gilboe IM, Houssiau F, Huizinga TW, Isenberg D, Kallenberg CG, Khamashta MA, Piette JC, Schneider M, Smolen JS, Sturfelt G, Tincani A, van Vollenhoven R, Boumpas DT, Gordon C.	Ann Rheum Dis. 2008 Apr 23
Founder effect in different European countries for the recurrent P392L SQSTM1 mutation in Paget's Disease of Bone.	Chung PY, Beyens G, Guañabens N, Boonen S, Papapoulos S, Karperien M, Eekhoff M, Van Wesenbeeck L, Jennes K, Geusens P, Offeciers E, Van Offel J, Westhovens R, Zmierzczak H, Devogelaer JP, Van Hul W.	Calcif Tissue Int. 2008 Jul;83(1):34-42.
Idiopathic osteoporosis in premenopausal women. Clinical characteristics and bone remodelling abnormalities.	Peris P, Ruiz-Esquide V, Monegal A, Alvarez L, Martínez de Osaba MJ, Martínez-Ferrer A, Reyes R, Guañabens N.	Clin Exp Rheumatol. 2008 Nov-Dec;26(6):986-91.
Ilium osteitis as the main manifestation of the SAPHO syndrome: response to infliximab therapy and review of the literature.	Moll C, Hernández MV, Cañete JD, Gómez-Puerta JA, Soriano A, Collado A, Sanmartí R.	Semin Arthritis Rheum. 2008 Apr;37(5):299-306. Review.
Immunotherapy for antineutrophil cytoplasmic antibody-associated vasculitis: challenging the therapeutic status quo?	Bosch X, Guilabert A, Espinosa G, Mirapeix E.	Trends Immunol. 2008 Jun;29(6):280-9. Review.
Infections and the Antiphospholipid Syndrome.	García-Carrasco M, Galarza-Maldonado C, Mendoza-Pinto C, Escarcega RO, Cervera R.	Clin Rev Allergy Immunol. 2008 Dec 17
Influence of variants of Fc{gamma}receptors IIA and IIIA on the ACR and EULAR responses to anti-TNF{alpha} therapy in	Cañete JD, Suarez B, Hernández MV, Sanmartí R, Rego I, Celis R, Moll C, Pinto JA, Blanco FJ, Lozano F.	Ann Rheum Dis. 2008 Oct 17.

rheumatoid arthritis.		
Men suffer vertebral fractures with similar spinal T-scores to women.	del Rio L, Peris P, Jover L, Guañabens N, Monegal A, Di Gregorio S.	Clin Exp Rheumatol. 2008 Mar-Apr;26(2):283-7.
Microangiopathic antiphospholipid antibody-associated syndromes: a tribute to Ronald Asherson	Cervera R, Shoenfeld Y.	Isr Med Assoc J. 2008 Dec;10(12):894-5
Microvascular and microangiopathic antiphospholipid-associated syndromes ("MAPS"): semantic or antisemantic?	Asherson RA, Cervera R.	Autoimmun Rev. 2008 Jan;7(3):164-7. Epub 2007 Dec 3. Review.
Morbidity and mortality in the antiphospholipid syndrome during a 5-year period: a multicenter prospective study of 1,000 patients	Cervera R, Khamashta MA, Shoenfeld Y, Camps MT, Jacobsen S, Kiss E, Zeher MM, Tincani A, Kontopoulou-Griva I, Galeazzi M, Bellisai F, Meroni PL, Derksen RH, de Groot PG, Gromnica-Ihle E, Baleva M, Mosca M, Bombardieri S, Houssiau F, Gris JC, Quéré I, Hachulla E, Vasconcelos C, Roch B, Fernandez-Nebro A, Piette JC, Espinosa G, Bucciarelli S, Pisoni CN, Bertolaccini ML, Boffa MC, Hughes GR.	Ann Rheum Dis. 2008 Sep 18
Morbidity and mortality in the catastrophic antiphospholipid syndrome: pathophysiology, causes of death, and prognostic factors	Espinosa G, Bucciarelli S, Asherson RA, Cervera R.	Semin Thromb Hemost. 2008 Apr;34(3):290-4. Review.
Osteoporosis in primary biliary cirrhosis: pathogenesis and treatment.	Parés A, Guañabens N.	Clin Liver Dis. 2008 May;12(2):407-24; x. Review.
Pediatric antiphospholipid syndrome: clinical and immunologic features of 121 patients in an international registry	Avcin T, Cimaz R, Silverman ED, Cervera R, Gattorno M, Garay S, Berkun Y, Sztajn bok FR, Silva CA, Campos LM, Saad-Magalhaes C, Rigante D, Ravelli A, Martini A, Rozman B, Meroni PL.	Pediatrics. 2008 Nov;122(5):e1100-7
Polymorphisms in genes encoding tumor necrosis factor-alpha and HLA-DRB1 are not associated with response to infliximab in patients with rheumatoid arthritis.	Pinto JA, Rego I, Rodríguez-Gomez M, Cañete JD, Fernandez-López C, Freire M, Fernandez-Sueiro JL, Sanmarti R, Blanco FJ.	J Rheumatol. 2008 Jan;35(1):177-8. Erratum in: J Rheumatol. 2008 Mar;35(3):546.
Preparation of endothelial cells.	Kleinman HK, Cid MC.	Curr Protoc Cell Biol. 2001 May;Chapter 2:Unit 2.3.
Prevalence of Paget's disease of bone in Spain.	Guañabens N, Garrido J, Gobbo M, Piga AM, del Pino J, Torrijos A, Descalzo MA, García FJ, Cros JR, Carbonell J, Pérez MR, Tornero J, Carmona L; PAGET Study Group.	Bone. 2008 Dec;43(6):1006-9.
Previous antimalarial therapy in patients diagnosed with lupus nephritis: influence on outcomes and survival.	Sisó A, Ramos-Casals M, Bové A, Brito-Zerón P, Soria N, Muñoz S, Testi A, Plaza J, Sentís J, Coca A.	Lupus. 2008;17(4):281-8.
Primary antiphospholipid syndrome in Latin American mestizo patients: clinical and immunologic characteristics and comparison with European patients	Mejía-Romero R, García-Carrasco M, Galarza-Maldonado C, Santos P, Mendoza-Pinto C, Escárcega RO, Salinas-Saldivar S, Soto-Vega E, López-Colombo A, Cervera R.	Clin Rheumatol. 2008 Jul;27(7):891-7
Relapsing catastrophic antiphospholipid syndrome: report	Asherson RA, Espinosa G, Menahem S, Yin J, Bucciarelli S, Bosch X, Cervera R.	Semin Arthritis Rheum. 2008 Jun;37(6):366-72.
Related Articles Free article at journal site 31:Lessons from the "Euro-Phospholipid" project	Cervera R.	Autoimmun Rev. 2008 Jan;7(3):174-8.Review.
Sacral stress fracture as a cause of gluteal artery injury: an unusual complication of a common fracture.	Gómez-Puerta JA, Peris P, Llusá M, Guañabens N.	Joint Bone Spine. 2008 Mar;75(2):239-41.
Severe invalidating pain syndrome associated with benzimidazole therapy for Chagas' disease.	Moll C, Peris P, Moreno A, Muñoz J, Guañabens N.	Clin Rheumatol. 2008 Feb;27(2):269-70.
The incidence of rheumatoid arthritis in Spain: results from a nationwide primary care registry.	Carbonell J, Cobo T, Balsa A, Descalzo MA, Carmona L; SERAP Study Group.	Rheumatology (Oxford). 2008 Jul;47(7):1088-92.
Transverse Myelitis Affecting More Than 4 Spinal Segments Associated with Systemic Lupus Erythematosus: Clinical, Immunological, and Radiological Characteristics of 22	Espinosa G, Mendizábal A, Mínguez S, Ramo-Tello C, Capellades J, Olivé A, Cervera R.	Semin Arthritis Rheum. 2008 Nov 18

Patients		
Treatment of Raynaud's phenomenon	García-Carrasco M, Jiménez-Hernández M, Escárcega RO, Mendoza-Pinto C, Pardo-Santos R, Levy R, Maldonado CG, Chávez GP, Cervera R.	Autoimmun Rev. 2008 Oct;8(1):62-8
Vertebral "clover" scintigraphic image in a vertebral metastasis misdiagnosed with Paget's disease.	Reyes R, Peris P, Monegal A, Fuster D, Guañabens N.	Clin Rheumatol. 2008 Dec;27(12):1585-6.

Oncología Clínica

A phase I study of the safety and pharmacokinetics of the combination of pertuzumab (rhuMab 2C4) and capecitabine in patients with advanced solid tumors.	Albanell J, Montagut C, Jones ET, Pronk L, Mellado B, Beech J, Gascon P, Zugmaier G, Brewster M, Saunders MP, Valle JW.	Clin Cancer Res. 2008 May 1;14(9):2726-31.
Bortezomib/docetaxel combination therapy in patients with anthracycline-pretreated advanced/metastatic breast cancer: a phase I/II dose-escalation study.	Awada A, Albanell J, Canney PA, Dirix LY, Gil T, Cardoso F, Gascon P, Piccart MJ, Baselga J.	Br J Cancer. 2008 May 6;98(9):1500-7.
Development of a New Questionnaire to Assess Patient Perceptions of Cancer-Related Fatigue: Item Generation and Item Reduction.	Baró E, Carulla J, Cassinello J, Colomer R, Mata JG, Gascón P, Gasquet JA, Herdman M, Rodríguez CA, Sánchez J, Valentín V.	Value Health. 2008 Jul 18.
Dihydropyrimidine dehydrogenases and cytidine-deaminase gene polymorphisms as outcome predictors in resected gastric cancer patients treated with fluoropyrimidine adjuvant chemotherapy.	Grau JJ, Caballero M, Monzó M, Muñoz-García C, Domingo-Domenech J, Navarro A, Conill C, Campayo M, Bombí JA.	J Surg Oncol. 2008 Aug 1;98(2):130-4.
Erythropoietins should be used according to guidelines.	Aapro MS, Birgegård G, Bokemeyer C, Cornes P, Foubert J, Gascon P, Glaspy J, Hellström-Lindberg E, Link H, Ludwig H, Osterborg A, Repetto L, Soubeyran P.	Lancet Oncol. 2008 May;9(5):412-3.
Extended efficacy and safety of denosumab in breast cancer patients with bone metastases not receiving prior bisphosphonate therapy.	Lipton A, Steger GG, Figueroa J, Alvarado C, Solal-Celigny P, Body JJ, de Boer R, Berardi R, Gascon P, Tonkin KS, Coleman RE, Paterson AH, Gao GM, Kinsey AC, Peterson MC, Jun S.	Clin Cancer Res. 2008 Oct 15;14(20):6690-6.
Inactivation of NF-kappaB by proteasome inhibition contributes to increased apoptosis induced by histone deacetylase inhibitors in human breast cancer cells.	Domingo-Domenech J, Pippa R, Tápia M, Gascón P, Bachs O, Bosch M.	Breast Cancer Res Treat. 2008 Nov;112(1):53-62.
Safety update on erythropoiesis-stimulating agents: trials within and outside the accepted indications.	Gascón P.	Oncologist. 2008;13 Suppl 3:4-10. Review.
Serum HER2 extracellular domain predicts an aggressive clinical outcome and biological PSA response in hormone-independent prostate cancer patients treated with docetaxel.	Domingo-Domenech J, Fernandez PL, Filella X, Martinez-Fernandez A, Molina R, Fernandez E, Alcaraz A, Codony J, Gascon P, Mellado B.	Ann Oncol. 2008 Feb;19(2):269-75. Epub 2007 Nov 12.
Weekly paclitaxel for platin-resistant stage IV head and neck cancer patients.	Grau JJ, Caballero M, Verger E, Monzo M, Blanch JL.	Acta Otolaryngol. 2008 Dec 31:1-6.

Semiologia general i propedèutica clínica

[Circumstances associated to falls resulting in hip fracture in community-dwelling subjects older than 94 years old]	Formiga F, López-Soto A, Duaso E, Ruiz D, Chivite D, Pérez-Castejón JM.	Rev Clin Esp. 2008 May;208(5):234-6. Spanish.
[Complications and sequelae in acoustic neuroma surgery]	Coca A, Gómez JR, Llorente JL, Rodrigo JP, Núñez F, Sevilla MA, Suárez C.	Acta Otorrinolaringol Esp. 2007 Dec;58(10):470-5. Spanish.
[Critically-ill seniors: new challenges in the geriatric care of the future]	López-Soto A, Sacanella E.	Rev Esp Geriatr Gerontol. 2008 Jul-Aug;43(4):199-200. Spanish.

[Evaluation and management of hypertension in Spain. A consensus guide]	de la Sierra A, Gorostidi M, Marín R, Redón J, Banegas JR, Armario P, García Puig J, Zarco J, Llisterri JL, Sanchís C, Abarca B, Palomo V, Gomis R, Otero A, Villar F, Honorato J, Tamargo J, Lobos JM, Macías-Núñez J, Sarría A, Aranda P, Ruilope LM.	Med Clin (Barc). 2008 Jun 21;131(3):104-16.
[Hypertension in the elderly population]	Sierra C, López-Soto A, Coca A.	Rev Esp Geriatr Gerontol. 2008 Oct;43 Suppl 2:53-9.
[Indicators of quality in the critical patient]	Martín MC, Cabré L, Ruiz J, Blanch L, Blanco J, Ca	Med Intensiva. 2008 Jan-Feb;32(1):23-32. Spanish.
[Postgraduate medical training in Spain (MIR): a proposal for the adaptation to the sanitary model requirements.]	Torres M, Cardellach F, Bundó M, Capdevila JA; en representación de la Comisión de Medicina Especialidades Relacionadas del Consell Català d'Especialitats en Ciències de la Salut	Med Clin (Barc). 2008 Dec 6;131(20):777-82
[Postgraduate medical training in Spain (MIR): a proposal for the adaptation to the sanitary model requirements]	Torres M, Cardellach F, Bundó M, Capdevila JA; Comisión de Medicina Especialidades del Consell Català d'Especialitats en Ciències de la Salut.	Med Clin (Barc). 2008 Dec 6;131(20):777-82. Spanish.
[Prevalence and clinical characteristics of microalbuminuria in the Spanish hypertensive population]	de la Sierra A, Egocheaga MI, Aguilera MT.	Med Clin (Barc). 2008 Feb 23;130(6):201-5. Spanish.
[Prothrombin index prolongation due to N-acetylcysteine during the treatment of Amanita phalloides poisoning]	Fernández de Larrea C, Lozano M, Castro P, Nicolás JM.	Med Clin (Barc). 2008 Nov 22;131(18):717-8. Spanish.
[Pulse pressure and cardiovascular risk: from epidemiology to pathophysiology]	de la Sierra A.	Med Clin (Barc). 2008 Mar 22;130(10):374-5. Spanish.
[Recent evidence of support to arterial hypertension treatment guides]	Ruilope LM, de la Sierra A.	Med Clin (Barc). 2008 Jun 21;131(3):101-3. Spanish.
A large randomized individual and group intervention conducted by registered dietitians increased adherence to Mediterranean-type diets: the PREDIMED study.	Zazpe I, Sanchez-Tainta A, Estruch R, Lamuela-Raventos RM, Schröder H, Salas-Salvado J, Corella D, Fiol M, Gomez-Gracia E, Aros F, Ros E, Ruiz-Gutierrez V, Iglesias P, Conde-Herrera M, Martinez-Gonzalez MA.	J Am Diet Assoc. 2008 Jul;108(7):1134-44; discussion 1145.
Adherence to a Mediterranean-type diet and reduced prevalence of clustered cardiovascular risk factors in a cohort of 3,204 high-risk patients.	Sánchez-Tainta A, Estruch R, Bulló M, Corella D, Gómez-Gracia E, Fiol M, Algorta J, Covas MI, Lapetra J, Zazpe I, Ruiz-Gutiérrez V, Ros E, Martínez-González MA; PREDIMED group.	Eur J Cardiovasc Prev Rehabil. 2008 Oct;15(5):589-93.
Adherence to guidelines' empirical antibiotic recommendations and community-acquired pneumonia outcome.	Dambrova PG, Torres A, Vallès X, Mensa J, Marcos MA, Peñarroja G, Camps M, Estruch R, Sánchez M, Menéndez R, Niederman MS.	Eur Respir J. 2008 Oct;32(4):892-901.
An open challenge. Open access and the challenges for scientific publishing.	Bosch X.	EMBO Rep. 2008 May;9(5):404-8.
Autoimmunity and immune risk phenotype in nonagenarians: differences according to sex and health status.	Formiga F, Vidaller A, Mestre M, Bas J, Lopez-Soto A, Ruiz D, Pujol R.	J Am Geriatr Soc. 2008 Oct;56(10):1973-4.
BAT1 promoter polymorphism is associated with rheumatoid arthritis susceptibility.	Quiñones-Lombraña A, Lopez-Soto A, Ballina-García FJ, Alperi-López M, Queiro-Silva R, Lopez-Vazquez A, Lopez-Larrea C, Gonzalez S.	J Rheumatol. 2008 May;35(5):741-4.
Bone marrow angiogenesis and angiogenic factors in multiple myeloma treated with novel agents.	Cibeira MT, Rozman M, Segarra M, Lozano E, Rosiñol L, Cid MC, Filella X, Bladé J.	Cytokine. 2008 Mar;41(3):244-53.
Calciphic uremic arteriopathy complicating chronic kidney disease.	Rodríguez-Pérez S, Ramirez-Rivera J, Jaume-Anselmi F, Torres AB.	Bol Asoc Med P R. 2008 Jul-Sep;100(3):47-50.
Characteristics of fall-related hip fractures in community-dwelling elderly patients according to cognitive status.	Formiga F, Lopez-Soto A, Duaso E, Ruiz D, Chivite D, Perez-Castejon JM, Navarro M, Pujol R.	Aging Clin Exp Res. 2008 Oct;20(5):434-8.
Characteristics of falls producing hip fractures in nonagenarians.	Formiga F, Lopez-Soto A, Duaso E, Chivite D, Ruiz D, Perez-Castejon JM, Navarro M, Pujol R.	J Nutr Health Aging. 2008 Nov;12(9):664-7.
Chronic hypotension in hemodialysis patients: role of functional vascular changes and vasodilator agents.	Coll E, Larrousse M, de la Sierra A, Collado S, Jiménez W, Cases A.	Clin Nephrol. 2008 Feb;69(2):114-20.
Clinical characteristics of isolated	Vinyoles E, Felip A, Pujol E, de la Sierra	J Hypertens. 2008

clinic hypertension.	A, Durà R, del Rey RH, Sobrino J, Gorostidi M, de la Figuera M, Segura J, Banegas JR, Ruilope LM; Spanish Society of Hypertension ABPM Registry.	Mar;26(3):438-45.
Clinical effects of torasemide prolonged release in mild-to-moderate hypertension: a randomized noninferiority trial versus torasemide immediate release.	Roca-Cusachs A, Aracil-Vilar J, Calvo-Gómez C, Vaquer-Pérez JV, Laporta-Crespo F, Rojas-Serrano MJ, Guglietta A, Gropper S; Torasemide-PR in Hypertension Clinical Trial Investigators Group.	Cardiovasc Ther. 2008 Summer;26(2):91-100. Erratum in: Cardiovasc Ther. 2008;26(3):233.
Dealing with scientific misconduct.	Bosch X.	BMJ. 2007 Sep 15;335(7619):524-5.
Early detection and management of the high-risk patient with elevated blood pressure.	Sierra C, de la Sierra A.	Vasc Health Risk Manag. 2008;4(2):289-96. Review.
Economic benefits of treating high-risk hypertension with angiotensin II receptor antagonists (blockers).	Coca A.	Clin Drug Investig. 2008;28(4):211-20. Review.
Effect of a Mediterranean diet supplemented with nuts on metabolic syndrome status: one-year results of the PREDIMED randomized trial.	Salas-Salvadó J, Fernández-Ballart J, Ros E, Martínez-González MA, Fitó M, Estruch R, Corella D, Fiol M, Gómez-Gracia E, Arós F, Flores G, Lapetra J, Lamuela-Raventós R, Ruiz-Gutiérrez V, Bulló M, Basora J, Covas MI; PREDIMED Study Investigators.	Arch Intern Med. 2008 Dec 8;168(22):2449-58.
Factors associated with hip fracture-related falls among patients with a history of recurrent falling.	Formiga F, Navarro M, Duaso E, Chivite D, Ruiz D, Perez-Castejon JM, Lopez-Soto A, Pujol R.	Bone. 2008 Nov;43(5):941-4.
Gender differences in office and ambulatory control of hypertension.	Banegas JR, Segura J, de la Sierra A, Gorostidi M, Rodríguez-Artalejo F, Sobrino J, de la Cruz JJ, Vinyolés E, del Rey RH, Graciani A, Ruilope LM; Spanish Society of Hypertension ABPM Registry Investigators.	Am J Med. 2008 Dec;121(12):1078-84.
Hospital deaths of people aged 90 and over: end-of-life palliative care management.	Formiga F, López-Soto A, Navarro M, Riera-Mestre A, Bosch X, Pujol R.	Gerontology. 2008;54(3):148-52.
Infections and the Antiphospholipid Syndrome	García-Carrasco M, Galarza-Maldonado C, Mendoza-Pinto C, Escarcega RO, Cervera R.	Clin Rev Allergy Immunol. 2008 Dec 17
Integrity: Croatia's standards unusual in much of Europe.	Bosch X.	Nature. 2008 Jul 31;454(7204):574; author reply 575.
Is mannose-binding lectin deficiency associated with infection due to Gram-positive bacteria?	Smithson A, Perelló R, Horcajada JP, Nicolas JM, Lozano F.	Clin Infect Dis. 2008 Dec 1;47(11):1492-3; author reply 1493.
Metabolic syndrome in Portugal: prevalence and implications for cardiovascular risk--results from the VALSIM Study.	Fiuza M, Cortez-Dias N, Martins S, Belo A; VALSIM study investigators.	Rev Port Cardiol. 2008 Dec;27(12):1495-529. English, Portuguese.
Mitochondrial DNA depletion in oocytes of HIV-infected antiretroviral-treated infertile women	López S, Coll O, Durban M, Hernández S, Vidal R, Suy Á, Morén C, Casademont J, Cardellach F, Mataró D, Miró O, Garrabou G.	Antivir Ther. 2008;13(6):833-8
Partial immunological and mitochondrial recovery after reducing didanosine doses in patients on didanosine and tenofovir-based regimens	Negredo E, Garrabou G, Puig J, López S, Morén C, Bellido R, Ayen R, Cardellach F, Miró O, Clotet B.	Antivir Ther. 2008;13(2):231-40. Erratum in: Antivir Ther. 2008;13(3):467
Previous antimalarial therapy in patients diagnosed with lupus nephritis: influence on outcomes and survival.	Sisó A, Ramos-Casals M, Bové A, Brito-Zerón P, Soria N, Muñoz S, Testi A, Plaza J, Sentís J, Coca A.	Lupus. 2008;17(4):281-8.
Progressive effects of valsartan compared with amlodipine in prevention of diabetes according to categories of diabetogenic risk in hypertensive patients: the VALUE trial.	Kjeldsen SE, McInnes GT, Mancia G, Hua TA, Julius S, Weber MA, Coca A, Girerd X, Jamerson K, Larochelle P, Macdonald T, Schmieder RE, Anthony Schork M, Viskoper R, Widimsky J, Zanchetti A.	Blood Press. 2008;17(3):170-7.
Putative endothelial progenitor cells are associated with flow-mediated dilation in refractory hypertensives.	Oliveras A, de la Sierra A, Martínez-Estrada OM, Larrousse M, Vázquez S, Soler MJ, Zuasti M, Vila JS, Reina M, Roca-Cusachs A, Lloveras J.	Blood Press. 2008;17(5-6):298-305.
Relapsing catastrophic antiphospholipid syndrome: report	Asherson RA, Espinosa G, Menahem S, Vinh J, Bucciarelli S, Bosch X, Cervera R.	Semin Arthritis Rheum. 2008 Jun;37(6):366-72.
Relationship of alcoholic beverage	Carmona-Torre Fde A, Garcia-Arellano	Am J Health Promot.

consumption to food habits in a Mediterranean population.	A, Marques-Lopes I, Basora J, Corella D, Gómez-Gracia E, Fiol M, Covas MI, Aros F, Conde M, Lapetra J, Estruch R, Martínez-González MA.	2008 Sep-Oct;23(1):27-30.
Six weeks of whole-body vibration exercise improves pain and fatigue in women with fibromyalgia.	Alentorn-Geli E, Padilla J, Moras G, Lázaro Haro C, Fernández-Solà J.	J Altern Complement Med. 2008 Oct;14(8):975-81.
Success of ampicillin plus ceftriaxone rescue therapy for a relapse of Enterococcus faecalis native-valve endocarditis and in vitro data on double beta-lactam activity.	Miro JM, Cervera C, Garcia-de-la-Maria C, Del Rio A, Armero Y, Mestres CA, Grau JM, Marco F, Moreno A.	Scand J Infect Dis. 2008;40(11-12):968-72.
Systemic vasculitis: still a long and winding road.	Cid MC.	Curr Opin Rheumatol. 2008 Jan;20(1):1-2.
Targeted biologic approaches to the treatment of systemic vasculitis.	Coca A, Anolik JH.	Clin Rev Allergy Immunol. 2008 Oct;35(1-2):79-87. Review.
The ACTION study: nifedipine in patients with symptomatic stable angina and hypertension.	Sierra C, Coca A.	Expert Rev Cardiovasc Ther. 2008 Sep;6(8):1055-62. Review.
The effects of milk as a food matrix for polyphenols on the excretion profile of cocoa (-)-epicatechin metabolites in healthy human subjects.	Roura E, Andrés-Lacueva C, Estruch R, Lourdes Mata Bilbao M, Izquierdo-Pulido M, Lamuela-Raventós RM.	Br J Nutr. 2008 Oct;100(4):846-51.
The metabolic syndrome in hypertension: European society of hypertension position statement.	Redon J, Cifkova R, Laurent S, Nilsson P, Narkiewicz K, Erdine S, Mancia G; Scientific Council of the European Society of Hypertension.	J Hypertens. 2008 Oct;26(10):1891-900.

Medicina d'atenció primària

[Prediction of glucose and insulin resistance disorders by using anthropometric parameters of central adiposity: PRED-IR study]	Brotos C, de la Figuera M, Franch J, Aristegui I, Rodríguez Azeredo R, García M, Gomis R; Investigation group of PRED-IR Study.	Med Clin (Barc). 2008 Sep 27;131(10):366-70. Spanish.
[Seroprevalence of chronic viral hepatitis markers in 791 recent immigrants in Catalonia, Spain. Screening and vaccination against hepatitis B recommendations]	Valerio L, Barro S, Pérez B, Roca C, Fernández J, Solsona L, Aguilar A, Escribà JM.	Rev Clin Esp. 2008 Oct;208(9):426-31. Spanish.
Gender differences in office and ambulatory control of hypertension.	Banegas JR, Segura J, de la Sierra A, Gorostidi M, Rodríguez-Artalejo F, Sobrino J, de la Cruz JJ, Vinyoles E, del Rey RH, Graciani A, Ruilope LM; Spanish Society of Hypertension ABPM Registry Investigators.	Am J Med. 2008 Dec;121(12):1078-84.

Memòria econòmica

Memòria econòmica 2008

Funcionament Ordinari 2008	
Beca - col·laboració	5.277,00
Biblioteca	84,00
Correu - Missatgeria	1.045,51
Fotografia	34,80
Fotocòpies	3.311,18
Material Docent Inventariable	44.296,39
Material Docent no Inventariable	3.189,48
Material oficina	2.397,72
Serveis Científics UB	244,47
Recerca	191,32
Software	1.106,14
Telèfon	394,30
Suma	61.572,31

